PB84-152420

Industrial Waste Heat Recovery and the Potential for Emissions Reduction Volume 9. Standard Classification Codes 3-06-011-01 to 3-90-005-33

Energy and Environmental Analysis, Inc.
Arlington, VA

Prepared for

Industrial Environmental Research
Lab.-Cincinnati, OH

Feb 84

U.S. Department of Commerce
National Technical Information Service
NTIS

PB84-152420

EPA-600/7-84-020i
February 1984

INDUSTRIAL WASTE HEAT RECOVERY AND THE POTENTIAL FOR EMISSIONS REDUCTION, VOLUME 9: STANDARD CLASSIFICATION CODES 3-06-011-01 TO 3-90-005-33

by

Energy and Environmental Analysis, Inc.
1111 North 19th Street
Arlington, Virginia 22209

Contract Number 68-03-2622

Project Officer

Benjamin L. Blaney
Power Technology and Conservation Branch
Industrial Environmental Research Laboratory
Cincinnati, Ohio 45268

INDUSTRIAL ENVIRONMENTAL RESEARCH LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
CINCINNATI, OHIO 45268

REPRODUCED BY
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

TECHNICAL REPORT DATA
(Please read Instructions on the reverse before completing)

1. REPORT NO. EPA-600/7-84-020i

2.

3. RECIPIENT'S ACCESSION NO. PB84 152420

4. TITLE AND SUBTITLE
Industrial Waste Heat Recovery and the Potential for Emissions Reduction, Volume 9: Standard Classification Codes 3-06-011-01 to 3-90-005-33

5. REPORT DATE February 1984

6. PERFORMING ORGANIZATION CODE

7. AUTHOR(S)

8. PERFORMING ORGANIZATION REPORT NO.

9. PERFORMING ORGANIZATION NAME AND ADDRESS
Energy and Environmental Analysis, Inc.
1111 North 19th Street
Arlington, VA 22209

10. PROGRAM ELEMENT NO. C2JN1E

11. CONTRACT/GRANT NO. 68-03-2622

12. SPONSORING AGENCY NAME AND ADDRESS
Industrial Environmental Research Laboratory
U.S. Environmental Protection Agency
Cincinnati, Ohio 45268

13. TYPE OF REPORT AND PERIOD COVERED Final: 10/25/77 - 3/28/79

14. SPONSORING AGENCY CODE EPA-ORD/16

15. SUPPLEMENTARY NOTES

16. ABSTRACT

This report examines the applicability of conservation equipment to various industrial sectors, determines the net costs involved, and assesses the potential for conservation as a means of air pollution control. Predictions of the amount of waste heat available from U.S. industrial sources were made and a waste heat inventory was established. The inventory is segmented by industrial group, industry, process, and flue gas temperature. The waste heat recovery equipment analysis determined the costs and applications of a variety of waste heat recovery equipment. The analysis examined five major equipment types and their limitations. Cost functions were developed which used furnace flue gas flow rate and temperature, and air preheat temperature as inputs. A discussion of the major factors to be considered for the development of heat recovery equipment also is included. A discussion on the availability and development of high temperature burners and the effects of high preheat temperature on ancillary equipment is included. High preheat temperatures result in higher flame temperatures and correspondingly higher NO_x emissions. This issue also has been addressed in this report. Volume 1 describes study methodology and findings. Volumes 2 through 10 tabulate stack gas waste heat inventories for all the industrial processes studied.

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group

18. DISTRIBUTION STATEMENT Release to Public

19. SECURITY CLASS *(This Report)* Unclassified

20. SECURITY CLASS *(This page)* Unclassified

21. NO. OF PAGES 546

22. PRICE

EPA Form 2220-1 (Rev. 4-77) PREVIOUS EDITION IS OBSOLETE

NOTICE

This document has been reviewed in accordance with U.S. Environmental Protection Agency policy and approved for publication. Mention of trade names or commercial products does not constitute endorsement or recommendation for use.

ABSTRACT

This analysis estimates the environmental consequences of industrial energy conservation. The benefits and problems of using energy conservation equipment depend upon the net costs of using industrial energy conservation technologies and traditional air pollution control techniques. This report examines the applicability of conservation equipment to various industrial sectors, determines the net costs involved, and assesses the potential for conservation as a means of air pollution control.

Predictions of the amount of waste heat available from U.S. industrial sources were made and a waste heat inventory was established. The inventory is segmented by industrial group, industry, process, and flue gas temperature. A description of the theoretical basis for the inventory, the method of execution, the limitations of the analysis, and the results are included.

The waste heat recovery equipment analysis determined the costs and applications of a variety of waste heat recovery equipment. The analysis examined five major equipment types and their limitations. Cost functions were developed which used furnace flue gas flow rate and temperature, and air preheat temperature as inputs.

A discussion of the major factors to be considered for the development of heat recovery equipment also is included. Since a major waste heat recovery technology involves preheating combustion air, a discussion on the availability and development of high temperature burners and the effects of high preheat temperature on ancillary equipment is included. High preheat temperatures result in higher flame temperatures and higher NO_x emissions. This issue also has been addressed in this report.

The above information is presented in Volume 1 of the report, with the exception of the stack gas waste heat inventories for each industrial process. These are tabulated in Volumes 2 through 10 of the report.

This report was submitted in fulfillment of Contract No. 68-03-2622 by Energy and Environmental Analysis, Inc. under sponsorship of the U.S. Environmental Protection Agency. This report covers the period October 25, 1977 to March 28, 1979 and work on this project was completed in October 1981.

FOREWORD

When energy and material resources are extracted, processed, converted, and used, the related pollutional impacts of our environment and even on our health often require that new and increasingly more efficient pollution control methods be used. The Industrial Environmental Research Laboratory - Cincinnati (IERL-Ci) assists in developing and demonstrating new and improved methodologies that will meet these needs both efficiently and economically.

This report describes the flue gas waste heat recovery potential for various industrial processes and the techniques available for recovering that thermal energy. The potential for emission reduction through waste heat utilization is discussed. This report should be useful to businesses and government agencies concerned with both energy conservation and pollution reduction. Further information on this subject may be obtained from the Energy Pollution Control Division of IERL-Ci.

David G. Stephan
Director
Industrial Environmental Research Laboratory
Cincinnati

CONTENTS

Disclaimer ii
Abstract iii
Foreword iv
Contents v
Table vi
1. Introduction 1
2. Waste Heat Inventory 3

TABLE

1. Division of Stack Gas Waste Heat Inventory into Volumes 2 to 10 of Report 2

SECTION 1

INTRODUCTION

STUDY OBJECTIVES

This study investigated the various applications of energy conservation technologies which recover waste heat from furnaces, boilers, and tubestill heaters. The three main objectives are: (1) to characterize feasible conservation equipment, (2) to determine possible market penetration, and (3) to study pollution formation from waste heat recovery equipment.

The five major components of the study were:

(1) Establishment of a waste heat inventory.

(2) Determination of feasible waste heat recovery technologies.

(3) Determination of factors affecting waste heat recovery and equipment limitations, specifically in furnaces, ovens, and kilns.

(4) Determination of compatibility between conservation equipment and available burner design.

(5) Determination of the effect of waste heat recovery devices on criteria pollutants with an emphasis on NO_x emissions.

The approach to each of these components and the principal results are presented in Volume 1 of the final report. The detailed waste heat inventory which was established as the first task of the study is presented in Volumes 2 to 10.

STACK GAS WASTE HEAT INVENTORY

One result of establishing a waste heat inventory was the development of computer tables and histograms showing the waste heat contents of stack gasses for different industrial processes. This information is contained in a lengthy set of computer printouts which were bound and published as Volumes 2 to 10 of the project report.

The information is presented by Source Classification Code (SCC), as used in EPA's National Emissions Data System (NEDS). Table 1 shows the industrial process SCC's which are covered in each of the nine volumes.

The material presented in this volume has an asterisk next to it. The title of each SCC is given in Appendix H of Volume 1 of the final report.

TABLE 1. Division of Stack Gas Waste Heat Inventory into Volumes 2 to 10 of Report

Volume Number	SCC's Covered
2	1-01-001-01 to 1-02-007-03
3	1-02-007-04 to 2-03-999-98
4	2-04-001-01 to 3-01-025-05
5	3-01-025-10 to 3-02-013-01
6	3-02-014-01 to 3-04-002-03
7	3-04-002-04 to 3-05-010-03
8	3-05-010-99 to 3-06-010-01
* 9	3-06-011-01 to 3-90-005-33
10	3-90-005-99 to 3-90-008-99

*Material covered in this volume.

SECTION 2

WASTE HEAT INVENTORY

INTRODUCTION

The waste heat inventory was established to determine the amount of waste heat available from all non-evaporative sources. The flue gas heat loss from these sources was tabulated and then disaggregated by flue gas temperature so that higher temperature sources, which offer the largest savings, could be identified readily.

The waste heat inventory is based on the Environmental Protection Agency's (EPA) National Emission Data System (NEDS) which examines both large and small sources. The NEDS data base provides the best available information on industrial sources in the U.S. and reports stack temperatures and flue gas flow rates. To develop the waste heat inventory, flue gas composition was estimated for flue gases from several fossil fuels at various fuel/air ratios. Using these results and and the NEDS data, functions for Btu's per actual cubic foot of flue gas were developed. From this information, a second set of functions was developed for the maximum, minimum, and expected flue gas waste heat content for each industrial facility. Details on this analysis is presented in Volume 1 of the final report.

In this volume of the report the waste heat inventory of those SCC industrial processes which are indicated by an asterisk in Table 1 are provided.

INVENTORY DESCRIPTION

The Source Code Classification (SCC) results are ordered numerically. Each SCC is divided into two groups: sources with and without pollution control equipment. If an SCC has entries in only one of the groups, i.e. with or without control equipment, then only that group is shown. The total SCC is presented in the same format.

The top left hand corner of each page of inventory output gives the SCC number and is followed immediately by a brief description of the SCC. The top line indicates whether the information concerns entries with pollution control equipment, without equipment, or the total SCC.

The entry SIC = 0 indicates that the SCC has not been further subdivided by Standard Industrial Classification (SIC). However, if a four-digit

number is given, the output includes the SCC entries also in the four-digit SIC. TOT RECS indicates the total number of records that were processed for the waste heat calculation for that section of the SCC. If SIC does not equal zero, TOT RECS will refer to the number of records in the total SCC, rather than the SIC subdivision of the SCC.

The first calculation results are given by temperature range. The flue gas heat content, given in Btu's, is entered in the appropriate one hundred degree range according to the flue gas exit temperature.* The totals for the six different waste heat levels are given at the bottom of each column. The second page of the printout shows results tabulated by two-digit SIC's. The totals again appear at the bottom of each column. Finally, a histogram of the expected $60^{o}F$ waste heat calculation is shown. This histogram allows a more comprehensive analysis of the relative significance of the waste heat content of the various flue gases. Each "H" on the histograms represents 1×10^{11} Btu's and the exact heat value is given in the column directly to the left of the histograms. Any range with a heat value over ten trillion Btu's will extend off the histogram scale and will not be reflected accurately.

---

*Note: 1 Btu = 1055J and $T(^{o}F) = 1.8T(^{o}C) + 32$.

SCC= 30601101--ASPHALT OX GENERAL -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 27

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.316E 10	.296E 10	.654E 09	.0	.0	.0
101.- 200.	.839E 11	.627E 11	.311E 11	.0	.0	.0
201.- 300.	.421E 11	.319E 11	.167E 11	.0	.0	.0
301.- 400.	.288E 10	.225E 10	.131E 10	.214E 09	.203E 09	.186E 09
401.- 500.	.737E 10	.585E 10	.358E 10	.108E 10	.102E 10	.936E 09
501.- 600.	.248E 11	.201E 11	.130E 11	.577E 10	.548E 10	.501E 10
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.163E 12	.135E 12	.327E 11	.501E 11	.476E 11	.156E 11
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.328E 12	.260E 12	.990E 11	.571E 11	.543E 11	.217E 11

SCC = 30601101--ASPHALT OX GENERAL -NO CONTROL EQUIPMENT -TOT RECS = 27

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
29	.328E 12	.260E 12	.989E 11	.571E 11	.543E 11	.217E 11
51	.640E 08	.499E 08	.290E 08	.475E 07	.451E 07	.413E 07
	.328E 12	.260E 12	.990E 11	.571E 11	.543E 11	.217E 11

CC = 30601101--ASPHALT OX GENERAL - -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 27

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.  .296E 10 !H
 101.- 200.  .627E 11 !H
 201.- 300.  .319E 11 !H
 301.- 400.  .225E 10 !H
 401.- 500.  .585E 10 !H
 501.- 600.  .201E 11 !H
 601.- 700.  .0       !
 701.- 800.  .135E 12 !H
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30601101--ASPHALT OX GENERAL -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 32

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.233E 10	.219E 10	.178E 10	.0	.0	.0
101.- 200.	.826E 11	.619E 11	.244E 11	.0	.0	.0
201.- 300.	.169E 11	.127E 11	.0	.0	.0	.0
301.- 400.	.419E 10	.324E 10	.183E 10	.154E 09	.146E 09	.134E 09
401.- 500.	.290E 12	.229E 12	.572E 11	.327E 11	.311E 11	.119E 11
501.- 600.	.876E 11	.706E 11	.453E 11	.188E 11	.179E 11	.163E 11
601.- 700.	.188E 11	.153E 11	.101E 11	.489E 10	.465E 10	.425E 10
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.144E 11	.121E 11	.868E 10	.591E 10	.562E 10	.513E 10
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.517E 12	.407E 12	.149E 12	.625E 11	.594E 11	.377E 11

SCC = 30601101--ASPHALT OX GENERAL -WITH CONTROL EQUIPMENT -TOT RECS = 32

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.427E 10	.336E 10	.201E 10	.481E 09	.457E 09	.418E 09
20	.233E 10	.219E 10	.178E 10	.0	.0	.0
29	.490E 12	.385E 12	.145E 12	.596E 11	.566E 11	.373E 11
50	.211E 11	.166E 11	.0	.238E 10	.226E 10	.0
	.517E 12	.407E 12	.149E 12	.625E 11	.594E 11	.377E 11

CC =30601101--ASPHALT OX GENERAL ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 32

```
TEMP RANGE   COUNT
                     ----------------------------------------------------------------------------------------------------
   0.- 100.  .219E 10  !H
 101.- 200.  .619E 11  !H
 201.- 300.  .127E 11  !H
 301.- 400.  .324E 10  !H
 401.- 500.  .229E 12  !HH
 501.- 600.  .706E 11  !H
 601.- 700.  .153E 11  !H
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .121E 11  !H
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30601101--ASPHALT OX GENERAL -TOTAL SCC -SIC = 0 -TOT RECS = 59

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.549E 10	.515E 10	.244E 10	.0	.0	.0
101.- 200.	.167E 12	.125E 12	.555E 11	.0	.0	.0
201.- 300.	.590E 11	.446E 11	.167E 11	.0	.0	.0
301.- 400.	.707E 10	.549E 10	.314E 10	.368E 09	.350E 09	.320E 09
401.- 500.	.298E 12	.235E 12	.608E 11	.338E 11	.321E 11	.128E 11
501.- 600.	.112E 12	.907E 11	.583E 11	.246E 11	.233E 11	.214E 11
601.- 700.	.188E 11	.153E 11	.101E 11	.489E 10	.465E 10	.425E 10
701.- 800.	.163E 12	.135E 12	.327E 11	.501E 11	.476E 11	.156E 11
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.144E 11	.121E 11	.868E 10	.591E 10	.562E 10	.513E 10
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.845E 12	.667E 12	.248E 12	.120E 12	.114E 12	.595E 11

SCC = 30601101--ASPHALT OX GENERAL -TOTAL SCC -TOT RECS = 59

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.427E 10	.336E 10	.201E 10	.481E 09	.457E 09	.418E 09
20	.233E 10	.219E 10	.178E 10	.0	.0	.0
29	.817E 12	.645E 12	.244E 12	.117E 12	.111E 12	.590E 11
50	.211E 11	.166E 11	.0	.238E 10	.226E 10	.0
51	.640E 08	.499E 08	.290E 08	.475E 07	.451E 07	.413E 07
	.845E 12	.667E 12	.248E 12	.120E 12	.114E 12	.595E 11

CC 30601101--ASPHALT OX GENERAL --TOTAL SCC -SIC = 0 -TOT RECS = 59

```
EMP RANGE    COUNT
                        -----------------------------------------------------------------------------------------------------
   0.- 100.  .515E 10  !H
 101.- 200.  .125E 12  !H
 201.- 300.  .446E 11  !H
 301.- 400.  .549E 10  !H
 401.- 500.  .235E 12  !HH
 501.- 600.  .907E 11  !H
 601.- 700.  .153E 11  !H
 701.- 800.  .135E 12  !H
 801.- 900.  .0        !
 901.-1000.  .121E 11  !H
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30601199--ASPHALT OX   OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   3

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30601199--ASPHALT OX OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 3

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 30601199--ASPHALT OX OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30601199--ASPHALT OX OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 0

SIC	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300DEG	300 DEG	300 DEG

SCC= 30601201--FLUID COKING GENERAL -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 2

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.672E 09	.502E 09	.0	.0	.0	.0
201.- 300.	.703E 09	.526E 09	.265E 09	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.137E 10	.103E 10	.265E 09	.0	.0	.0

SCC = 30601201--FLUID COKINGGENERAL -NO CONTROL EQUIPMENT -TOT RECS = 2

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
13	.703E 09	.526E 09	.265E 09	.0	.0	.0
29	.672E 09	.502E 09	.0	.0	.0	.0
	.137E 10	.103E 10	.265E 09	.0	.0	.0

CC = 30601201--FLUID COKING GENERAL -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 2

TEMP RANGE	COUNT
0.- 100.	.0
101.- 200.	.502E 09
201.- 300.	.526E 09
301.- 400.	.0
401.- 500.	.0
501.- 600.	.0
601.- 700.	.0
701.- 800.	.0
801.- 900.	.0
901.-1000.	.0
1001.-1100.	.0
1101.-1200.	.0
1201.-1300.	.0
1301.-1400.	.0
1401.-1500.	.0
1501.-1600.	.0
1601.-1700.	.0
1701.-1800.	.0
1801.-1900.	.0
1901.-2000.	.0
2001.-2100.	.0
2101.-2200.	.0
2201.-2300.	.0
2301.-2400.	.0
2401.-2500.	.0
2501.-2600.	.0
2601.-2700.	.0
2701.-2800.	.0
2801.-2900.	.0
2901.-3000.	.0

```
0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30601201--FLUID COKING GENERAL -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.928E 10	.693E 10	.344E 10	.0	.0	.0
201.- 300.	.921E 11	.706E 11	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.196E 12	.154E 12	.904E 11	.176E 11	.167E 11	.153E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.298E 12	.231E 12	.938E 11	.176E 11	.167E 11	.153E 11

SCC = 30601201--FLUID COKINGGENERAL -WITH CONTROL EQUIPMENT -TOT RECS = 3

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
29	.298E 12	.231E 12	.938E 11	.176E 11	.167E 11	.153E 11
	.298E 12	.231E 12	.938E 11	.176E 11	.167E 11	.153E 11

CC =30601201--FLUID COKING GENERAL ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .0         !
 101.- 200.  .693E 10   !H
 201.- 300.  .706E 11   !H
 301.- 400.  .0         !
 401.- 500.  .154E 12   !H
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30601201--FLUID COKING GENERAL -TOTAL SCC -SIC = 0 -TOT RECS = 5

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.996E 10	.743E 10	.344E 10	.0	.0	.0
201.- 300.	.928E 11	.711E 11	.265E 09	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.196E 12	.154E 12	.904E 11	.176E 11	.167E 11	.153E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.299E 12	.232E 12	.941E 11	.176E 11	.167E 11	.153E 11

SCC = 30601201--FLUID COKINGGENERAL -TOTAL SCC -TOT RECS = 5

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
13	.703E 09	.526E 09	.265E 09	.0	.0	.0
29	.298E 12	.232E 12	.938E 11	.176E 11	.167E 11	.153E 11
	.299E 12	.232E 12	.941E 11	.176E 11	.167E 11	.153E 11

CC 30601201--FLUID COKING GENERAL --TOTAL SCC -SIC = 0 -TOT RECS = 5

```
EMP RANGE   COUNT
                   --------------------------------------------------------------------------------------------------
   0.- 100.  .0       !
 101.- 200.  .743E 10 !H
 201.- 300.  .711E 11 !H
 301.- 400.  .0       !
 401.- 500.  .154E 12 !H
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30601202--FLUID COKING COOLING OPERATION -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30601202--FLUID COKINGCOOLING OPERATION -NO CONTROL EQUIPMENT -TOT RECS = 1

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 30601202--FLUID COKING COOLING OPERATION -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30601202--FLUID COKINGCOOLING OPERATION -WITH CONTROL EQUIPMENT -TOT RECS = 0

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 30601203--FLUID COKING TRANSPORTATION -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30601203--FLUID COKINGTRANSPORTATION -NO CONTROL EQUIPMENT -TOT RECS = 1

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 30601203--FLUID COKING TRANSPORTATION -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30601203--FLUID COKINGTRANSPORTATION -WITH CONTROL EQUIPMENT -TOT RECS = 0

SIC	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300DEG	300 DEG	300 DEG

SCC= 30601204--FLUID COKING STORAGE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30601204--FLUID COKINGSTORAGE -NO CONTROL EQUIPMENT -TOT RECS = 1

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 30601204--FLUID COKING STORAGE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30601204--FLUID COKINGSTORAGE -WITH CONTROL EQUIPMENT -TOT RECS = 0

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 30601301--CATALYTIC RE GENERAL -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 12

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.996E 11	.934E 11	.761E 11	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.280E 12	.218E 12	.0	.208E 11	.197E 11	.0
401.- 500.	.158E 10	.125E 10	.770E 09	.239E 09	.227E 09	.208E 09
501.- 600.	.498E 12	.403E 12	.262E 12	.116E 12	.110E 12	.101E 12
601.- 700.	.103E 13	.839E 12	.0	.265E 12	.252E 12	.0
701.- 800.	.115E 13	.955E 12	.657E 12	.382E 12	.364E 12	.332E 12
801.- 900.	.982E 12	.818E 12	.570E 12	.350E 12	.333E 12	.304E 12
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.404E 13	.333E 13	.157E 13	.113E 13	.108E 13	.738E 12

SCC = 30601301--CATALYTIC REGENERAL -NO CONTROL EQUIPMENT -TOT RECS = 12

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
29	.404E 13	.333E 13	.157E 13	.113E 13	.108E 13	.738E 12
	.404E 13	.333E 13	.157E 13	.113E 13	.108E 13	.738E 12

CC = 30601301--CATALYTIC RE GENERAL -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 12

```
TEMP RANGE   COUNT
             --------------------------------------------------------------------------------------------
   0.- 100.  .934E 11  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .218E 12  !HH
 401.- 500.  .125E 10  !H
 501.- 600.  .403E 12  !HHHH
 601.- 700.  .839E 12  !HHHHHHHHH
 701.- 800.  .955E 12  !HHHHHHHHHH
 801.- 900.  .818E 12  !HHHHHHHHH
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .(        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30601301--CATALYTIC RE GENERAL -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.719E 12	.575E 12	.359E 12	.127E 12	.121E 12	.110E 12
601.- 700.	.200E 12	.162E 12	.106E 12	.485E 11	.461E 11	.421E 11
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.918E 12	.737E 12	.465E 12	.175E 12	.167E 12	.152E 12

SCC = 30601301--CATALYTIC REGENERAL -WITH CONTROL EQUIPMENT -TOT RECS = 3

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
29	.918E 12	.737E 12	.465E 12	.175E 12	.167E 12	.152E 12
	.918E 12	.737E 12	.465E 12	.175E 12	.167E 12	.152E 12

CC =30601301--CATALYTIC RE GENERAL ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .575E 12  !HHHHH
 601.- 700.  .162E 12  !H
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30601301--CATALYTIC RE GENERAL -TOTAL SCC -SIC = 0 -TOT RECS = 15

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.996E 11	.934E 11	.761E 11	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.280E 12	.218E 12	.0	.208E 11	.197E 11	.0
401.- 500.	.158E 10	.125E 10	.770E 09	.239E 09	.227E 09	.208E 09
501.- 600.	.122E 13	.978E 12	.621E 12	.243E 12	.231E 12	.211E 12
601.- 700.	.123E 13	.100E 13	.106E 12	.314E 12	.298E 12	.421E 11
701.- 800.	.115E 13	.955E 12	.657E 12	.382E 12	.364E 12	.332E 12
801.- 900.	.982E 12	.818E 12	.570E 12	.350E 12	.333E 12	.304E 12
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.496E 13	.407E 13	.203E 13	.131E 13	.125E 13	.890E 12

SCC = 30601301--CATALYTIC REGENERAL -TOTAL SCC -TOT RECS = 15

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
29	.496E 13	.407E 13	.203E 13	.131E 13	.125E 13	.890E 12
	.496E 13	.407E 13	.203E 13	.131E 13	.125E 13	.890E 12

CC 30601301--CATALYTIC RE GENERAL --TOTAL SCC -SIC = 0 -TOT RECS = 15

```
EMP RANGE     COUNT
                          ------------------------------------------------------------------------------------------------------
   0.- 100.   .934E 11   !H
 101.- 200.   .0         !
 201.- 300.   .0         !
 301.- 400.   .218E 12   !HH
 401.- 500.   .125E 10   !H
 501.- 600.   .978E 12   !HHHHHHHHHH
 601.- 700.   .100E 13   !HHHHHHHHHHH
 701.- 800.   .955E 12   !HHHHHHHHHH
 801.- 900.   .818E 12   !HHHHHHHHH
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30699998--OTHER/NOT CL SPECIFY IN REMARK -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 87

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.170E 13	.159E 13	.161E 11	.0	.0	.0
101.- 200.	.108E 13	.808E 12	.557E 11	.0	.0	.0
201.- 300.	.527E 12	.404E 12	.374E 10	.0	.0	.0
301.- 400.	.101E 11	.779E 10	.438E 10	.296E 09	.281E 09	.257E 09
401.- 500.	.293E 13	.233E 13	.206E 12	.434E 12	.412E 12	.469E 11
501.- 600.	.878E 12	.711E 12	.107E 12	.205E 12	.194E 12	.412E 11
601.- 700.	.205E 14	.168E 14	.704E 10	.575E 13	.547E 13	.315E 10
701.- 800.	.958E 12	.789E 12	.112E 12	.293E 12	.279E 12	.527E 11
801.- 900.	.471E 11	.391E 11	.270E 11	.160E 11	.152E 11	.139E 11
901.-1000.	.136E 13	.114E 13	.820E 12	.557E 12	.530E 12	.484E 12
1001.-1100.	.907E 10	.769E 10	.560E 10	.400E 10	.381E 10	.347E 10
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.103E 13	.897E 12	.691E 12	.580E 12	.551E 12	.501E 12
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.181E 13	.159E 13	.125E 13	.111E 13	.106E 13	.897E 12
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.181E 13	.160E 13	.128E 13	.118E 13	.112E 13	.911E 12
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.129E 13	.115E 13	.924E 12	.902E 12	.827E 12	.751E 12
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.359E 14	.298E 14	.551E 13	.110E 14	.105E 14	.371E 13

SCC = 30699998--OTHER/NOT CLSPECIFY IN REMARK -NO CONTROL EQUIPMENT -TOT RECS = 87

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
13	.187E 13	.149E 13	.444E 08	.301E 12	.286E 12	.0
28	.149E 13	.122E 13	.198E 11	.411E 12	.391E 12	.0
29	.266E 14	.222E 14	.549E 13	.868E 13	.821E 13	.371E 13
33	.482E 11	.452E 11	.0	.0	.0	.0
51	.584E 13	.479E 13	.0	.165E 13	.156E 13	.0
99	.830E 11	.779E 11	.0	.0	.0	.0
	.359E 14	.298E 14	.551E 13	.110E 14	.105E 14	.371E 13

CC = 30699998--OTHER/NOT CL SPECIFY IN REMARK -- -NO CONTROI EQUIPMENT -SIC= 0 -TOTAL RECS = 87

```
TEMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .159E 13 !HHHHHHHHHHHHHHH
 101.- 200.  .808E 12 !HHHHHHHH
 201.- 300.  .404E 12 !HHHH
 301.- 400.  .779E 10 !H
 401.- 500.  .233E 13 !HHHHHHHHHHHHHHHHHHHHHHH
 501.- 600.  .711E 12 !HHHHHHH
 601.- 700.  .168E 14 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 701.- 800.  .789E 12 !HHHHHHH
 801.- 900.  .391E 11 !H
 901.-1000.  .114E 13 !HHHHHHHHHHH
1001.-1100.  .769E 10 !H
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .897E 12 !HHHHHHHH
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .159E 13 !HHHHHHHHHHHHHHH
1801.-1900.  .0       !
1901.-2000.  .160E 13 !HHHHHHHHHHHHHHHH
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .115E 13 !HHHHHHHHHHH
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30699998--OTHER/NOT CL SPECIFY IN REMARK -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 63

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.927E 11	.870E 11	.475E 10	.0	.0	.0
101.- 200.	.616E 12	.465E 12	.231E 12	.0	.0	.0
201.- 300.	.356E 11	.271E 11	.144E 11	.0	.0	.0
301.- 400.	.782E 12	.608E 12	.351E 12	.480E 11	.456E 11	.417E 11
401.- 500.	.144E 13	.114E 13	.480E 11	.215E 12	.204E 12	.107E 11
501.- 600.	.508E 12	.410E 12	.264E 12	.113E 12	.107E 12	.981E 11
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.142E 13	.120E 13	.859E 12	.582E 12	.554E 12	.506E 12
1001.-1100.	.173E 11	.146E 11	.106E 11	.739E 10	.703E 10	.641E 10
1101.-1200.	.584E 12	.498E 12	.368E 12	.275E 12	.262E 12	.238E 12
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.404E 11	.351E 11	.270E 11	.227E 11	.216E 11	.196E 11
1501.-1600.	.361E 11	.315E 11	.244E 11	.210E 11	.199E 11	.177E 11
1601.-1700.	.469E 11	.411E 11	.321E 11	.281E 11	.266E 11	.231E 11
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.903E 12	.800E 12	.638E 12	.588E 12	.557E 12	.455E 12
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.652E 13	.536E 13	.287E 13	.190E 13	.181E 13	.142E 13

SCC = 30699998--OTHER/NOT CLSPECIFY IN REMARK -WITH CONTROL EQUIPMENT -TOT RECS = 63

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
28	.975E 12	.801E 12	.535E 12	.271E 12	.258E 12	.235E 12
29	.553E 13	.455E 13	.233E 13	.163E 13	.155E 13	.118E 13
36	.102E 11	.819E 10	.523E 10	.214E 10	.203E 10	.186E 10
	.652E 13	.536E 13	.287E 13	.190E 13	.181E 13	.142E 13

CC =30699998--OTHER/NOT CL SPECIFY IN REMARK ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 63

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.  .870E 11 !H
 101.- 200.  .465E 12 !HHHH
 201.- 300.  .271E 11 !H
 301.- 400.  .608E 12 !HHHHHH
 401.- 500.  .114E 13 !HHHHHHHHHHH
 501.- 600.  .410E 12 !HHHH
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .120E 13 !HHHHHHHHHHH
1001.-1100.  .146E 11 !H
1101.-1200.  .498E 12 !HHHH
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .351E 11 !H
1501.-1600.  .315E 11 !H
1601.-1700.  .411E 11 !H
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .800E 12 !HHHHHHH
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30699998--OTHER/NOT CL SPECIFY IN REMARK -TOTAL SCC -SIC = 0 -TOT RECS = 150

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.179E 13	.168E 13	.208E 11	.0	.0	.0
101.- 200.	.170E 13	.127E 13	.287E 12	.0	.0	.0
201.- 300.	.563E 12	.431E 12	.182E 11	.0	.0	.0
301.- 400.	.792E 12	.616E 12	.355E 12	.483E 11	.459E 11	.420E 11
401.- 500.	.437E 13	.347E 13	.254E 12	.649E 12	.616E 12	.576E 11
501.- 600.	.139E 13	.112E 13	.371E 12	.318E 12	.302E 12	.139E 12
601.- 700.	.205E 14	.168E 14	.704E 10	.575E 13	.547E 13	.315E 10
701.- 800.	.958E 12	.789E 12	.112E 12	.293E 12	.279E 12	.527E 11
801.- 900.	.471E 11	.391E 11	.270E 11	.160E 11	.152E 11	.139E 11
901.-1000.	.278E 13	.234E 13	.168E 13	.114E 13	.108E 13	.989E 12
1001.-1100.	.264E 11	.223E 11	.162E 11	.114E 11	.108E 11	.987E 10
1101.-1200.	.584E 12	.498E 12	.368E 12	.275E 12	.262E 12	.238E 12
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.107E 13	.932E 12	.718E 12	.603E 12	.573E 12	.520E 12
1501.-1600.	.361E 11	.315E 11	.244E 11	.210E 11	.199E 11	.177E 11
1601.-1700.	.469E 11	.411E 11	.321E 11	.281E 11	.266E 11	.231E 11
1701.-1800.	.181E 13	.159E 13	.125E 13	.111E 13	.106E 13	.897E 12
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.271E 13	.240E 13	.192E 13	.176E 13	.167E 13	.137E 13
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.129E 13	.115E 13	.924E 12	.902E 12	.827E 12	.751E 12
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.424E 14	.352E 14	.838E 13	.129E 14	.123E 14	.512E 13

SCC = 30699998--OTHER/NOT CLSPECIFY IN REMARK -TOTAL SCC -TOT RECS = 150

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
13	.187E 13	.149E 13	.444E 08	.301E 12	.286E 12	.0
28	.247E 13	.202E 13	.555E 12	.683E 12	.649E 12	.235E 12
29	.321E 14	.267E 14	.782E 13	.103E 14	.976E 13	.488E 13
33	.482E 11	.452E 11	.0	.0	.0	.0
36	.102E 11	.819E 10	.523E 10	.214E 10	.203E 10	.186E 10
51	.584E 13	.479E 13	.0	.165E 13	.156E 13	.0
99	.830E 11	.779E 11	.0	.0	.0	.0
	.424E 14	.352E 14	.838E 13	.129E 14	.123E 14	.512E 13

CC 30699998--OTHER/NOT CL SPECIFY IN REMARK --TOTAL SCC -SIC = 0 -TOT RECS = 150

```
EMP RANGE    COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .168E 13 !HHHHHHHHHHHHHHHHH
 101.- 200.  .127E 13 !HHHHHHHHHHHHH
 201.- 300.  .431E 12 !HHHH
 301.- 400.  .616E 12 !HHHHHH
 401.- 500.  .347E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 501.- 600.  .112E 13 !HHHHHHHHHHHH
 601.- 700.  .168E 14 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 701.- 800.  .789E 12 !HHHHHHHH
 801.- 900.  .391E 11 !H
 901.-1000.  .234E 13 !HHHHHHHHHHHHHHHHHHHHHHHHH
1001.-1100.  .223E 11 !H
1101.-1200.  .498E 12 !HHHH
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .932E 12 !HHHHHHHHHH
1501.-1600.  .315E 11 !H
1601.-1700.  .411E 11 !H
1701.-1800.  .159E 13 !HHHHHHHHHHHHHHHH
1801.-1900.  .0       !
1901.-2000.  .240E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHH
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .115E 13 !HHHHHHHHHHHH
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30699999--OTHER/NOT CL SPECIFY IN REMARK -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 153

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.503E 12	.472E 12	.433E 09	.0	.0	.0
101.- 200.	.557E 12	.417E 12	.114E 12	.0	.0	.0
201.- 300.	.261E 14	.200E 14	.175E 11	.0	.0	.0
301.- 400.	.655E 12	.511E 12	.887E 10	.482E 11	.458E 11	.866E 09
401.- 500.	.123E 13	.977E 12	.440E 12	.174E 12	.165E 12	.119E 12
501.- 600.	.999E 12	.806E 12	.327E 12	.214E 12	.204E 12	.118E 12
601.- 700.	.870E 11	.712E 11	.474E 11	.241E 11	.229E 11	.209E 11
701.- 800.	.585E 12	.484E 12	.837E 11	.190E 12	.181E 12	.401E 11
801.- 900.	.366E 12	.304E 12	.212E 12	.129E 12	.123E 12	.112E 12
901.-1000.	.288E 12	.242E 12	.173E 12	.115E 12	.109E 12	.996E 11
1001.-1100.	.168E 12	.142E 12	.102E 12	.707E 11	.673E 11	.614E 11
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.117E 12	.100E 12	.744E 11	.568E 11	.540E 11	.492E 11
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.413E 11	.358E 11	.272E 11	.223E 11	.212E 11	.192E 11
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.823E 12	.729E 12	.0	.536E 12	.508E 12	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.103E 13	.915E 12	.0	.746E 12	.671E 12	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.335E 14	.262E 14	.163E 13	.233E 13	.217E 13	.641E 12

SCC = 30699999--OTHER/NOT CLSPECIFY IN REMARK   -NO CONTROL EQUIPMENT -TOT RECS =   153

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
13	.351E 13	.283E 13	.979E 11	.821E 12	.743E 12	.449E 11
28	.214E 13	.165E 13	.802E 11	.553E 11	.526E 11	.480E 11
29	.251E 14	.195E 14	.145E 13	.127E 13	.120E 13	.548E 12
33	.287E 12	.220E 12	.0	.0	.0	.0
46	.861E 12	.660E 12	.0	.0	.0	.0
49	.287E 12	.220E 12	.0	.0	.0	.0
50	.461E 11	.432E 11	.0	.0	.0	.0
51	.574E 12	.440E 12	.0	.0	.0	.0
99	.768E 12	.622E 12	.0	.182E 12	.173E 12	.0
	.335E 14	.262E 14	.163E 13	.233E 13	.217E 13	.641E 12

CC = 30699999--OTHER/NOT CL SPECIFY IN REMARK   -- -NO CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   153

```
TEMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .472E 12 !HHHH
 101.- 200.  .417E 12 !HHHH
 201.- 300.  .200E 14 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.  .511E 12 !HHHHH
 401.- 500.  .977E 12 !HHHHHHHHH
 501.- 600.  .806E 12 !HHHHHHHH
 601.- 700.  .712E 11 !H
 701.- 800.  .484E 12 !HHHH
 801.- 900.  .304E 12 !HHH
 901.-1000.  .242E 12 !HH
1001.-1100.  .142E 12 !H
1101.-1200.  .0       !
1201.-1300.  .100E 12 !H
1301.-1400.  .0       !
1401.-1500.  .358E 11 !H
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .729E 12 !HHHHHHH
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .915E 12 !HHHHHHHHH
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30699999--OTHER/NOT CL SPECIFY IN REMARK -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 57

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.215E 12	.202E 12	.101E 11	.0	.0	.0
101.- 200.	.127E 13	.950E 12	.168E 12	.0	.0	.0
201.- 300.	.174E 11	.133E 11	.708E 10	.0	.0	.0
301.- 400.	.246E 12	.191E 12	.110E 12	.136E 11	.129E 11	.118E 11
401.- 500.	.532E 13	.419E 13	.162E 12	.613E 12	.582E 12	.355E 11
501.- 600.	.269E 12	.217E 12	.138E 12	.561E 11	.533E 11	.488E 11
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.316E 12	.261E 12	.178E 12	.100E 12	.951E 11	.869E 11
801.- 900.	.164E 12	.136E 12	.939E 11	.552E 11	.525E 11	.480E 11
901.-1000.	.556E 12	.469E 12	.336E 12	.228E 12	.217E 12	.198E 12
1001.-1100.	.317E 12	.268E 12	.194E 12	.135E 12	.128E 12	.117E 12
1101.-1200.	.172E 13	.146E 13	.108E 13	.809E 12	.769E 12	.700E 12
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.104E 14	.837E 13	.248E 13	.201E 13	.191E 13	.125E 13

SCC = 30699999--OTHER/NOT CLSPECIFY IN REMARK -WITH CONTROL EQUIPMENT -TOT RECS = 57

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
7	.210E 11	.197E 11	.0	.0	.0	.0
13	.824E 11	.655E 11	.403E 11	.125E 11	.119E 11	.109E 11
28	.279E 12	.219E 12	.708E 10	.295E 11	.280E 11	.0
29	.966E 13	.775E 13	.243E 13	.194E 13	.184E 13	.123E 13
50	.109E 12	.102E 12	.0	.0	.0	.0
99	.261E 12	.206E 12	.0	.295E 11	.280E 11	.0
	.104E 14	.837E 13	.248E 13	.201E 13	.191E 13	.125E 13

CC =30699999--OTHER/NOT CL SPECIFY IN REMARK ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 57

```
TEMP RANGE    COUNT
                        --------------------------------------------------------------------------------------------------
   0.- 100.   .202E 12  !HH
 101.- 200.   .950E 12  !HHHHHHHHH
 201.- 300.   .133E 11  !H
 301.- 400.   .191E 12  !H
 401.- 500.   .419E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 501.- 600.   .217E 12  !HH
 601.- 700.   .0        !
 701.- 800.   .261E 12  !HH
 801.- 900.   .136E 12  !H
 901.-1000.   .469E 12  !HHHH
1001.-1100.   .268E 12  !HH
1101.-1200.   .146E 13  !HHHHHHHHHHHHHHH
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30699999--OTHER/NOT CL SPECIFY IN REMARK -TOTAL SCC -SIC = 0 -TOT RECS = 210

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.719E 12	.674E 12	.105E 11	.0	.0	.0
101.- 200.	.183E 13	.137E 13	.283E 12	.0	.0	.0
201.- 300.	.261E 14	.200E 14	.246E 11	.0	.0	.0
301.- 400.	.901E 12	.702E 12	.118E 12	.618E 11	.587E 11	.127E 11
401.- 500.	.655E 13	.517E 13	.602E 12	.787E 12	.747E 12	.154E 12
501.- 600.	.127E 13	.102E 13	.465E 12	.270E 12	.257E 12	.167E 12
601.- 700.	.870E 11	.712E 11	.474E 11	.241E 11	.229E 11	.209E 11
701.- 800.	.901E 12	.745E 12	.262E 12	.290E 12	.276E 12	.127E 12
801.- 900.	.530E 12	.441E 12	.306E 12	.184E 12	.175E 12	.160E 12
901.-1000.	.845E 12	.711E 12	.509E 12	.342E 12	.326E 12	.297E 12
1001.-1100.	.485E 12	.410E 12	.296E 12	.206E 12	.196E 12	.178E 12
1101.-1200.	.172E 13	.146E 13	.108E 13	.809E 12	.769E 12	.700E 12
1201.-1300.	.117E 12	.100E 12	.744E 11	.568E 11	.540E 11	.492E 11
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.413E 11	.358E 11	.272E 11	.223E 11	.212E 11	.192E 11
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.823E 12	.729E 12	.0	.536E 12	.508E 12	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.103E 13	.915E 12	.0	.746E 12	.671E 12	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.439E 14	.345E 14	.411E 13	.434E 13	.408E 13	.189E 13

SCC = 30699999--OTHER/NOT CLSPECIFY IN REMARK -TOTAL SCC -TOT RECS = 210

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
7	.210E 11	.197E 11	.0	.0	.0	.0
13	.359E 13	.289E 13	.138E 12	.834E 12	.755E 12	.558E 11
28	.242E 13	.187E 13	.873E 11	.848E 11	.806E 11	.480E 11
29	.347E 14	.273E 14	.388E 13	.321E 13	.305E 13	.178E 13
33	.287E 12	.220E 12	.0	.0	.0	.0
46	.861E 12	.660E 12	.0	.0	.0	.0
49	.287E 12	.220E 12	.0	.0	.0	.0
50	.155E 12	.145E 12	.0	.0	.0	.0
51	.574E 12	.440E 12	.0	.0	.0	.0
99	.103E 13	.828E 12	.0	.211E 12	.201E 12	.0
	.439E 14	.345E 14	.411E 13	.434E 13	.408E 13	.189E 13

CC 30699999--OTHER/NOT CL SPECIFY IN REMARK --TOTAL SCC -SIC = 0 -TOT RECS = 210

```
EMP RANGE      COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .674E 12  !HHHHHH
 101.- 200.   .137E 13  !HHHHHHHHHHHHH
 201.- 300.   .200E 14  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.   .702E 12  !HHHHHHH
 401.- 500.   .517E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 501.- 600.   .102E 13  !HHHHHHHHHH
 601.- 700.   .712E 11  !H
 701.- 800.   .745E 12  !HHHHHHH
 801.- 900.   .441E 12  !HHHH
 901.-1000.   .711E 12  !HHHHHHH
1001.-1100.   .410E 12  !HHHH
1101.-1200.   .146E 13  !HHHHHHHHHHHHHH
1201.-1300.   .100E 12  !H
1301.-1400.   .0        !
1401.-1500.   .358E 11  !H
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .729E 12  !HHHHHHH
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .915E 12  !HHHHHHHHH
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700101--SULFATE PULP BLOW TANK ACCUMULATO -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 24

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.492E 11	.461E 11	.0	.0	.0	.0
101.- 200.	.380E 13	.285E 13	.332E 12	.0	.0	.0
201.- 300.	.849E 12	.638E 12	.220E 12	.0	.0	.0
301.- 400.	.213E 12	.164E 12	.927E 11	.736E 10	.698E 10	.639E 10
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.491E 13	.370E 13	.645E 12	.736E 10	.698E 10	.639E 10

SCC = 30700101--SULFATE PULPBLOW TANK ACCUMULATO -NO CONTROL EQUIPMENT -TOT RECS = 24

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.491E 13	.370E 13	.645E 12	.736E 10	.698E 10	.639E 10
	.491E 13	.370E 13	.645E 12	.736E 10	.698E 10	.639E 10

CC = 30700101--SULFATE PULP BLOW TANK ACCUMULATO-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 24

```
TEMP RANGE   COUNT
                      ---------------------------------------------------------------------------------------------------
   0.- 100.  .461E 11  !H
 101.- 200.  .285E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .638E 12  !HHHHHH
 301.- 400.  .164E 12  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700101--SULFATE PULP BLOW TANK ACCUMULATO -WITH CONTROL EQUIPMENT -SIC =) -TOT RECS = 2

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.677E 10	.505E 10	.250E 10	.0	.0	.0
201.- 300.	.311E 12	.236E 12	.124E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.318E 12	.241E 12	.127E 12	.0	.0	.0

SCC = 30700101--SULFATE PULPBLOW TANK ACCUMULATO -WITH CONTROL EQUIPMENT -TOT RECS = 2

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.318E 12	.241E 12	.127E 12	.0	.0	.0
	.318E 12	.241E 12	.127E 12	.0	.0	.0

CC =30700101--SULFATE PULP BLOW TANK ACCUMULATO---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 2

```
TEMP RANGE   COUNT
                    -----------------------------------------------------------------------------------------------------
                    !
   0.- 100.  .0     !
 101.- 200.  .505E 10 !H
 201.- 300.  .236E 12 !HH
 301.- 400.  .0     !
 401.- 500.  .0     !
 501.- 600.  .0     !
 601.- 700.  .0     !
 701.- 800.  .0     !
 801.- 900.  .0     !
 901.-1000.  .0     !
1001.-1100.  .0     !
1101.-1200.  .0     !
1201.-1300.  .0     !
1301.-1400.  .0     !
1401.-1500.  .0     !
1501.-1600.  .0     !
1601.-1700.  .0     !
1701.-1800.  .0     !
1801.-1900.  .0     !
1901.-2000.  .0     !
2001.-2100.  .0     !
2101.-2200.  .0     !
2201.-2300.  .0     !
2301.-2400.  .0     !
2401.-2500.  .0     !
2501.-2600.  .0     !
2601.-2700.  .0     !
2701.-2800.  .0     !
2801.-2900.  .0     !
2901.-3000.  .0     !
                    0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700101--SULFATE PULP BLOW TANK ACCUMULATO -TOTAL SCC -SIC = 0 -TOT RECS = 26

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.492E 11	.461E 11	.0	.0	.0	.0
101.- 200.	.381E 13	.285E 13	.335E 12	.0	.0	.0
201.- 300.	.116E 13	.874E 12	.344E 12	.0	.0	.0
301.- 400.	.213E 12	.164E 12	.927E 11	.736E 10	.698E 10	.639E 10
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.523E 13	.394E 13	.772E 12	.736E 10	.698E 10	.639E 10

```
SCC = 30700101--SULFATE PULPBLOW TANK ACCUMULATO -TOTAL SCC -TOT RECS =      26

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED   MINIMUM
              60 DEG     60 DEG      60 DEG     300 DEG   300 DEG    300 DEG
   26        .523E 13   .394E 13    .772E 12   .736E 10  .698E 10   .639E 10

             .523E 13   .394E 13    .772E 12   .736E 10  .698E 10   .639E 10


CC 30700101--SULFATE PULP BLOW TANK ACCUMULATO--TOTAL SCC  -SIC =    0 -TOT RECS =      26

EMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .461E 11  !H
 101.- 200.  .285E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .874E 12  !HHHHHHHH
 301.- 400.  .164E 12  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700102--SULFATE PULP WASHINGS AND SCREENI -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 12

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.560E 12	.525E 12	.911E 11	.0	.0	.0
101.- 200.	.137E 12	.128E 12	.682E 11	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.697E 12	.653E 12	.159E 12	.0	.0	.0

SCC = 30700102--SULFATE PULPWASHINGS AND SCREENI -NO CONTROL EQUIPMENT -TOT RECS = 12

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.697E 12	.653E 12	.159E 12	.0	.0	.0
	.697E 12	.653E 12	.159E 12	.0	.0	.0

CC = 30700102--SULFATE PULP WASHINGS AND SCREENI-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 12

```
TEMP RANGE    COUNT
                        ------------------------------------------------------------------------------------------------------
   0.- 100.  .525E 12  !HHHHH
 101.- 200.  .128E 12  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700102--SULFATE PULP WASHINGS AND SCREENI -WITH CONTROL EQUIPMENT -SIC =) -TOT RECS = 1

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30700102--SULFATE PULPWASHINGS AND SCREENI -WITH CONTROL EQUIPMENT -TOT RECS = 1

SIC	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300DEG	300 DEG	300 DEG

SCC= 30700103--SULFATE PULP MULTI-EFFECT EVAPERA -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 28

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.629E 11	.590E 11	.171E 11	.0	.0	.0
101.- 200.	.163E 13	.121E 13	.126E 11	.0	.0	.0
201.- 300.	.442E 12	.339E 12	.185E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.213E 13	.161E 13	.215E 12	.0	.0	.0

SCC = 30700103--SULFATE PULPMULTI-EFFECT EVAPERA -NO CONTROL EQUIPMENT -TOT RECS = 28

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.406E 11	.380E 11	.0	.0	.0	.0
26	.209E 13	.157E 13	.215E 12	.0	.0	.0
	.213E 13	.161E 13	.215E 12	.0	.0	.0

CC = 30700103--SULFATE PULP MULTI-EFFECT EVAPERA-- -NO CONTROL EQUIPMENT -SIC=) -TOTAL RECS = 28

```
TEMP RANGE   COUNT
                     -----------------------------------------------------------------------------------------------------
   0.- 100.  .590E 11  !H
 101.- 200.  .121E 13  !HHHHHHHHHHHH
 201.- 300.  .339E 12  !HHH
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700103--SULFATE PULP MULTI-EFFECT EVAPERA -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 2

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.646E 09	.606E 09	.355E 09	.0	.0	.0
201.- 300.	.286E 12	.218E 12	.119E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.286E 12	.219E 12	.119E 12	.0	.0	.0

SCC = 30700103--SULFATE PULPMULTI-EFFECT EVAPERA -WITH CONTROL EQUIPMENT -TOT RECS = 2

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.286E 12	.219E 12	.119E 12	.0	.0	.0
	.286E 12	.219E 12	.119E 12	.0	.0	.0

CC =30700103--SULFATE PULP MULTI-EFFECT EVAPERA---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 2

TEMP RANGE	COUNT
0.- 100.	.0
101.- 200.	.606E 09
201.- 300.	.218E 12
301.- 400.	.0
401.- 500.	.0
501.- 600.	.0
601.- 700.	.0
701.- 800.	.0
801.- 900.	.0
901.-1000.	.0
1001.-1100.	.0
1101.-1200.	.0
1201.-1300.	.0
1301.-1400.	.0
1401.-1500.	.0
1501.-1600.	.0
1601.-1700.	.0
1701.-1800.	.0
1801.-1900.	.0
1901.-2000.	.0
2001.-2100.	.0
2101.-2200.	.0
2201.-2300.	.0
2301.-2400.	.0
2401.-2500.	.0
2501.-2600.	.0
2601.-2700.	.0
2701.-2800.	.0
2801.-2900.	.0
2901.-3000.	.0

SCC= 30700103--SULFATE PULP MULTI-EFFECT EVAPERA -TOTAL SCC -SIC = 0 -TOT RECS = 30

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.629E 11	.590E 11	.171E 11	.0	.0	.0
101.- 200.	.163E 13	.121E 13	.129E 11	.0	.0	.0
201.- 300.	.728E 12	.557E 12	.304E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.242E 13	.183E 13	.334E 12	.0	.0	.0

SCC = 30700103--SULFATE PULPMULTI-EFFECT EVAPERA -TOTAL SCC -TOT RECS = 30

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.406E 11	.380E 11	.0	.0	.0	.0
26	.238E 13	.179E 13	.334E 12	.0	.0	.0
	.242E 13	.183E 13	.334E 12	.0	.0	.0

CC 30700103--SULFATE PULP MULTI-EFFECT EVAPERA--TOTAL SCC -SIC = 0 -TOT RECS = 30

```
EMP RANGE    COUNT
                          ---------------------------------------------------------------------------------------------------
   0.- 100.  .590E 11  !H
 101.- 200.  .121E 13  !HHHHHHHHHHHH
 201.- 300.  .557E 12  !HHHHH
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700104--SULFATE PULP RECOVERY BOILER & DI -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 18

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.267E 10	.251E 10	.204E 10	.0	.0	.0
101.- 200.	.990E 12	.740E 12	.363E 12	.0	.0	.0
201.- 300.	.231E 13	.177E 13	.196E 12	.0	.0	.0
301.- 400.	.641E 12	.495E 12	.278E 12	.188E 11	.178E 11	.163E 11
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.450E 12	.370E 12	.0	.138E 12	.131E 12	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.440E 13	.338E 13	.839E 12	.157E 12	.149E 12	.163E 11

SCC = 30700104--SULFATE PULPRECOVERY BOILER & DI -NO CONTROL EQUIPMENT -TOT RECS = 18

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.364E 13	.277E 13	.839E 12	.188E 11	.178E 11	.163E 11
29	.450E 12	.370E 12	.0	.138E 12	.131E 12	.0
99	.307E 12	.235E 12	.0	.0	.0	.0
	.440E 13	.338E 13	.839E 12	.157E 12	.149E 12	.163E 11

CC = 30700104--SULFATE PULP RECOVERY BOILER & DI-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 18

```
TEMP RANGE    COUNT
                        ------------------------------------------------------------------------------------------------------
   0.- 100.  .251E 10   !H
 101.- 200.  .740E 12   !HHHHHHH
 201.- 300.  .177E 13   !HHHHHHHHHHHHHHHHH
 301.- 400.  .495E 12   !HHHH
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .370E 12   !HHH
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700104--SULFATE PULP RECOVERY BOILER & DI -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 224

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.137E 14	.104E 14	.446E 13	.0	.0	.0
201.- 300.	.648E 14	.492E 14	.214E 14	.0	.0	.0
301.- 400.	.618E 14	.477E 14	.268E 14	.188E 13	.178E 13	.163E 13
401.- 500.	.256E 13	.200E 13	.117E 13	.219E 12	.208E 12	.190E 12
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.867E 12	.707E 12	.467E 12	.228E 12	.217E 12	.198E 12
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.144E 15	.110E 15	.544E 14	.232E 13	.221E 13	.202E 13

SCC = 30700104--SULFATE PULPRECOVERY BOILER & DI -WITH CONTROL EQUIPMENT -TOT RECS = 224

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.113E 13	.866E 12	.472E 12	.0	.0	.0
26	.143E 15	.109E 15	.539E 14	.232E 13	.221E 13	.202E 13
	.144E 15	.110E 15	.544E 14	.232E 13	.221E 13	.202E 13

CC =30700104--SULFATE PULP RECOVERY BOILER & DI---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 224

TEMP RANGE	COUNT
0.- 100.	.0
101.- 200.	.104E 14
201.- 300.	.492E 14
301.- 400.	.477E 14
401.- 500.	.200E 13
501.- 600.	.0
601.- 700.	.707E 12
701.- 800.	.0
801.- 900.	.0
901.-1000.	.0
1001.-1100.	.0
1101.-1200.	.0
1201.-1300.	.0
1301.-1400.	.0
1401.-1500.	.0
1501.-1600.	.0
1601.-1700.	.0
1701.-1800.	.0
1801.-1900.	.0
1901.-2000.	.0
2001.-2100.	.0
2101.-2200.	.0
2201.-2300.	.0
2301.-2400.	.0
2401.-2500.	.0
2501.-2600.	.0
2601.-2700.	.0
2701.-2800.	.0
2801.-2900.	.0
2901.-3000.	.0

SCC= 30700104--SULFATE PULP RECOVERY BOILER & DI -TOTAL SCC -SIC = 0 -TOT RECS = 242

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.267E 10	.251E 10	.204E 10	.0	.0	.0
101.- 200.	.146E 14	.111E 14	.483E 13	.0	.0	.0
201.- 300.	.671E 14	.510E 14	.216E 14	.0	.0	.0
301.- 400.	.625E 14	.482E 14	.271E 14	.190E 13	.180E 13	.165E 13
401.- 500.	.256E 13	.200E 13	.117E 13	.219E 12	.208E 12	.190E 12
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.867E 12	.707E 12	.467E 12	.228E 12	.217E 12	.198E 12
701.- 800.	.450E 12	.370E 12	.0	.138E 12	.131E 12	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.148E 15	.113E 15	.552E 14	.248E 13	.236E 13	.203E 13

SCC = 30700104--SULFATE PULPRECOVERY BOILER & DI -TOTAL SCC -TOT RECS = 242

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.113E 13	.866E 12	.472E 12	.0	.0	.0
26	.146E 15	.112E 15	.547E 14	.234E 13	.222E 13	.203E 13
29	.450E 12	.370E 12	.0	.138E 12	.131E 12	.0
99	.307E 12	.235E 12	.0	.0	.0	.0
	.148E 15	.113E 15	.552E 14	.248E 13	.236E 13	.203E 13

CC 30700104--SULFATE PULP RECOVERY BOILER & DI--TOTAL SCC -SIC = 0 -TOT RECS = 242

```
EMP RANGE    COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .251E 10  !H
 101.- 200.  .111E 14  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .510E 14  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.  .482E 14  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.  .200E 13  !HHHHHHHHHHHHHHHHHHHH
 501.- 600.  .0        !
 601.- 700.  .707E 12  !HHHHHHH
 701.- 800.  .370E 12  !HHH
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700105--SULFATE PULP SMELTING DISSOLVING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 78

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.374E 11	.351E 11	.599E 10	.0	.0	.0
101.- 200.	.298E 13	.224E 13	.814E 12	.0	.0	.0
201.- 300.	.104E 13	.780E 12	.340E 12	.0	.0	.0
301.- 400.	.512E 12	.399E 12	.232E 12	.380E 11	.361E 11	.330E 11
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.457E 13	.345E 13	.139E 13	.380E 11	.361E 11	.330E 11

SCC = 30700105--SULFATE PULPSMELTING DISSOLVING -NO CONTROL EQUIPMENT -TOT RECS = 78

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.695E 11	.523E 11	.0	.0	.0	.0
26	.433E 13	.327E 13	.133E 13	.380E 11	.361E 11	.330E 11
99	.170E 12	.128E 12	.627E 11	.0	.0	.0
	.457E 13	.345E 13	.139E 13	.380E 11	.361E 11	.330E 11

CC = 30700105--SULFATE PULP SMELTING DISSOLVING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 78

```
TEMP RANGE   COUNT
                       -----------------------------------------------------------------------------------------------------
   0.- 100.  .351E 11  !H
 101.- 200.  .224E 13  !HHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .780E 12  !HHHHHHH
 301.- 400.  .399E 12  !HHH
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700105--SULFATE PULP SMELTING DISSOLVING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 133

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.144E 11	.135E 11	.110E 11	.0	.0	.0
101.- 200.	.992E 13	.745E 13	.312E 13	.0	.0	.0
201.- 300.	.524E 12	.394E 12	.202E 12	.0	.0	.0
301.- 400.	.854E 12	.662E 12	.377E 12	.399E 11	.378E 11	.346E 11
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.867E 12	.707E 12	.467E 12	.228E 12	.217E 12	.198E 12
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.122E 14	.923E 13	.418E 13	.268E 12	.254E 12	.233E 12

SCC = 30700105--SULFATE PULPSMELTING DISSOLVING -WITH CONTROL EQUIPMENT -TOT RECS = 133

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.115E 12	.877E 11	.478E 11	.0	.0	.0
26	.118E 14	.896E 13	.408E 13	.268E 12	.254E 12	.233E 12
99	.235E 12	.176E 12	.446E 11	.0	.0	.0
	.122E 14	.923E 13	.418E 13	.268E 12	.254E 12	.233E 12

CC =30700105--SULFATE PULP SMELTING DISSOLVING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 133

```
TEMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .135E 11  !H
 101.- 200.  .745E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .394E 12  !HHH
 301.- 400.  .662E 12  !HHHHHH
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .707E 12  !HHHHHHH
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700105--SULFATE PULP SMELTING DISSOLVING -TOTAL SCC -SIC = 0 -TOT RECS = 211

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.518E 11	.486E 11	.170E 11	.0	.0	.0
101.- 200.	.129E 14	.969E 13	.393E 13	.0	.0	.0
201.- 300.	.156E 13	.117E 13	.542E 12	.0	.0	.0
301.- 400.	.137E 13	.106E 13	.609E 12	.779E 11	.739E 11	.676E 11
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.867E 12	.707E 12	.467E 12	.228E 12	.217E 12	.198E 12
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.167E 14	.127E 14	.557E 13	.306E 12	.290E 12	.266E 12

SCC = 30700105--SULFATE PULPSMELTING DISSOLVING -TOTAL SCC -TOT RECS = 211

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.115E 12	.877E 11	.478E 11	.0	.0	.0
24	.695E 11	.523E 11	.0	.0	.0	.0
26	.162E 14	.122E 14	.541E 13	.306E 12	.290E 12	.266E 12
99	.405E 12	.303E 12	.107E 12	.0	.0	.0
	.167E 14	.127E 14	.557E 13	.306E 12	.290E 12	.266E 12

CC 30700105--SULFATE PULP SMELTING DISSOLVING --TOTAL SCC -SIC = 0 -TOT RECS = 211

```
EMP RANGE    COUNT
                        ------------------------------------------------------------------------------------------------------
   0.- 100.  .486E 11  !H
 101.- 200.  .969E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .117E 13  !HHHHHHHHHHHH
 301.- 400.  .106E 13  !HHHHHHHHHHH
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .707E 12  !HHHHHHH
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700106--SULFATE PULP LIME KILNS -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 10

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.144E 13	.109E 13	.131E 12	.0	.0	.0
201.- 300.	.434E 12	.332E 12	.182E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.188E 13	.142E 13	.313E 12	.0	.0	.0

SCC = 30700106--SULFATE PULPLIME KILNS -NO CONTROL EQUIPMENT -TOT RECS = 10

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.184E 13	.139E 13	.294E 12	.0	.0	.0
99	.382E 11	.358E 11	.191E 11	.0	.0	.0
	.188E 13	.142E 13	.313E 12	.0	.0	.0

CC = 30700106--SULFATE PULP LIME KILNS -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 10

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .109E 13  !HHHHHHHHHH
 201.- 300.  .332E 12  !HHH
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700106--SULFATE PULP LIME KILNS -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 170

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.211E 14	.158E 14	.712E 13	.0	.0	.0
201.- 300.	.696E 12	.527E 12	.276E 12	.0	.0	.0
301.- 400.	.527E 12	.409E 12	.153E 12	.269E 11	.255E 11	.141E 11
401.- 500.	.969E 12	.761E 12	.452E 12	.100E 12	.951E 11	.870E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.233E 14	.175E 14	.801E 13	.127E 12	.121E 12	.101E 12

SCC = 30700106--SULFATE PULPLIME KILNS -WITH CONTROL EQUIPMENT -TOT RECS = 170

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.233E 14	.175E 14	.801E 13	.127E 12	.121E 12	.101E 12
	.233E 14	.175E 14	.801E 13	.127E 12	.121E 12	.101E 12

CC =30700106--SULFATE PULP LIME KILNS ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 170

TEMP RANGE	COUNT
0.- 100.	.0
101.- 200.	.158E 14
201.- 300.	.527E 12
301.- 400.	.409E 12
401.- 500.	.761E 12
501.- 600.	.0
601.- 700.	.0
701.- 800.	.0
801.- 900.	.0
901.-1000.	.0
1001.-1100.	.0
1101.-1200.	.0
1201.-1300.	.0
1301.-1400.	.0
1401.-1500.	.0
1501.-1600.	.0
1601.-1700.	.0
1701.-1800.	.0
1801.-1900.	.0
1901.-2000.	.0
2001.-2100.	.0
2101.-2200.	.0
2201.-2300.	.0
2301.-2400.	.0
2401.-2500.	.0
2501.-2600.	.0
2601.-2700.	.0
2701.-2800.	.0
2801.-2900.	.0
2901.-3000.	.0

SCC= 30700106--SULFATE PULP LIME KILNS -TOTAL SCC -SIC = 0 -TOT RECS = 180

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.225E 14	.169E 14	.726E 13	.0	.0	.0
201.- 300.	.113E 13	.859E 12	.458E 12	.0	.0	.0
301.- 400.	.527E 12	.409E 12	.153E 12	.0	.0	.0
401.- 500.	.969E 12	.761E 12	.452E 12	.269E 11	.255E 11	.141E 11
501.- 600.	.0	.0	.0	.100E 12	.951E 11	.870E 11
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.251E 14	.189E 14	.832E 13	.127E 12	.121E 12	.101E 12

SCC = 30700106--SULFATE PULPLIME KILNS -TOTAL SCC -TOT RECS = 180

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.251E 14	.189E 14	.830E 13	.127E 12	.121E 12	.101E 12
99	.382E 11	.358E 11	.191E 11	.0	.0	.0
	.251E 14	.189E 14	.832E 13	.127E 12	.121E 12	.101E 12

CC 30700106--SULFATE PULP LIME KILNS --TOTAL SCC -SIC = 0 -TOT RECS = 180

```
EMP RANGE     COUNT
                          ----------------------------------------------------------------------------------------------------
   0.- 100.   .0          !
 101.- 200.   .169E 14    !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.   .859E 12    !HHHHHHHH
 301.- 400.   .409E 12    !HHHH
 401.- 500.   .761E 12    !HHHHHHH
 501.- 600.   .0          !
 601.- 700.   .0          !
 701.- 800.   .0          !
 801.- 900.   .0          !
 901.-1000.   .0          !
1001.-1100.   .0          !
1101.-1200.   .0          !
1201.-1300.   .0          !
1301.-1400.   .0          !
1401.-1500.   .0          !
1501.-1600.   .0          !
1601.-1700.   .0          !
1701.-1800.   .0          !
1801.-1900.   .0          !
1901.-2000.   .0          !
2001.-2100.   .0          !
2101.-2200.   .0          !
2201.-2300.   .0          !
2301.-2400.   .0          !
2401.-2500.   .0          !
2501.-2600.   .0          !
2601.-2700.   .0          !
2701.-2800.   .0          !
2801.-2900.   .0          !
2901.-3000.   .0          !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700107--SULFATE PULP TURPENTINE CONDENSER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 21

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.505E 10	.474E 10	.972E 06	.0	.0	.0
101.- 200.	.133E 12	.100E 12	.348E 11	.0	.0	.0
201.- 300.	.577E 11	.432E 11	.557E 10	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.196E 12	.148E 12	.403E 11	.0	.0	.0

SCC = 30700107--SULFATE PULPTURPENTINE CONDENSER -NO CONTROL EQUIPMENT -TOT RECS = 21

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.252E 10	.237E 10	.0	.0	.0	.0
26	.150E 12	.113E 12	.403E 11	.0	.0	.0
99	.431E 11	.323E 11	.0	.0	.0	.0
	.196E 12	.148E 12	.403E 11	.0	.0	.0

CC = 30700107--SULFATE PULP TURPENTINE CONDENSER-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 21

```
TEMP RANGE     COUNT
                          ----------------------------------------------------------------------------------------------------
   0.- 100.   .474E 10   !H
 101.- 200.   .100E 12   !H
 201.- 300.   .432E 11   !H
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90------100
```

SCC= 30700107--SULFATE PULP TURPENTINE CONDENSER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.168E 09	.158E 09	.842E 08	.0	.0	.0
201.- 300.	.518E 11	.392E 11	.0	.0	.0	.0
301.- 400.	.116E 12	.902E 11	.515E 11	.558E 10	.529E 10	.484E 10
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.168E 12	.130E 12	.515E 11	.558E 10	.529E 10	.484E 10

SCC = 30700107--SULFATE PULPTURPENTINE CONDENSER -WITH CONTROL EQUIPMENT -TOT RECS = 3

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.168E 12	.130E 12	.515E 11	.558E 10	.529E 10	.484E 10
	.168E 12	.130E 12	.515E 11	.558E 10	.529E 10	.484E 10

CC =30700107--SULFATE PULP TURPENTINE CONDENSER---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE    COUNT
                        -----------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .158E 09  !
 201.- 300.   .392E 11  !H
 301.- 400.   .902E 11  !H
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700107--SULFATE PULP TURPENTINE CONDENSER -TOTAL SCC -SIC = 0 -TOT RECS = 24

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.505E 10	.474E 10	.972E 06	.0	.0	.0
101.- 200.	.133E 12	.100E 12	.348E 11	.0	.0	.0
201.- 300.	.109E 12	.824E 11	.557E 10	.0	.0	.0
301.- 400.	.116E 12	.902E 11	.515E 11	.558E 10	.529E 10	.484E 10
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.364E 12	.278E 12	.919E 11	.558E 10	.529E 10	.484E 10

SCC = 30700107--SULFATE PULPTURPENTINE CONDENSER -TOTAL SCC -TOT RECS = 24

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.252E 10	.237E 10	.0	.0	.0	.0
26	.319E 12	.243E 12	.919E 11	.558E 10	.529E 10	.484E 10
99	.431E 11	.323E 11	.0	.0	.0	.0
	.364E 12	.278E 12	.919E 11	.558E 10	.529E 10	.484E 10

CC 30700107--SULFATE PULP TURPENTINE CONDENSER--TOTAL SCC -SIC = 0 -TOT RECS = 24

```
EMP RANGE   COUNT
                    ------------------------------------------------------------------------------------------
   0.- 100. .474E 10 !H
 101.- 200. .100E 12 !H
 201.- 300. .824E 11 !H
 301.- 400. .902E 11 !H
 401.- 500. .0       !
 501.- 600. .0       !
 601.- 700. .0       !
 701.- 800. .0       !
 801.- 900. .0       !
 901.-1000. .0       !
1001.-1100. .0       !
1101.-1200. .0       !
1201.-1300. .0       !
1301.-1400. .0       !
1401.-1500. .0       !
1501.-1600. .0       !
1601.-1700. .0       !
1701.-1800. .0       !
1801.-1900. .0       !
1901.-2000. .0       !
2001.-2100. .0       !
2101.-2200. .0       !
2201.-2300. .0       !
2301.-2400. .0       !
2401.-2500. .0       !
2501.-2600. .0       !
2601.-2700. .0       !
2701.-2800. .0       !
2801.-2900. .0       !
2901.-3000. .0       !
                     0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700108--SULFATE PULP FLUID BED CALCINER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30700108--SULFATE PULPFLUID BED CALCINER -NO CONTROL EQUIPMENT -TOT RECS = 1

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 30700108--SULFATE PULP FLUID BED CALCINER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.342E 12	.256E 12	.126E 12	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.342E 12	.256E 12	.126E 12	.0	.0	.0

SCC = 30700108--SULFATE PULPFLUID BED CALCINER -WITH CONTROL EQUIPMENT -TOT RECS = 3

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.342E 12	.256E 12	.126E 12	.0	.0	.0
	.342E 12	.256E 12	.126E 12	.0	.0	.0

CC =30700108--SULFATE PULP FLUID BED CALCINER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .0         !
 101.- 200.  .256E 12   !HH
 201.- 300.  .0         !
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700109--SULFATE PULP LIQUOR OXIDATION TOW -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 6

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.438E 12	.328E 12	.547E 11	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.438E 12	.328E 12	.547E 11	.0	.0	.0

SCC = 30700109--SULFATE PULPLIQUOR OXIDATION TOW -NO CONTROL EQUIPMENT -TOT RECS = 6

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.139E 12	.104E 12	.509E 11	.0	.0	.0
26	.299E 12	.225E 12	.379E 10	.0	.0	.0
	.438E 12	.328E 12	.547E 11	.0	.0	.0

CC = 30700109--SULFATE PULP LIQUOR OXIDATION TOW-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 6

```
TEMP RANGE   COUNT
                       --------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .328E 12  !HHH
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700109--SULFATE PULP LIQUOR OXIDATION TOW -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 11

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.206E 11	.154E 11	.758E 10	.0	.0	.0
201.- 300.	.182E 13	.138E 13	.744E 12	.0	.0	.0
301.- 400.	.151E 12	.117E 12	.656E 11	.443E 10	.421E 10	.385E 10
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.199E 13	.152E 13	.817E 12	.443E 10	.421E 10	.385E 10

SCC = 30700109--SULFATE PULPLIQUOR OXIDATION TOW -WITH CONTROL EQUIPMENT -TOT RECS = 11

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.199E 13	.152E 13	.817E 12	.443E 10	.421E 10	.385E 10
	.199E 13	.152E 13	.817E 12	.443E 10	.421E 10	.385E 10

CC =30700109--SULFATE PULP LIQUOR OXIDATION TOW---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 11

```
TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .0         !
 101.- 200.  .154E 11   !H
 201.- 300.  .138E 13   !HHHHHHHHHHHHH
 301.- 400.  .117E 12   !H
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700109--SULFATE PULP LIQUOR OXIDATION TOW -TOTAL SCC -SIC = 0 -TOT RECS = 17

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.459E 12	.344E 12	.623E 11	.0	.0	.0
201.- 300.	.182E 13	.138E 13	.744E 12	.0	.0	.0
301.- 400.	.151E 12	.117E 12	.656E 11	.443E 10	.421E 10	.385E 10
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.243E 13	.184E 13	.871E 12	.443E 10	.421E 10	.385E 10

SCC = 30700109--SULFATE PULPLIQUOR OXIDATION TOW -TOTAL SCC -TOT RECS = 17

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.139E 12	.104E 12	.509E 11	.0	.0	.0
26	.229E 13	.174E 13	.821E 12	.443E 10	.421E 10	.385E 10
	.243E 13	.184E 13	.871E 12	.443E 10	.421E 10	.385E 10

CC 30700109--SULFATE PULP LIQUOR OXIDATION TOW--TOTAL SCC -SIC = 0 -TOT RECS = 17

```
EMP RANGE     COUNT
                        ------------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .344E 12  !HHH
 201.- 300.   .138E 13  !HHHHHHHHHHHHH
 301.- 400.   .117E 12  !H
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700199--SULFATE PULP OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 83

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.161E 12	.151E 12	.937E 11	.0	.0	.0
101.- 200.	.574E 13	.434E 13	.920E 12	.0	.0	.0
201.- 300.	.527E 12	.401E 12	.160E 12	.0	.0	.0
301.- 400.	.445E 12	.343E 12	.193E 12	.130E 11	.124E 11	.113E 11
401.- 500.	.491E 12	.384E 12	.226E 12	.428E 11	.406E 11	.372E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.737E 13	.562E 13	.159E 13	.559E 11	.530E 11	.485E 11

SCC = 30700199--SULFATE PULPOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 83

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.131E 12	.102E 12	.0	.0	.0	.0
26	.617E 13	.469E 13	.113E 13	.0	.0	.0
99	.106E 13	.824E 12	.466E 12	.559E 11	.530E 11	.485E 11
	.737E 13	.562E 13	.159E 13	.559E 11	.530E 11	.485E 11

CC = 30700199--SULFATE PULP OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 83

```
TEMP RANGE    COUNT

                        ------------------------------------------------------------------------------------------------------
   0.- 100.   .151E 12  !H
 101.- 200.   .434E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.   .401E 12  !HHHH
 301.- 400.   .343E 12  !HHH
 401.- 500.   .384E 12  !HHH
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700199--SULFATE PULP OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 67

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.210E 12	.197E 12	.689E 10	.0	.0	.0
101.- 200.	.550E 13	.413E 13	.109E 13	.0	.0	.0
201.- 300.	.442E 13	.335E 13	.177E 13	.0	.0	.0
301.- 400.	.383E 13	.296E 13	.168E 13	.147E 12	.139E 12	.127E 12
401.- 500.	.248E 12	.195E 12	.117E 12	.279E 11	.265E 11	.243E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.142E 14	.108E 14	.466E 13	.174E 12	.166E 12	.152E 12

SCC = 30700199--SULFATE PULPOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 67

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.744E 11	.557E 11	.273E 11	.0	.0	.0
26	.141E 14	.108E 14	.463E 13	.174E 12	.166E 12	.152E 12
	.142E 14	.108E 14	.466E 13	.174E 12	.166E 12	.152E 12

CC =30700199--SULFATE PULP OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 67

```
TEMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .197E 12  !H
 101.- 200.  .413E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .335E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.  .296E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.  .195E 12  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700199--SULFATE PULP OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 150

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.371E 12	.348E 12	.101E 12	.0	.0	.0
101.- 200.	.112E 14	.846E 13	.201E 13	.0	.0	.0
201.- 300.	.494E 13	.375E 13	.193E 13	.0	.0	.0
301.- 400.	.427E 13	.330E 13	.187E 13	.0	.0	.0
401.- 500.	.739E 12	.579E 12	.342E 12	.160E 12	.152E 12	.139E 12
501.- 600.	.0	.0	.0	.708E 11	.672E 11	.615E 11
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.216E 14	.164E 14	.625E 13	.230E 12	.219E 12	.200E 12

SCC = 30700199--SULFATE PULPOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 150

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.205E 12	.158E 12	.273E 11	.0	.0	.0
26	.203E 14	.155E 14	.576E 13	.174E 12	.166E 12	.152E 12
99	.106E 13	.824E 12	.466E 12	.559E 11	.530E 11	.485E 11
	.216E 14	.164E 14	.625E 13	.230E 12	.219E 12	.200E 12

CC 30700199--SULFATE PULP OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 150

```
EMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.   .348E 12   !HHH
 101.- 200.   .846E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.   .375E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.   .330E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.   .579E 12   !HHHHH
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700201--SULFITE PULP LIQUOR RECOVERY -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 16

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.194E 12	.157E 12	.770E 11	.0	.0	.0
201.- 300.	.422E 12	.321E 12	.173E 12	.0	.0	.0
301.- 400.	.265E 13	.204E 13	.578E 12	.0	.0	.0
401.- 500.	.0	.0	.0	.550E 11	.522E 11	.149E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.326E 13	.252E 13	.828E 12	.550E 11	.522E 11	.149E 11

SCC = 30700201--SULFITE PULPLIQUOR RECOVERY -NO CONTROL EQUIPMENT -TOT RECS = 16

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.326E 13	.252E 13	.828E 12	.550E 11	.522E 11	.149E 11
	.326E 13	.252E 13	.828E 12	.550E 11	.522E 11	.149E 11

CC = 30700201--SULFITE PULP LIQUOR RECOVERY -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 16

```
TEMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.   .0      !
 101.- 200.   .157E 12 !H
 201.- 300.   .321E 12 !HHH
 301.- 400.   .204E 13 !HHHHHHHHHHHHHHHHHHHHH
 401.- 500.   .0      !
 501.- 600.   .0      !
 601.- 700.   .0      !
 701.- 800.   .0      !
 801.- 900.   .0      !
 901.-1000.   .0      !
1001.-1100.   .0      !
1101.-1200.   .0      !
1201.-1300.   .0      !
1301.-1400.   .0      !
1401.-1500.   .0      !
1501.-1600.   .0      !
1601.-1700.   .0      !
1701.-1800.   .0      !
1801.-1900.   .0      !
1901.-2000.   .0      !
2001.-2100.   .0      !
2101.-2200.   .0      !
2201.-2300.   .0      !
2301.-2400.   .0      !
2401.-2500.   .0      !
2501.-2600.   .0      !
2601.-2700.   .0      !
2701.-2800.   .0      !
2801.-2900.   .0      !
2901.-3000.   .0      !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700201--SULFITE PULP LIQUOR RECOVERY -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 17

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.206E 12	.193E 12	.158E 12	.0	.0	.0
101.- 200.	.360E 13	.275E 13	.138E 13	.0	.0	.0
201.- 300.	.233E 13	.177E 13	.944E 12	.0	.0	.0
301.- 400.	.296E 13	.228E 13	.128E 13	.755E 11	.717E 11	.656E 11
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.910E 13	.700E 13	.376E 13	.755E 11	.717E 11	.656E 11

```
SCC = 30700201--SULFITE PULPLIQUOR RECOVERY      -WITH CONTROL EQUIPMENT -TOT RECS =     17

SIC           MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   26        .910E 13   .700E 13   .376E 13   .755E 11   .717E 11   .656E 11


             .910E 13   .700E 13   .376E 13   .755E 11   .717E 11   .656E 11


CC =30700201--SULFITE PULP LIQUOR RECOVERY     ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     17

TEMP RANGE    COUNT
                          ----------------------------------------------------------------------------------------------------
    0.- 100.  .193E 12   !H
  101.- 200.  .275E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHH
  201.- 300.  .177E 13   !HHHHHHHHHHHHHHHHH
  301.- 400.  .228E 13   !HHHHHHHHHHHHHHHHHHHHHH
  401.- 500.  .0         !
  501.- 600.  .0         !
  601.- 700.  .0         !
  701.- 800.  .0         !
  801.- 900.  .0         !
  901.-1000.  .0         !
 1001.-1100.  .0         !
 1101.-1200.  .0         !
 1201.-1300.  .0         !
 1301.-1400.  .0         !
 1401.-1500.  .0         !
 1501.-1600.  .0         !
 1601.-1700.  .0         !
 1701.-1800.  .0         !
 1801.-1900.  .0         !
 1901.-2000.  .0         !
 2001.-2100.  .0         !
 2101.-2200.  .0         !
 2201.-2300.  .0         !
 2301.-2400.  .0         !
 2401.-2500.  .0         !
 2501.-2600.  .0         !
 2601.-2700.  .0         !
 2701.-2800.  .0         !
 2801.-2900.  .0         !
 2901.-3000.  .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700201--SULFITE PULP LIQUOR RECOVERY -TOTAL SCC -SIC = 0 -TOT RECS = 33

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.206E 12	.193E 12	.158E 12	.0	.0	.0
101.- 200.	.380E 13	.291E 13	.145E 13	.0	.0	.0
201.- 300.	.275E 13	.209E 13	.112E 13	.0	.0	.0
301.- 400.	.561E 13	.432E 13	.186E 13	.130E 12	.124E 12	.804E 11
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.124E 14	.952E 13	.458E 13	.130E 12	.124E 12	.804E 11

```
SCC = 30700201--SULFITE PULPLIQUOR RECOVERY      -TOTAL SCC -TOT RECS =     33

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG    300 DEG    300 DEG    300 DEG
   26        .124E 14   .952E 13   .458E 13   .130E 12   .124E 12   .804E 11


             .124E 14   .952E 13   .458E 13   .130E 12   .124E 12   .804E 11


CC 30700201--SULFITE PULP LIQUOR RECOVERY     --TOTAL SCC  -SIC =    0 -TOT RECS =     33

EMP RANGE   COUNT

                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .193E 12  !H
 101.- 200.  .291E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .209E 13  !HHHHHHHHHHHHHHHHHHHH
 301.- 400.  .432E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700202--SULFITE PULP SULFITE TOWER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 6

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.679E 10	.637E 10	.175E 10	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.719E 10	.538E 10	.270E 10	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.140E 11	.117E 11	.445E 10	.0	.0	.0

SCC = 30700202--SULFITE PULPSULFITE TOWER -NO CONTROL EQUIPMENT -TOT RECS = 6

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.140E 11	.117E 11	.445E 10	.0	.0	.0
	.140E 11	.117E 11	.445E 10	.0	.0	.0

CC = 30700202--SULFITE PULP SULFITE TOWER -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 6

TEMP RANGE	COUNT	
0.- 100.	.637E 10	!H
101.- 200.	.0	!
201.- 300.	.538E 10	!H
301.- 400.	.0	!
401.- 500.	.0	!
501.- 600.	.0	!
601.- 700.	.0	!
701.- 800.	.0	!
801.- 900.	.0	!
901.-1000.	.0	!
1001.-1100.	.0	!
1101.-1200.	.0	!
1201.-1300.	.0	!
1301.-1400.	.0	!
1401.-1500.	.0	!
1501.-1600.	.0	!
1601.-1700.	.0	!
1701.-1800.	.0	!
1801.-1900.	.0	!
1901.-2000.	.0	!
2001.-2100.	.0	!
2101.-2200.	.0	!
2201.-2300.	.0	!
2301.-2400.	.0	!
2401.-2500.	.0	!
2501.-2600.	.0	!
2601.-2700.	.0	!
2701.-2800.	.0	!
2801.-2900.	.0	!
2901.-3000.	.0	!

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30700202--SULFITE PULP SULFITE TOWER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 6

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.308E 11	.289E 11	.177E 11	.0	.0	.0
101.- 200.	.916E 10	.690E 10	.339E 10	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.400E 11	.358E 11	.211E 11	.0	.0	.0

SCC = 30700202--SULFITE PULPSULFITE TOWER -WITH CONTROL EQUIPMENT -TOT RECS = 6

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.358E 11	.319E 11	.179E 11	.0	.0	.0
28	.420E 10	.394E 10	.321E 10	.0	.0	.0
	.400E 11	.358E 11	.211E 11	.0	.0	.0

CC =30700202--SULFITE PULP SULFITE TOWER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 6

```
TEMP RANGE   COUNT
                     -------------------------------------------------------------------------------------------------
   0.- 100.  .289E 11  !H
 101.- 200.  .690E 10  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700202--SULFITE PULP SULFITE TOWER -TOTAL SCC -SIC = 0 -TOT RECS = 12

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.376E 11	.353E 11	.195E 11	.0	.0	.0
101.- 200.	.916E 10	.690E 10	.339E 10	.0	.0	.0
201.- 300.	.719E 10	.538E 10	.270E 10	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.539E 11	.475E 11	.255E 11	.0	.0	.0

```
SCC = 30700202--SULFITE PULPSULFITE TOWER        -TOTAL SCC -TOT RECS =     12

SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG     300 DEG    300 DEG     300 DEG
   26        .497E 11   .436E 11    .223E 11   .0         .0          .0
   28        .420E 10   .394E 10    .321E 10   .0         .0          .0

             .539E 11   .475E 11    .255E 11   .0         .0          .0

CC 30700202--SULFITE PULP SULFITE TOWER       --TOTAL SCC  -SIC =    0 -TOT RECS =     12

EMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
    0.- 100.  .353E 11   !H
  101.- 200.  .690E 10   !H
  201.- 300.  .538E 10   !H
  301.- 400.  .0         !
  401.- 500.  .0         !
  501.- 600.  .0         !
  601.- 700.  .0         !
  701.- 800.  .0         !
  801.- 900.  .0         !
  901.-1000.  .0         !
 1001.-1100.  .0         !
 1101.-1200.  .0         !
 1201.-1300.  .0         !
 1301.-1400.  .0         !
 1401.-1500.  .0         !
 1501.-1600.  .0         !
 1601.-1700.  .0         !
 1701.-1800.  .0         !
 1801.-1900.  .0         !
 1901.-2000.  .0         !
 2001.-2100.  .0         !
 2101.-2200.  .0         !
 2201.-2300.  .0         !
 2301.-2400.  .0         !
 2401.-2500.  .0         !
 2501.-2600.  .0         !
 2601.-2700.  .0         !
 2701.-2800.  .0         !
 2801.-2900.  .0         !
 2901.-3000.  .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700203--SULFITE PULP DIGESTER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 16

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.229E 12	.215E 12	.156E 12	.0	.0	.0
101.- 200.	.988E 11	.737E 11	.365E 11	.0	.0	.0
201.- 300.	.304E 13	.229E 13	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.230E 12	.181E 12	.108E 12	.259E 11	.246E 11	.225E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.360E 13	.276E 13	.301E 12	.259E 11	.246E 11	.225E 11

SCC = 30700203--SULFITE PULPDIGESTER -NO CONTROL EQUIPMENT -TOT RECS = 16

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.360E 13	.276E 13	.301E 12	.259E 11	.246E 11	.225E 11
	.360E 13	.276E 13	.301E 12	.259E 11	.246E 11	.225E 11

CC = 30700203--SULFITE PULP DIGESTER -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 16

```
TEMP RANGE   COUNT

                       -----------------------------------------------------------------------------------------------------
   0.- 100.  .215E 12  !HH
 101.- 200.  .737E 11  !H
 201.- 300.  .229E 13  !HHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.  .0        !
 401.- 500.  .181E 12  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700203--SULFITE PULP DIGESTER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 8

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.115E 11	.108E 11	.882E 10	.0	.0	.0
101.- 200.	.125E 10	.930E 09	.456E 09	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.314E 11	.250E 11	.154E 11	.501E 10	.476E 10	.435E 10
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.441E 11	.367E 11	.247E 11	.501E 10	.476E 10	.435E 10

SCC = 30700203--SULFITE PULPDIGESTER -WITH CONTROL EQUIPMENT -TOT RECS = 8

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.436E 11	.362E 11	.243E 11	.501E 10	.476E 10	.435E 10
99	.555E 09	.520E 09	.424E 09	.0	.0	.0
	.441E 11	.367E 11	.247E 11	.501E 10	.476E 10	.435E 10

CC =30700203--SULFITE PULP DIGESTER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 8

```
TEMP RANGE   COUNT
             ------------------------------------------------------------------------------------------------------
   0.- 100.  .108E 11  !H
 101.- 200.  .930E 09  !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .250E 11  !H
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700203--SULFITE PULP DIGESTER -TOTAL SCC -SIC = 0 -TOT RECS = 24

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.241E 12	.226E 12	.164E 12	.0	.0	.0
101.- 200.	.100E 12	.746E 11	.370E 11	.0	.0	.0
201.- 300.	.304E 13	.229E 13	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.230E 12	.181E 12	.108E 12	.259E 11	.246E 11	.225E 11
501.- 600.	.314E 11	.250E 11	.154E 11	.501E 10	.476E 10	.435E 10
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.365E 13	.279E 13	.325E 12	.310E 11	.294E 11	.269E 11

SCC = 30700203--SULFITE PULPDIGESTER -TOTAL SCC -TOT RECS = 24

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.365E 13	.279E 13	.325E 12	.310E 11	.294E 11	.269E 11
99	.555E 09	.520E 09	.424E 09	.0	.0	.0
	.365E 13	.279E 13	.325E 12	.310E 11	.294E 11	.269E 11

CC 30700203--SULFITE PULP DIGESTER --TOTAL SCC -SIC = 0 -TOT RECS = 24

```
EMP RANGE     COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.   .226E 12   !HH
 101.- 200.   .746E 11   !H
 201.- 300.   .229E 13   !HHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.   .0         !
 401.- 500.   .181E 12   !H
 501.- 600.   .250E 11   !H
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700204--SULFITE PULP SMELTING TANK -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.489E 11	.366E 11	.907E 10	.0	.0	.0
201.- 300.	.257E 11	.192E 11	.965E 10	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.746E 11	.559E 11	.187E 11	.0	.0	.0

SCC = 30700204--SULFITE PULPSMELTING TANK -NO CONTROL EQUIPMENT -TOT RECS = 3

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.746E 11	.559E 11	.187E 11	.0	.0	.0
	.746E 11	.559E 11	.187E 11	.0	.0	.0

CC = 30700204--SULFITE PULP SMELTING TANK -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE   COUNT
              -------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .366E 11  !H
 201.- 300.  .192E 11  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700204--SULFITE PULP SMELTING TANK -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 10

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.104E 13	.782E 12	.309E 12	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-140C.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.104E 13	.782E 12	.309E 12	.0	.0	.0

SCC = 30700204--SULFITE PULPSMELTING TANK -WITH CONTROL EQUIPMENT -TOT RECS = 10

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.104E 13	.782E 12	.309E 12	.0	.0	.0
	.104E 13	.782E 12	.309E 12	.0	.0	.0

CC =30700204--SULFITE PULP SMELTING TANK ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 10

```
TEMP RANGE   COUNT

                      ------------------------------------------------------------------------------------------------------
   0.- 100.   .0      !
 101.- 200.   .782E 12 !HHHHHHH
 201.- 300.   .0      !
 301.- 400.   .0      !
 401.- 500.   .0      !
 501.- 600.   .0      !
 601.- 700.   .0      !
 701.- 800.   .0      !
 801.- 900.   .0      !
 901.-1000.   .0      !
1001.-1100.   .0      !
1101.-1200.   .0      !
1201.-1300.   .0      !
1301.-1400.   .0      !
1401.-1500.   .0      !
1501.-1600.   .0      !
1601.-1700.   .0      !
1701.-1800.   .0      !
1801.-1900.   .0      !
1901.-2000.   .0      !
2001.-2100.   .0      !
2101.-2200.   .0      !
2201.-2300.   .0      !
2301.-2400.   .0      !
2401.-2500.   .0      !
2501.-2600.   .0      !
2601.-2700.   .0      !
2701.-2800.   .0      !
2801.-2900.   .0      !
2901.-3000.   .0      !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700204--SULFITE PULP SMELTING TANK -TOTAL SCC -SIC = 0 -TOT RECS = 13

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.109E 13	.819E 12	.318E 12	.0	.0	.0
201.- 300.	.257E 11	.192E 11	.965E 10	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.112E 13	.838E 12	.327E 12	.0	.0	.0

SCC = 30700204--SULFITE PULPSMELTING TANK -TOTAL SCC -TOT RECS = 13

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.112E 13	.838E 12	.327E 12	.0	.0	.0
	.112E 13	.838E 12	.327E 12	.0	.0	.0

CC 30700204--SULFITE PULP SMELTING TANK --TOTAL SCC -SIC = 0 -TOT RECS = 13

```
EMP RANGE     COUNT
                       ---------------------------------------------------------------------------------------------------
   0.- 100.   .0       !
 101.- 200.   .819E 12 !HHHHHHHH
 201.- 300.   .192E 11 !H
 301.- 400.   .0       !
 401.- 500.   .0       !
 501.- 600.   .0       !
 601.- 700.   .0       !
 701.- 800.   .0       !
 801.- 900.   .0       !
 901.-1000.   .0       !
1001.-1100.   .0       !
1101.-1200.   .0       !
1201.-1300.   .0       !
1301.-1400.   .0       !
1401.-1500.   .0       !
1501.-1600.   .0       !
1601.-1700.   .0       !
1701.-1800.   .0       !
1801.-1900.   .0       !
1901.-2000.   .0       !
2001.-2100.   .0       !
2101.-2200.   .0       !
2201.-2300.   .0       !
2301.-2400.   .0       !
2401.-2500.   .0       !
2501.-2600.   .0       !
2601.-2700.   .0       !
2701.-2800.   .0       !
2801.-2900.   .0       !
2901.-3000.   .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700205--SULFITE PULP EVAPORATORS -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 2

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.573E 09	.462E 09	.227E 09	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.573E 09	.462E 09	.227E 09	.0	.0	.0

SCC = 30700205--SULFITE PULPEVAPORATORS -NO CONTROL EQUIPMENT -TOT RECS = 2

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.573E 09	.462E 09	.227E 09	.0	.0	.0
	.573E 09	.462E 09	.227E 09	.0	.0	.0

CC = 30700205--SULFITE PULP EVAPORATORS -- -NO CONTROL EQUIPMENT -SIC= [illegible] -TOTAL RECS = 2

TEMP RANGE	COUNT
0.- 100.	.0
101.- 200.	.462E 09
201.- 300.	.0
301.- 400.	.0
401.- 500.	.0
501.- 600.	.0
601.- 700.	.0
701.- 800.	.0
801.- 900.	.0
901.-1000.	.0
1001.-1100.	.0
1101.-1200.	.0
1201.-1300.	.0
1301.-1400.	.0
1401.-1500.	.0
1501.-1600.	.0
1601.-1700.	.0
1701.-1800.	.0
1801.-1900.	.0
1901.-2000.	.0
2001.-2100.	.0
2101.-2200.	.0
2201.-2300.	.0
2301.-2400.	.0
2401.-2500.	.0
2501.-2600.	.0
2601.-2700.	.0
2701.-2800.	.0
2801.-2900.	.0
2901.-3000.	.0

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30700205--SULFITE PULP EVAPORATORS -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.367E 10	.344E 10	.280E 10	.0	.0	.0
101.- 200.	.181E 12	.135E 12	.665E 11	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.184E 12	.139E 12	.693E 11	.0	.0	.0

SCC = 30700205--SULFITE PULPEVAPORATORS -WITH CONTROL EQUIPMENT -TOT RECS = 3

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.184E 12	.139E 12	.693E 11	.0	.0	.0
	.184E 12	.139E 12	.693E 11	.0	.0	.0

CC =30700205--SULFITE PULP EVAPORATORS ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE   COUNT

                      ------------------------------------------------------------------------------------------------------
   0.- 100.  .344E 10 !H
 101.- 200.  .135E 12 !H
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700205--SULFITE PULP EVAPORATORS -TOTAL SCC -SIC = 0 -TOT RECS = 5

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.367E 10	.344E 10	.280E 10	.0	.0	.0
101.- 200.	.181E 12	.136E 12	.667E 11	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.185E 12	.139E 12	.695E 11	.0	.0	.0

SCC = 30700205--SULFITE PULPEVAPORATORS -TOTAL SCC -TOT RECS = 5

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.185E 12	.139E 12	.695E 11	.0	.0	.0
	.185E 12	.139E 12	.695E 11	.0	.0	.0

CC 30700205--SULFITE PULP EVAPORATORS --TOTAL SCC -SIC = 0 -TOT RECS = 5

```
EMP RANGE   COUNT
                     ------------------------------------------------------------------------------------------------------
   0.- 100.  .344E 10  !H
 101.- 200.  .136E 12  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700206--SULFITE PULP PULP DIGESTER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30700206--SULFITE PULPPULP DIGESTER -NO CONTROL EQUIPMENT -TOT RECS = 1

SIC	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

SCC= 30700206--SULFITE PULP PULP DIGESTER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 2

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.353E 12	.264E 12	.130E 12	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.353E 12	.264E 12	.130E 12	.0	.0	.0

SCC = 30700206--SULFITE PULPPULP DIGESTER -WITH CONTROL EQUIPMENT -TOT RECS = 2

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.353E 12	.264E 12	.130E 12	.0	.0	.0
	.353E 12	.264E 12	.130E 12	.0	.0	.0

CC =30700206--SULFITE PULP PULP DIGESTER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 2

```
TEMP RANGE   COUNT

                       ---------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .264E 12  !HH
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700299--SULFITE PULP OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 20

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.198E 12	.185E 12	.756E 11	.0	.0	.0
101.- 200.	.445E 13	.342E 13	.403E 12	.0	.0	.0
201.- 300.	.671E 12	.506E 12	.132E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.532E 13	.412E 13	.611E 12	.0	.0	.0

SCC = 30700299--SULFITE PULPOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 20

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
25	.291E 12	.218E 12	.0	.0	.0	.0
26	.503E 13	.390E 13	.611E 12	.0	.0	.0
	.532E 13	.412E 13	.611E 12	.0	.0	.0

CC = 30700299--SULFITE PULP OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 20

```
TEMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .185E 12  !H
 101.- 200.  .342E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .506E 12  !HHHHH
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700299--SULFITE PULP OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 21

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.252E 12	.237E 12	.433E 11	.0	.0	.0
101.- 200.	.399E 12	.335E 12	.185E 12	.0	.0	.0
201.- 300.	.909E 11	.685E 11	.351E 11	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.742E 12	.640E 12	.263E 12	.0	.0	.0

SCC = 30700299--SULFITE PULPOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 21

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
25	.743E 10	.696E 10	.0	.0	.0	.0
26	.735E 12	.633E 12	.263E 12	.0	.0	.0
	.742E 12	.640E 12	.263E 12	.0	.0	.0

CC =30700299--SULFITE PULP OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 21

```
TEMP RANGE    COUNT
                        ----------------------------------------------------------------
   0.- 100.   .237E 12  !HH
 101.- 200.   .335E 12  !HHH
 201.- 300.   .685E 11  !H
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700299--SULFITE PULP OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 41

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.450E 12	.422E 12	.119E 12	.0	.0	.0
101.- 200.	.485E 13	.376E 13	.588E 12	.0	.0	.0
201.- 300.	.762E 12	.575E 12	.167E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.606E 13	.476E 13	.875E 12	.0	.0	.0

SCC = 30700299--SULFITE PULPOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 41

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
25	.298E 12	.225E 12	.0	.0	.0	.0
26	.576E 13	.453E 13	.875E 12	.0	.0	.0
	.606E 13	.476E 13	.875E 12	.0	.0	.0

CC 30700299--SULFITE PULP OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 41

```
EMP RANGE    COUNT
                     ----------------------------------------------------------------------------------------------------
   0.- 100.  .422E 12 !HHHH
 101.- 200.  .376E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .575E 12 !HHHHH
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700401--PULPBOARD MA PAPERBOARD-GENERAL -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 16

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.413E 11	.387E 11	.315E 11	.0	.0	.0
101.- 200.	.461E 12	.346E 12	.192E 11	.0	.0	.0
201.- 300.	.791E 11	.606E 11	.333E 11	.0	.0	.0
301.- 400.	.269E 11	.209E 11	.120E 11	.159E 10	.151E 10	.138E 10
401.- 500.	.116E 12	.921E 11	.0	.176E 11	.167E 11	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.440E 11	.358E 11	.236E 11	.113E 11	.107E 11	.983E 10
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.768E 12	.594E 12	.120E 12	.305E 11	.290E 11	.112E 11

SCC = 30700401--PULPBOARD MAPAPERBOARD-GENERAL   -NO CONTROL EQUIPMENT -TOT RECS =   16

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.534E 12	.413E 12	.720E 11	.129E 11	.123E 11	.112E 11
28	.118E 12	.894E 11	.476E 11	.0	.0	.0
99	.116E 12	.921E 11	.0	.176E 11	.167E 11	.0
	.768E 12	.594E 12	.120E 12	.305E 11	.290E 11	.112E 11

CC = 30700401--PULPBOARD MA PAPERBOARD-GENERAL -- -NO CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   16

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
    0.- 100.  .387E 11  !H
  101.- 200.  .346E 12  !HHH
  201.- 300.  .606E 11  !H
  301.- 400.  .209E 11  !H
  401.- 500.  .921E 11  !H
  501.- 600.  .0        !
  601.- 700.  .358E 11  !H
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700401--PULPBOARD MA PAPERBOARD-GENERAL -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 8

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.474E 11	.445E 11	.362E 11	.0	.0	.0
101.- 200.	.138E 12	.102E 12	.502E 11	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.185E 12	.147E 12	.864E 11	.0	.0	.0

SCC = 30700401--PULPBOARD MAPAPERBOARD-GENERAL -WITH CONTROL EQUIPMENT -TOT RECS = 8

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.170E 12	.133E 12	.749E 11	.0	.0	.0
99	.150E 11	.141E 11	.115E 11	.0	.0	.0
	.185E 12	.147E 12	.864E 11	.0	.0	.0

CC =30700401--PULPBOARD MA PAPERBOARD-GENERAL ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 8

```
TEMP RANGE   COUNT
                       ------------------------------------------------------------------------------------------------------
   0.- 100.  .445E 11  !H
 101.- 200.  .102E 12  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700401--PULPBOARD MA PAPERBOARD-GENERAL -TOTAL SCC -SIC = 0 -TOT RECS = 24

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.887E 11	.832E 11	.678E 11	.0	.0	.0
101.- 200.	.598E 12	.448E 12	.694E 11	.0	.0	.0
201.- 300.	.791E 11	.606E 11	.333E 11	.0	.0	.0
301.- 400.	.269E 11	.209E 11	.120E 11	.159E 10	.151E 10	.138E 10
401.- 500.	.116E 12	.921E 11	.0	.176E 11	.167E 11	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.440E 11	.358E 11	.236E 11	.113E 11	.107E 11	.983E 10
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.953E 12	.741E 12	.206E 12	.305E 11	.290E 11	.112E 11

SCC = 30700401--PULPBOARD MAPAPERBOARD-GENERAL -TOTAL SCC -TOT RECS = 24

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.704E 12	.545E 12	.147E 12	.129E 11	.123E 11	.112E 11
28	.118E 12	.894E 11	.476E 11	.0	.0	.0
99	.131E 12	.106E 12	.115E 11	.176E 11	.167E 11	.0
	.953E 12	.741E 12	.206E 12	.305E 11	.290E 11	.112E 11

CC 30700401--PULPBOARD MA PAPERBOARD-GENERAL --TOTAL SCC -SIC = 0 -TOT RECS = 24

```
EMP RANGE    COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .832E 11  !H
 101.- 200.  .448E 12  !HHHH
 201.- 300.  .606E 11  !H
 301.- 400.  .209E 11  !H
 401.- 500.  .921E 11  !H
 501.- 600.  .0        !
 601.- 700.  .358E 11  !H
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700402--PULPBOARD MA FIBERBOARD-GENERAL -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 62

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.731E 12	.686E 12	.559E 12	.0	.0	.0
101.- 200.	.192E 13	.148E 13	.258E 12	.0	.0	.0
201.- 300.	.580E 12	.439E 12	.138E 12	.0	.0	.0
301.- 400.	.327E 12	.255E 12	.148E 12	.222E 11	.211E 11	.193E 11
401.- 500.	.504E 12	.396E 12	.236E 12	.524E 11	.498E 11	.455E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.406E 13	.326E 13	.134E 13	.746E 11	.708E 11	.648E 11

SCC = 30700402--PULPBOARD MAFIBERBOARD-GENERAL -NO CONTROL EQUIPMENT -TOT RECS = 62

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.183E 13	.148E 13	.439E 12	.0	.0	.0
26	.107E 13	.850E 12	.436E 12	.694E 11	.659E 11	.603E 11
32	.962E 12	.781E 12	.463E 12	.514E 10	.488E 10	.447E 10
34	.995E 11	.748E 11	.0	.0	.0	.0
99	.995E 11	.748E 11	.0	.0	.0	.0
	.406E 13	.326E 13	.134E 13	.746E 11	.708E 11	.648E 11

CC = 30700402--PULPBOARD MA FIBERBOARD-GENERAL -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 62

```
TEMP RANGE   COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .686E 12   !HHHHHH
 101.- 200.  .148E 13   !HHHHHHHHHHHHHHH
 201.- 300.  .439E 12   !HHHH
 301.- 400.  .255E 12   !HH
 401.- 500.  .396E 12   !HHH
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700402--PULPBOARD MA FIBERBOARD-GENERAL -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 46

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.581E 12	.545E 12	.253E 12	.0	.0	.0
101.- 200.	.205E 12	.168E 12	.857E 11	.0	.0	.0
201.- 300.	.119E 12	.895E 11	.463E 11	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.904E 12	.802E 12	.385E 12	.0	.0	.0

SCC = 30700402--PULPBOARD MAFIBERBOARD-GENERAL -WITH CONTROL EQUIPMENT -TOT RECS = 46

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.488E 12	.424E 12	.126E 12	.0	.0	.0
26	.940E 11	.866E 11	.351E 11	.0	.0	.0
32	.322E 12	.292E 12	.224E 12	.0	.0	.0
	.904E 12	.802E 12	.385E 12	.0	.0	.0

CC =30700402--PULPBOARD MA FIBERBOARD-GENERAL ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 46

TEMP RANGE	COUNT	
0.- 100.	.545E 12	!HHHHH
101.- 200.	.168E 12	!H
201.- 300.	.895E 11	!H
301.- 400.	.0	!
401.- 500.	.0	!
501.- 600.	.0	!
601.- 700.	.0	!
701.- 800.	.0	!
801.- 900.	.0	!
901.-1000.	.0	!
1001.-1100.	.0	!
1101.-1200.	.0	!
1201.-1300.	.0	!
1301.-1400.	.0	!
1401.-1500.	.0	!
1501.-1600.	.0	!
1601.-1700.	.0	!
1701.-1800.	.0	!
1801.-1900.	.0	!
1901.-2000.	.0	!
2001.-2100.	.0	!
2101.-2200.	.0	!
2201.-2300.	.0	!
2301.-2400.	.0	!
2401.-2500.	.0	!
2501.-2600.	.0	!
2601.-2700.	.0	!
2701.-2800.	.0	!
2801.-2900.	.0	!
2901.-3000.	.0	!

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30700402--PULPBOARD MA FIBERBOARD-GENERAL -TOTAL SCC -SIC = 0 -TOT RECS = 108

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.131E 13	.123E 13	.811E 12	.0	.0	.0
101.- 200.	.212E 13	.165E 13	.344E 12	.0	.0	.0
201.- 300.	.699E 12	.529E 12	.184E 12	.0	.0	.0
301.- 400.	.327E 12	.255E 12	.148E 12	.222E 11	.211E 11	.193E 11
401.- 500.	.504E 12	.396E 12	.236E 12	.524E 11	.498E 11	.455E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.496E 13	.406E 13	.172E 13	.746E 11	.708E 11	.648E 11

SCC = 30700402--PULPBOARD MAFIBERBOARD-GENERAL -TOTAL SCC -TOT RECS = 108

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.232E 13	.190E 13	.564E 12	.0	.0	.0
26	.116E 13	.937E 12	.471E 12	.694E 11	.659E 11	.603E 11
32	.128E 13	.107E 13	.687E 12	.514E 10	.488E 10	.447E 10
34	.995E 11	.748E 11	.0	.0	.0	.0
99	.995E 11	.748E 11	.0	.0	.0	.0
	.496E 13	.406E 13	.172E 13	.746E 11	.708E 11	.648E 11

CC 30700402--PULPBOARD MA FIBERBOARD-GENERAL --TOTAL SCC -SIC = 0 -TOT RECS = 108

```
EMP RANGE   COUNT

                       ------------------------------------------------------------------------------------------------------
   0.- 100.  .123E 13  !HHHHHHHHHHHHH
 101.- 200.  .165E 13  !HHHHHHHHHHHHHHHHH
 201.- 300.  .529E 12  !HHHHH
 301.- 400.  .255E 12  !HH
 401.- 500.  .396E 12  !HHH
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700499--PULPBOARD MA OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 23

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.376E 11	.353E 11	.204E 11	.0	.0	.0
101.- 200.	.275E 12	.206E 12	.634E 11	.0	.0	.0
201.- 300.	.856E 12	.648E 12	.764E 11	.0	.0	.0
301.- 400.	.643E 12	.499E 12	.285E 12	.323E 11	.307E 11	.281E 11
401.- 500.	.273E 12	.217E 12	.133E 12	.413E 11	.392E 11	.358E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.258E 11	.209E 11	.137E 11	.626E 10	.595E 10	.544E 10
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.211E 13	.163E 13	.592E 12	.798E 11	.758E 11	.693E 11

SCC = 30700499--PULPBOARD MAOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 23

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.442E 12	.335E 12	.0	.0	.0	.0
26	.639E 12	.492E 12	.179E 12	.796E 10	.755E 10	.691E 10
30	.258E 11	.209E 11	.137E 11	.626E 10	.595E 10	.544E 10
32	.892E 12	.694E 12	.400E 12	.656E 11	.623E 11	.570E 11
99	.111E 12	.837E 11	.0	.0	.0	.0
	.211E 13	.163E 13	.592E 12	.798E 11	.758E 11	.693E 11

CC = 30700499--PULPBOARD MA OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 23

```
TEMP RANGE   COUNT
                         ------------------------------------------------------------------------------------------------------
   0.- 100.  .353E 11    !H
 101.- 200.  .206E 12    !HH
 201.- 300.  .648E 12    !HHHHHH
 301.- 400.  .499E 12    !HHHH
 401.- 500.  .217E 12    !HH
 501.- 600.  .0          !
 601.- 700.  .209E 11    !H
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700499--PULPBOARD MA OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 33

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.269E 12	.253E 12	.908E 11	.0	.0	.0
101.- 200.	.327E 12	.264E 12	.137E 12	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.596E 12	.516E 12	.228E 12	.0	.0	.0

SCC = 30700499--PULPBOARD MAOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 33

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
22	.124E 11	.116E 11	.948E 10	.0	.0	.0
24	.270E 12	.247E 12	.923E 11	.0	.0	.0
26	.260E 12	.208E 12	.854E 11	.0	.0	.0
32	.534E 11	.501E 11	.408E 11	.0	.0	.0
	.596E 12	.516E 12	.228E 12	.0	.0	.0

CC =30700499--PULPBOARD MA OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 33

```
TEMP RANGE   COUNT
                       -----------------------------------------------------------------------------------------------------
   0.- 100.  .253E 12  !HH
 101.- 200.  .264E 12  !HH
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700499--PULPBOARD MA OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 56

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.307E 12	.288E 12	.111E 12	.0	.0	.0
101.- 200.	.602E 12	.469E 12	.201E 12	.0	.0	.0
201.- 300.	.856E 12	.648E 12	.764E 11	.0	.0	.0
301.- 400.	.643E 12	.499E 12	.285E 12	.323E 11	.307E 11	.281E 11
401.- 500.	.273E 12	.217E 12	.133E 12	.413E 11	.392E 11	.358E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.258E 11	.209E 11	.137E 11	.626E 10	.595E 10	.544E 10
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.271E 13	.214E 13	.820E 12	.798E 11	.758E 11	.693E 11

SCC = 30700499--PULPBOARD MAOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 56

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
22	.124E 11	.116E 11	.948E 10	.0	.0	.0
24	.712E 12	.582E 12	.923E 11	.0	.0	.0
26	.900E 12	.700E 12	.264E 12	.796E 10	.755E 10	.691E 10
30	.258E 11	.209E 11	.137E 11	.626E 10	.595E 10	.544E 10
32	.945E 12	.744E 12	.441E 12	.656E 11	.623E 11	.570E 11
99	.111E 12	.837E 11	.0	.0	.0	.0
	.271E 13	.214E 13	.820E 12	.798E 11	.758E 11	.693E 11

CC 30700499--PULPBOARD MA OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 56

```
EMP RANGE     COUNT
                        ------------------------------------------------------------------------------------------------------
   0.- 100.   .288E 12  !HH
 101.- 200.   .469E 12  !HHHH
 201.- 300.   .648E 12  !HHHHHH
 301.- 400.   .499E 12  !HHHH
 401.- 500.   .217E 12  !HH
 501.- 600.   .0        !
 601.- 700.   .209E 11  !H
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700501--PRESSURE TRE CREOSOTE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 16

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.824E 10	.773E 10	.0	.0	.0	.0
101.- 200.	.453E 12	.341E 12	.0	.0	.0	.0
201.- 300.	.420E 11	.318E 11	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.501E 11	.393E 11	.232E 11	.468E 10	.444E 10	.406E 10
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.553E 12	.419E 12	.232E 11	.468E 10	.444E 10	.406E 10

SCC = 30700501--PRESSURE TRECREOSOTE -NO CONTROL EQUIPMENT -TOT RECS = 16

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.466E 12	.352E 12	.0	.0	.0	.0
29	.501E 11	.393E 11	.232E 11	.468E 10	.444E 10	.406E 10
99	.378E 11	.284E 11	.0	.0	.0	.0
	.553E 12	.419E 12	.232E 11	.468E 10	.444E 10	.406E 10

CC = 30700501--PRESSURE TRE CREOSOTE -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 16

```
TEMP RANGE    COUNT
                       ------------------------------------------------------------------------------------------------------
   0.- 100.   .773E 10  !H
 101.- 200.   .341E 12  !HHH
 201.- 300.   .318E 11  !H
 301.- 400.   .0        !
 401.- 500.   .393E 11  !H
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700501--PRESSURE TRE CREOSOTE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.390E 11	.366E 11	.0	.0	.0	.0
101.- 200.	.358E 12	.269E 12	.0	.0	.0	.0
201.- 300.	.419E 12	.321E 12	.176E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.816E 12	.626E 12	.176E 12	.0	.0	.0

SCC = 30700501--PRESSURE TRECREOSOTE -WITH CONTROL EQUIPMENT -TOT RECS = 3

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.397E 12	.305E 12	.0	.0	.0	.0
29	.419E 12	.321E 12	.176E 12	.0	.0	.0
	.816E 12	.626E 12	.176E 12	.0	.0	.0

CC =30700501--PRESSURE TRE CREOSOTE ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE   COUNT
                       ------------------------------------------------------------------------------------------
   0.- 100.  .366E 11  !H
 101.- 200.  .269E 12  !HH
 201.- 300.  .321E 12  !HHH
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700501--PRESSURE TRE CREOSOTE -TOTAL SCC -SIC = 0 -TOT RECS = 19

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.473E 11	.444E 11	.0	.0	.0	.0
101.- 200.	.811E 12	.609E 12	.0	.0	.0	.0
201.- 300.	.461E 12	.353E 12	.176E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.501E 11	.393E 11	.232E 11	.468E 10	.444E 10	.406E 10
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.137E 13	.105E 13	.199E 12	.468E 10	.444E 10	.406E 10

SCC = 30700501--PRESSURE TRECREOSOTE -TOTAL SCC -TOT RECS = 19

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.862E 12	.657E 12	.0	.0	.0	.0
29	.469E 12	.360E 12	.199E 12	.468E 10	.444E 10	.406E 10
99	.378E 11	.284E 11	.0	.0	.0	.0
	.137E 13	.105E 13	.199E 12	.468E 10	.444E 10	.406E 10

CC 30700501--PRESSURE TRE CREOSOTE --TOTAL SCC -SIC = 0 -TOT RECS = 19

```
EMP RANGE   COUNT
                      -------------------------------------------------------------------------------------------------
   0.- 100.  .444E 11 !H
 101.- 200.  .609E 12 !HHHHHH
 201.- 300.  .353E 12 !HHH
 301.- 400.  .0       !
 401.- 500.  .393E 11 !H
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700599--PRESSURE TRE OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 4

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.544E 09	.510E 09	.556E 07	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.196E 10	.152E 10	.857E 09	.720E 08	.684E 08	.625E 08
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.250E 10	.203E 10	.862E 09	.720E 08	.684E 08	.625E 08

SCC = 30700599--PRESSURE TREOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 4

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.250E 10	.203E 10	.862E 09	.720E 08	.684E 08	.625E 08
	.250E 10	.203E 10	.862E 09	.720E 08	.684E 08	.625E 08

CC = 30700599--PRESSURE TRE OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 4

```
TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .510E 09  !
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .152E 10  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700599--PRESSURE TRE OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 2

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.452E 10	.424E 10	.345E 10	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.276E 11	.217E 11	.130E 11	.0	.0	.0
501.- 600.	.0	.0	.0	.311E 10	.295E 10	.270E 10
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.321E 11	.260E 11	.164E 11	.311E 10	.295E 10	.270E 10

SCC = 30700599--PRESSURE TREOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 2

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.321E 11	.260E 11	.164E 11	.311E 10	.295E 10	.270E 10
	.321E 11	.260E 11	.164E 11	.311E 10	.295E 10	.270E 10

CC =30700599--PRESSURE TRE OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 2

```
TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .424E 10  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .217E 11  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700599--PRESSURE TRE OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 6

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.506E 10	.475E 10	.346E 10	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.196E 10	.152E 10	.857E 09	.720E 08	.684E 08	.625E 08
401.- 500.	.276E 11	.217E 11	.130E 11	.311E 10	.295E 10	.270E 10
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.346E 11	.280E 11	.173E 11	.318E 10	.302E 10	.276E 10

SCC = 30700599--PRESSURE TREOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 6

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.346E 11	.280E 11	.173E 11	.318E 10	.302E 10	.276E 10
	.346E 11	.280E 11	.173E 11	.318E 10	.302E 10	.276E 10

CC 30700599--PRESSURE TRE OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 6

```
EMP RANGE     COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .475E 10  !H
 101.- 200.   .0        !
 201.- 300.   .0        !
 301.- 400.   .152E 10  !H
 401.- 500.   .217E 11  !H
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700601--TALL OIL AND GENERAL -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 22

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.138E 11	.129E 11	.403E 10	.0	.0	.0
101.- 200.	.271E 12	.205E 12	.410E 11	.0	.0	.0
201.- 300.	.932E 11	.710E 11	.290E 11	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.152E 11	.125E 11	.848E 10	.466E 10	.443E 10	.405E 10
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.530E 11	.449E 11	.245E 10	.234E 11	.222E 11	.151E 10
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.446E 12	.347E 12	.849E 11	.280E 11	.266E 11	.555E 10

SCC = 30700601--TALL OIL ANDGENERAL -NO CONTROL EQUIPMENT -TOT RECS = 22

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.144E 11	.116E 11	.376E 10	.0	.0	.0
28	.387E 12	.298E 12	.811E 11	.280E 11	.266E 11	.555E 10
29	.282E 11	.219E 11	.0	.0	.0	.0
32	.163E 11	.153E 11	.0	.0	.0	.0
	.446E 12	.347E 12	.849E 11	.280E 11	.266E 11	.555E 10

CC = 30700601--TALL OIL AND GENERAL -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 22

```
TEMP RANGE     COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.   .129E 11  !H
 101.- 200.   .205E 12  !HH
 201.- 300.   .710E 11  !H
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .125E 11  !H
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .449E 11  !H
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700601--TALL OIL AND GENERAL -WITH CONTROL EQUIPMENT -SIC = 3 -TOT RECS = 13

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.131E 11	.123E 11	.273E 07	.0	.0	.0
101.- 200.	.125E 11	.933E 10	.153E 09	.0	.0	.0
201.- 300.	.123E 10	.920E 09	.462E 09	.0	.0	.0
301.- 400.	.792E 09	.613E 09	.346E 09	.291E 08	.276E 08	.253E 08
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.276E 11	.231E 11	.964E 09	.291E 08	.276E 08	.253E 08

SCC = 30700601--TALL OIL ANDGENERAL -WITH CONTROL EQUIPMENT -TOT RECS = 13

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.202E 10	.153E 10	.809E 09	.291E 08	.276E 08	.253E 08
26	.152E 09	.143E 09	.764E 08	.0	.0	.0
28	.254E 11	.214E 11	.793E 08	.0	.0	.0
	.276E 11	.231E 11	.964E 09	.291E 08	.276E 08	.253E 08

CC =30700601--TALL OIL AND GENERAL ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 13

```
TEMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .123E 11  !H
 101.- 200.  .933E 10  !H
 201.- 300.  .920E 09  !
 301.- 400.  .613E 09  !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700601--TALL OIL AND GENERAL -TOTAL SCC -SIC = 0 -TOT RECS = 35

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.269E 11	.252E 11	.403E 10	.0	.0	.0
101.- 200.	.283E 12	.214E 12	.411E 11	.0	.0	.0
201.- 300.	.944E 11	.719E 11	.294E 11	.0	.0	.0
301.- 400.	.792E 09	.613E 09	.346E 09	.291E 08	.276E 08	.253E 08
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.152E 11	.125E 11	.848E 10	.466E 10	.443E 10	.405E 10
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.530E 11	.449E 11	.245E 10	.234E 11	.222E 11	.151E 10
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.473E 12	.370E 12	.858E 11	.280E 11	.267E 11	.558E 10

SCC = 30700601--TALL OIL ANDGENERAL -TOTAL SCC -TOT RECS = 35

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.202E 10	.153E 10	.809E 09	.291E 08	.276E 08	.253E 08
26	.146E 11	.118E 11	.383E 10	.0	.0	.0
28	.412E 12	.319E 12	.812E 11	.280E 11	.266E 11	.555E 10
29	.282E 11	.219E 11	.0	.0	.0	.0
32	.163E 11	.153E 11	.0	.0	.0	.0
	.473E 12	.370E 12	.858E 11	.280E 11	.267E 11	.558E 10

CC 30700601--TALL OIL AND GENERAL --TOTAL SCC -SIC = 0 -TOT RECS = 35

```
EMP RANGE    COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .252E 11 !H
 101.- 200.  .214E 12 !HH
 201.- 300.  .719E 11 !H
 301.- 400.  .613E 09 !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .125E 11 !H
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .449E 11 !H
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700701--PLYWOOD PART VENEER DRYER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 195

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.801E 11	.752E 11	.297E 11	.0	.0	.0
101.- 200.	.145E 13	.109E 13	.345E 12	.0	.0	.0
201.- 300.	.966E 13	.739E 13	.686E 12	.0	.0	.0
301.- 400.	.263E 13	.203E 13	.456E 12	.804E 11	.763E 11	.308E 11
401.- 500.	.981E 11	.773E 11	.462E 11	.111E 11	.105E 11	.960E 10
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.239E 12	.196E 12	.0	.674E 11	.641E 11	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.142E 14	.109E 14	.156E 13	.159E 12	.151E 12	.404E 11

SCC = 30700701--PLYWOOD PARTVENEER DRYER -NO CONTROL EQUIPMENT -TOT RECS = 195

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.139E 14	.107E 14	.156E 13	.125E 12	.119E 12	.404E 11
26	.847E 11	.649E 11	.0	.0	.0	.0
28	.108E 11	.830E 10	.455E 10	.0	.0	.0
99	.120E 12	.980E 11	.0	.337E 11	.320E 11	.0
	.142E 14	.109E 14	.156E 13	.159E 12	.151E 12	.404E 11

CC = 30700701--PLYWOOD PART VENEER DRYER -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 195

```
TEMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
    0.- 100.  .752E 11 !H
  101.- 200.  .109E 13 !HHHHHHHHHH
  201.- 300.  .739E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
  301.- 400.  .203E 13 !HHHHHHHHHHHHHHHHHHHH
  401.- 500.  .773E 11 !H
  501.- 600.  .0       !
  601.- 700.  .196E 12 !H
  701.- 800.  .0       !
  801.- 900.  .0       !
  901.-1000.  .0       !
 1001.-1100.  .0       !
 1101.-1200.  .0       !
 1201.-1300.  .0       !
 1301.-1400.  .0       !
 1401.-1500.  .0       !
 1501.-1600.  .0       !
 1601.-1700.  .0       !
 1701.-1800.  .0       !
 1801.-1900.  .0       !
 1901.-2000.  .0       !
 2001.-2100.  .0       !
 2101.-2200.  .0       !
 2201.-2300.  .0       !
 2301.-2400.  .0       !
 2401.-2500.  .0       !
 2501.-2600.  .0       !
 2601.-2700.  .0       !
 2701.-2800.  .0       !
 2801.-2900.  .0       !
 2901.-3000.  .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700701--PLYWOOD PART VENEER DRYER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 29

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.290E 11	.272E 11	.821E 10	.0	.0	.0
101.- 200.	.234E 13	.175E 13	.323E 12	.0	.0	.0
201.- 300.	.175E 12	.133E 12	.709E 11	.0	.0	.0
301.- 400.	.120E 12	.925E 11	.0	.439E 10	.417E 10	.0
401.- 500.	.989E 11	.786E 11	.483E 11	.150E 11	.143E 11	.131E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.276E 13	.208E 13	.450E 12	.194E 11	.184E 11	.131E 11

SCC = 30700701--PLYWOOD PARTVENEER DRYER -WITH CONTROL EQUIPMENT -TOT RECS = 29

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.235E 13	.178E 13	.374E 12	.194E 11	.184E 11	.131E 11
26	.302E 12	.227E 12	.756E 11	.0	.0	.0
99	.102E 12	.763E 11	.0	.0	.0	.0
	.276E 13	.208E 13	.450E 12	.194E 11	.184E 11	.131E 11

CC =30700701--PLYWOOD PART VENEER DRYER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 29

```
TEMP RANGE   COUNT
                       -------------------------------------------------------------------------------------------------------
   0.- 100.  .272E 11  !H
 101.- 200.  .175E 13  !HHHHHHHHHHHHHHHHH
 201.- 300.  .133E 12  !H
 301.- 400.  .925E 11  !H
 401.- 500.  .786E 11  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700701--PLYWOOD PART VENEER DRYER -TOTAL SCC -SIC = 0 -TOT RECS = 224

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.109E 12	.102E 12	.379E 11	.0	.0	.0
101.- 200.	.378E 13	.284E 13	.667E 12	.0	.0	.0
201.- 300.	.983E 13	.752E 13	.756E 12	.0	.0	.0
301.- 400.	.275E 13	.213E 13	.456E 12	.848E 11	.805E 11	.308E 11
401.- 500.	.197E 12	.156E 12	.946E 11	.261E 11	.248E 11	.227E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.239E 12	.196E 12	.0	.674E 11	.641E 11	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.169E 14	.129E 14	.201E 13	.178E 12	.169E 12	.534E 11

SCC = 30700701--PLYWOOD PARTVENEER DRYER -TOTAL SCC -TOT RECS = 224

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.163E 14	.125E 14	.193E 13	.145E 12	.137E 12	.534E 11
26	.387E 12	.292E 12	.756E 11	.0	.0	.0
28	.108E 11	.830E 10	.455E 10	.0	.0	.0
99	.222E 12	.174E 12	.0	.337E 11	.320E 11	.0
	.169E 14	.129E 14	.201E 13	.178E 12	.169E 12	.534E 11

CC 30700701--PLYWOOD PART VENEER DRYER --TOTAL SCC -SIC = 0 -TOT RECS = 224

```
EMP RANGE   COUNT
                    ------------------------------------------------------------------------------------------------------
    0.- 100.  .102E 12  !H
  101.- 200.  .284E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHH
  201.- 300.  .752E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
  301.- 400.  .213E 13  !HHHHHHHHHHHHHHHHHHHHH
  401.- 500.  .156E 12  !H
  501.- 600.  .0        !
  601.- 700.  .196E 12  !H
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700702--PLYWOOD PART SANDING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 13

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.129E 10	.121E 10	.107E 09	.0	.0	.0
101.- 200.	.897E 10	.674E 10	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.103E 11	.795E 10	.107E 09	.0	.0	.0

SCC = 30700702--PLYWOOD PARTSANDING -NO CONTROL EQUIPMENT -TOT RECS = 13

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.897E 10	.699E 10	.107E 09	.0	.0	.0
26	.128E 10	.963E 09	.0	.0	.0	.0
	.103E 11	.795E 10	.107E 09	.0	.0	.0

CC = 30700702--PLYWOOD PART SANDING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 13

TEMP RANGE	COUNT	
0.- 100.	.121E 10	!H
101.- 200.	.674E 10	!H
201.- 300.	.0	!
301.- 400.	.0	!
401.- 500.	.0	!
501.- 600.	.0	!
601.- 700.	.0	!
701.- 800.	.0	!
801.- 900.	.0	!
901.-1000.	.0	!
1001.-1100.	.0	!
1101.-1200.	.0	!
1201.-1300.	.0	!
1301.-1400.	.0	!
1401.-1500.	.0	!
1501.-1600.	.0	!
1601.-1700.	.0	!
1701.-1800.	.0	!
1801.-1900.	.0	!
1901.-2000.	.0	!
2001.-2100.	.0	!
2101.-2200.	.0	!
2201.-2300.	.0	!
2301.-2400.	.0	!
2401.-2500.	.0	!
2501.-2600.	.0	!
2601.-2700.	.0	!
2701.-2800.	.0	!
2801.-2900.	.0	!
2901.-3000.	.0	!

```
0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700702--PLYWOOD PART SANDING -WITH CONTROL EQUIPMENT -SIC =) -TOT RECS = 105

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.118E 13	.111E 13	.470E 12	.0	.0	.0
101.- 200.	.236E 12	.205E 12	.933E 11	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.142E 13	.131E 13	.563E 12	.0	.0	.0

SCC = 30700702--PLYWOOD PARTSANDING -WITH CONTROL EQUIPMENT -TOT RECS = 105

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.116E 13	.109E 13	.480E 12	.0	.0	.0
25	.347E 11	.325E 11	.406E 10	.0	.0	.0
26	.644E 11	.604E 11	.492E 11	.0	.0	.0
30	.348E 11	.326E 11	.266E 11	.0	.0	.0
99	.122E 12	.983E 11	.341E 10	.0	.0	.0
	.142E 13	.131E 13	.563E 12	.0	.0	.0

CC =30700702--PLYWOOD PART SANDING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 105

```
TEMP RANGE   COUNT

                          ------------------------------------------------------------------------------------------------------
   0.- 100.  .111E 13   !HHHHHHHHHHH
 101.- 200.  .205E 12   !HH
 201.- 300.  .0         !
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700702--PLYWOOD PART SANDING -TOTAL SCC -SIC = 0 -TOT RECS = 118

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.118E 13	.111E 13	.470E 12	.0	.0	.0
101.- 200.	.245E 12	.212E 12	.933E 11	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.143E 13	.132E 13	.563E 12	.0	.0	.0

SCC = 30700702--PLYWOOD PARTSANDING -TOTAL SCC -TOT RECS = 118

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.117E 13	.110E 13	.480E 12	.0	.0	.0
25	.347E 11	.325E 11	.406E 10	.0	.0	.0
26	.657E 11	.613E 11	.492E 11	.0	.0	.0
30	.348E 11	.326E 11	.266E 11	.0	.0	.0
99	.122E 12	.983E 11	.341E 10	.0	.0	.0
	.143E 13	.132E 13	.563E 12	.0	.0	.0

CC 30700702--PLYWOOD PART SANDING --TOTAL SCC -SIC = 0 -TOT RECS = 118

```
EMP RANGE    COUNT
                       ------------------------------------------------------------------------------------------------------
   0.- 100.  .111E 13  !HHHHHHHHHHH
 101.- 200.  .212E 12  !HH
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700799--PLYWOOD PART OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 156

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.414E 13	.388E 13	.256E 13	.0	.0	.0
101.- 200.	.638E 14	.510E 14	.109E 14	.0	.0	.0
201.- 300.	.380E 12	.288E 12	.151E 12	.0	.0	.0
301.- 400.	.127E 13	.981E 12	.546E 12	.224E 11	.213E 11	.195E 11
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.696E 14	.562E 14	.142E 14	.224E 11	.213E 11	.195E 11

SCC = 30700799--PLYWOOD PARTOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 156

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.688E 14	.556E 14	.141E 14	.224E 11	.213E 11	.195E 11
26	.726E 12	.545E 12	.0	.0	.0	.0
30	.129E 10	.969E 09	.494E 09	.0	.0	.0
32	.415E 11	.390E 11	.317E 11	.0	.0	.0
	.696E 14	.562E 14	.142E 14	.224E 11	.213E 11	.195E 11

CC = 30700799--PLYWOOD PART OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 156

```
TEMP RANGE   COUNT
                     ----------------------------------------------------------------------------------------------------
  0.- 100.  .388E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200. .510E 14 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300. .288E 12 !HH
 301.- 400. .981E 12 !HHHHHHHHH
 401.- 500. .0       !
 501.- 600. .0       !
 601.- 700. .0       !
 701.- 800. .0       !
 801.- 900. .0       !
 901.-1000. .0       !
1001.-1100. .0       !
1101.-1200. .0       !
1201.-1300. .0       !
1301.-1400. .0       !
1401.-1500. .0       !
1501.-1600. .0       !
1601.-1700. .0       !
1701.-1800. .0       !
1801.-1900. .0       !
1901.-2000. .0       !
2001.-2100. .0       !
2101.-2200. .0       !
2201.-2300. .0       !
2301.-2400. .0       !
2401.-2500. .0       !
2501.-2600. .0       !
2601.-2700. .0       !
2701.-2800. .0       !
2801.-2900. .0       !
2901.-3000. .0       !
                     0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700799--PLYWOOD PART OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 361

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.476E 13	.446E 13	.196E 13	.0	.0	.0
101.- 200.	.406E 13	.317E 13	.159E 13	.0	.0	.0
201.- 300.	.540E 12	.407E 12	.209E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.265E 11	.216E 11	.143E 11	.709E 10	.674E 10	.616E 10
701.- 800.	.201E 11	.166E 11	.114E 11	.655E 10	.623E 10	.569E 10
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.941E 13	.808E 13	.378E 13	.136E 11	.130E 11	.119E 11

SCC = 30700799--PLYWOOD PARTOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 361

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.228E 10	.214E 10	.175E 10	.0	.0	.0
23	.115E 11	.108E 11	.882E 10	.0	.0	.0
24	.913E 13	.782E 13	.357E 13	.136E 11	.130E 11	.119E 11
25	.149E 10	.139E 10	.114E 10	.0	.0	.0
26	.251E 12	.235E 12	.192E 12	.0	.0	.0
28	.294E 10	.275E 10	.224E 10	.0	.0	.0
34	.890E 10	.834E 10	.0	.0	.0	.0
37	.121E 10	.114E 10	.926E 09	.0	.0	.0
	.941E 13	.808E 13	.378E 13	.136E 11	.130E 11	.119E 11

CC =30700799--PLYWOOD PART OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 361

```
TEMP RANGE   COUNT
                      ---------------------------------------------------------------------------------------------------
   0.- 100.  .446E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .317E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .407E 12 !HHHH
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .216E 11 !H
 701.- 800.  .166E 11 !H
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700799--PLYWOOD PART OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 517

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.890E 13	.834E 13	.452E 13	.0	.0	.0
101.- 200.	.679E 14	.542E 14	.125E 14	.0	.0	.0
201.- 300.	.921E 12	.695E 12	.360E 12	.0	.0	.0
301.- 400.	.127E 13	.981E 12	.546E 12	.224E 11	.213E 11	.195E 11
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.265E 11	.216E 11	.143E 11	.709E 10	.674E 10	.616E 10
701.- 800.	.201E 11	.166E 11	.114E 11	.655E 10	.623E 10	.569E 10
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.790E 14	.642E 14	.179E 14	.360E 11	.342E 11	.313E 11

SCC = 30700799--PLYWOOD PARTOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =   517

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.228E 10	.214E 10	.175E 10	.0	.0	.0
23	.115E 11	.108E 11	.882E 10	.0	.0	.0
24	.780E 14	.634E 14	.177E 14	.360E 11	.342E 11	.313E 11
25	.149E 10	.139E 10	.114E 10	.0	.0	.0
26	.977E 12	.781E 12	.192E 12	.0	.0	.0
28	.294E 10	.275E 10	.224E 10	.0	.0	.0
30	.129E 10	.969E 09	.494E 09	.0	.0	.0
32	.415E 11	.390E 11	.317E 11	.0	.0	.0
34	.890E 10	.834E 10	.0	.0	.0	.0
37	.121E 10	.114E 10	.926E 09	.0	.0	.0
	.790E 14	.642E 14	.179E 14	.360E 11	.342E 11	.313E 11

CC 30700799--PLYWOOD PART OTHER/NOT CLASSIFIED--TOTAL SCC -SIC =   0 -TOT RECS =   517

```
EMP RANGE   COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .834E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .542E 14   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .695E 12   !HHHHHH
 301.- 400.  .981E 12   !HHHHHHHHH
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .216E 11   !H
 701.- 800.  .166E 11   !H
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700899--SAWMILL OPER OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1023

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.289E 13	.271E 13	.152E 12	.0	.0	.0
101.- 200.	.184E 12	.137E 12	.402E 10	.0	.0	.0
201.- 300.	.262E 12	.201E 12	.114E 10	.0	.0	.0
301.- 400.	.192E 12	.149E 12	.224E 11	.109E 11	.103E 11	.255E 10
401.- 500.	.899E 10	.715E 10	.439E 10	.137E 10	.130E 10	.119E 10
501.- 600.	.166E 12	.134E 12	.0	.333E 11	.316E 11	.0
601.- 700.	.547E 14	.448E 14	.123E 13	.154E 14	.146E 14	.552E 12
701.- 800.	.199E 12	.165E 12	.0	.659E 11	.628E 11	.0
801.- 900.	.124E 11	.104E 11	.736E 10	.475E 10	.452E 10	.413E 10
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.586E 14	.483E 14	.142E 13	.155E 14	.148E 14	.560E 12

SCC = 30700899--SAWMILL OPEROTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 1023

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.571E 14	.470E 14	.142E 13	.151E 14	.144E 14	.558E 12
25	.377E 12	.309E 12	.0	.104E 12	.992E 11	.0
29	.629E 11	.477E 11	.0	.0	.0	.0
30	.185E 12	.152E 12	.0	.522E 11	.496E 11	.0
32	.611E 10	.573E 10	.0	.0	.0	.0
35	.899E 10	.715E 10	.439E 10	.137E 10	.130E 10	.119E 10
49	.278E 12	.228E 12	.0	.783E 11	.744E 11	.0
99	.602E 12	.499E 12	.0	.163E 12	.155E 12	.0
	.586E 14	.483E 14	.142E 13	.155E 14	.148E 14	.560E 12

CC = 30700899--SAWMILL OPER OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC=) -TOTAL RECS = 1023

```
TEMP RANGE   COUNT
                     ----------------------------------------------------------------------------------------------------
   0.- 100.  .271E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .137E 12 !H
 201.- 300.  .201E 12 !HH
 301.- 400.  .149E 12 !H
 401.- 500.  .715E 10 !H
 501.- 600.  .134E 12 !H
 601.- 700.  .448E 14 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 701.- 800.  .165E 12 !H
 801.- 900.  .104E 11 !H
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700899--SAWMILL OPER OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1117

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.621E 13	.582E 13	.177E 13	.0	.0	.0
101.- 200.	.596E 11	.448E 11	.642E 10	.0	.0	.0
201.- 300.	.516E 11	.387E 11	.194E 11	.0	.0	.0
301.- 400.	.108E 11	.842E 10	.483E 10	.600E 09	.570E 09	.522E 09
401.- 500.	.598E 11	.475E 11	.0	.909E 10	.863E 10	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.699E 11	.572E 11	.0	.197E 11	.187E 11	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.646E 13	.602E 13	.180E 13	.294E 11	.279E 11	.522E 09

SCC = 30700899--SAWMILL OPEROTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 1117

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
7	.461E 10	.433E 10	.0	.0	.0	.0
12	.794E 10	.745E 10	.0	.0	.0	.0
20	.422E 11	.318E 11	.0	.0	.0	.0
24	.606E 13	.566E 13	.174E 13	.969E 10	.920E 10	.522E 09
25	.156E 12	.138E 12	.227E 11	.197E 11	.187E 11	.0
26	.191E 11	.179E 11	.146E 11	.0	.0	.0
28	.167E 10	.157E 10	.128E 10	.0	.0	.0
30	.940E 10	.882E 10	.0	.0	.0	.0
32	.180E 10	.169E 10	.138E 10	.0	.0	.0
33	.188E 11	.176E 11	.0	.0	.0	.0
34	.940E 10	.882E 10	.0	.0	.0	.0
35	.233E 11	.218E 11	.171E 08	.0	.0	.0
39	.534E 10	.501E 10	.408E 10	.0	.0	.0
44	.794E 10	.745E 10	.0	.0	.0	.0
49	.461E 10	.433E 10	.0	.0	.0	.0
52	.867E 08	.813E 08	.662E 08	.0	.0	.0
82	.188E 11	.176E 11	.0	.0	.0	.0
92	.188E 11	.176E 11	.0	.0	.0	.0
99	.450E 11	.422E 11	.105E 11	.0	.0	.0
	.646E 13	.602E 13	.180E 13	.294E 11	.279E 11	.522E 09

CC =30700899--SAWMILL OPER OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 1117

```
TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
    0.- 100.  .582E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
  101.- 200.  .448E 11  !H
  201.- 300.  .387E 11  !H
  301.- 400.  .842E 10  !H
  401.- 500.  .475E 11  !H
  501.- 600.  .0        !
  601.- 700.  .572E 11  !H
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700899--SAWMILL OPER OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 2140

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.910E 13	.853E 13	.192E 13	.0	.0	.0
101.- 200.	.243E 12	.182E 12	.104E 11	.0	.0	.0
201.- 300.	.314E 12	.239E 12	.206E 11	.0	.0	.0
301.- 400.	.203E 12	.158E 12	.272E 11	.115E 11	.109E 11	.307E 10
401.- 500.	.688E 11	.547E 11	.439E 10	.105E 11	.992E 10	.119E 10
501.- 600.	.166E 12	.134E 12	.0	.333E 11	.316E 11	.0
601.- 700.	.547E 14	.448E 14	.123E 13	.154E 14	.147E 14	.552E 12
701.- 800.	.199E 12	.165E 12	.0	.659E 11	.628E 11	.0
801.- 900.	.124E 11	.104E 11	.736E 10	.475E 10	.452E 10	.413E 10
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.650E 14	.543E 14	.322E 13	.155E 14	.148E 14	.560E 12

SCC = 30700899--SAWMILL OPEROTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 2140

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
7	.461E 10	.433E 10	.0	.0	.0	.0
12	.794E 10	.745E 10	.0	.0	.0	.0
20	.422E 11	.318E 11	.0	.0	.0	.0
24	.631E 14	.527E 14	.316E 13	.151E 14	.144E 14	.559E 12
25	.533E 12	.447E 12	.227E 11	.124E 12	.118E 12	.0
26	.191E 11	.179E 11	.146E 11	.0	.0	.0
28	.167E 10	.157E 10	.128E 10	.0	.0	.0
29	.629E 11	.477E 11	.0	.0	.0	.0
30	.195E 12	.161E 12	.0	.522E 11	.496E 11	.0
32	.792E 10	.743E 10	.138E 10	.0	.0	.0
33	.188E 11	.176E 11	.0	.0	.0	.0
34	.940E 10	.882E 10	.0	.0	.0	.0
35	.322E 11	.290E 11	.441E 10	.137E 10	.130E 10	.119E 10
39	.534E 10	.501E 10	.408E 10	.0	.0	.0
44	.794E 10	.745E 10	.0	.0	.0	.0
49	.282E 12	.232E 12	.0	.783E 11	.744E 11	.0
52	.867E 08	.813E 08	.662E 08	.0	.0	.0
82	.188E 11	.176E 11	.0	.0	.0	.0
92	.188E 11	.176E 11	.0	.0	.0	.0
99	.647E 12	.541E 12	.105E 11	.163E 12	.155E 12	.0
	.650E 14	.543E 14	.322E 13	.155E 14	.148E 14	.560E 12

CC 30700899--SAWMILL OPER OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 2140

```
EMP RANGE   COUNT
                     ----------------------------------------------------------------------------------------------------
   0.- 100.  .853E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .182E 12  !H
 201.- 300.  .239E 12  !HH
 301.- 400.  .158E 12  !H
 401.- 500.  .547E 11  !H
 501.- 600.  .134E 12  !H
 601.- 700.  .448E 14  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 701.- 800.  .165E 12  !H
 801.- 900.  .104E 11  !H
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30700999--EXCELSIOR MA OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30700999--EXCELSIOR MAOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 1

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 30700999--EXCELSIOR MA OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 4

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.784E 11	.735E 11	.599E 11	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.784E 11	.735E 11	.599E 11	.0	.0	.0

SCC = 30700999--EXCELSIOR MAOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 4

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.189E 10	.177E 10	.144E 10	.0	.0	.0
39	.765E 11	.717E 11	.584E 11	.0	.0	.0
	.784E 11	.735E 11	.599E 11	.0	.0	.0

CC =30700999--EXCELSIOR MA OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 4

TEMP RANGE	COUNT
0.- 100.	.735E 11
101.- 200.	.0
201.- 300.	.0
301.- 400.	.0
401.- 500.	.0
501.- 600.	.0
601.- 700.	.0
701.- 800.	.0
801.- 900.	.0
901.-1000.	.0
1001.-1100.	.0
1101.-1200.	.0
1201.-1300.	.0
1301.-1400.	.0
1401.-1500.	.0
1501.-1600.	.0
1601.-1700.	.0
1701.-1800.	.0
1801.-1900.	.0
1901.-2000.	.0
2001.-2100.	.0
2101.-2200.	.0
2201.-2300.	.0
2301.-2400.	.0
2401.-2500.	.0
2501.-2600.	.0
2601.-2700.	.0
2701.-2800.	.0
2801.-2900.	.0
2901.-3000.	.0

SCC= 30701099--CORK PROC   OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   0

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30701099--CORK PROC   OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 0

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 30701099--CORK PROC OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 8

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.785E 11	.736E 11	.192E 11	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.785E 11	.736E 11	.192E 11	.0	.0	.0

SCC = 30701099--CORK PROC OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 8

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.384E 11	.360E 11	.208E 10	.0	.0	.0
25	.401E 11	.376E 11	.171E 11	.0	.0	.0
	.785E 11	.736E 11	.192E 11	.0	.0	.0

CC =30701099--CORK PROC OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 8

```
TEMP RANGE     COUNT
                         -----------------------------------------------------------------------------------------------
     0.- 100.  .736E 11  !H
   101.- 200.  .0        !
   201.- 300.  .0        !
   301.- 400.  .0        !
   401.- 500.  .0        !
   501.- 600.  .0        !
   601.- 700.  .0        !
   701.- 800.  .0        !
   801.- 900.  .0        !
   901.-1000.  .0        !
  1001.-1100.  .0        !
  1101.-1200.  .0        !
  1201.-1300.  .0        !
  1301.-1400.  .0        !
  1401.-1500.  .0        !
  1501.-1600.  .0        !
  1601.-1700.  .0        !
  1701.-1800.  .0        !
  1801.-1900.  .0        !
  1901.-2000.  .0        !
  2001.-2100.  .0        !
  2101.-2200.  .0        !
  2201.-2300.  .0        !
  2301.-2400.  .0        !
  2401.-2500.  .0        !
  2501.-2600.  .0        !
  2601.-2700.  .0        !
  2701.-2800.  .0        !
  2801.-2900.  .0        !
  2901.-3000.  .0        !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30702099--FURNITURE MA OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 108

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.897E 12	.841E 12	.941E 11	.0	.0	.0
101.- 200.	.578E 11	.502E 11	.522E 10	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.105E 12	.807E 11	.182E 11	.250E 10	.237E 10	.177E 10
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.510E 09	.413E 09	.268E 09	.119E 09	.113E 09	.103E 09
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.106E 13	.972E 12	.118E 12	.262E 10	.248E 10	.187E 10

SCC = 30702099--FURNITURE MAOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 108

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.100E 12	.917E 11	.679E 10	.103E 10	.980E 09	.896E 09
25	.661E 12	.601E 12	.111E 12	.158E 10	.150E 10	.975E 09
49	.119E 11	.112E 11	.0	.0	.0	.0
82	.699E 09	.656E 09	.534E 09	.0	.0	.0
99	.286E 12	.268E 12	.0	.0	.0	.0
	.106E 13	.972E 12	.118E 12	.262E 10	.248E 10	.187E 10

CC = 30702099--FURNITURE MA OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 108

```
TEMP RANGE   COUNT
                        -----------------------------------------------------------------------------
   0.- 100.  .841E 12  !HHHHHHHH
 101.- 200.  .502E 11  !H
 201.- 300.  .0        !
 301.- 400.  .807E 11  !H
 401.- 500.  .0        !
 501.- 600.  .413E 09  !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30702099--FURNITURE MA OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 514

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.612E 13	.574E 13	.267E 13	.0	.0	.0
101.- 200.	.610E 10	.464E 10	.236E 10	.0	.0	.0
201.- 300.	.680E 10	.521E 10	.286E 10	.0	.0	.0
301.- 400.	.970E 10	.750E 10	.424E 10	.356E 09	.338E 09	.310E 09
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.181E 12	.150E 12	.103E 12	.599E 11	.570E 11	.521E 11
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.632E 13	.590E 13	.278E 13	.603E 11	.573E 11	.524E 11

SCC = 30702099--FURNITURE MAOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 514

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.112E 13	.105E 13	.518E 12	.356E 09	.338E 09	.310E 09
25	.489E 13	.456E 13	.218E 13	.599E 11	.570E 11	.521E 11
36	.226E 11	.212E 11	.0	.0	.0	.0
38	.347E 11	.325E 11	.708E 09	.0	.0	.0
39	.226E 11	.212E 11	.0	.0	.0	.0
57	.152E 10	.143E 10	.116E 10	.0	.0	.0
92	.191E 11	.179E 11	.0	.0	.0	.0
99	.214E 12	.200E 12	.798E 11	.0	.0	.0
	.632E 13	.590E 13	.278E 13	.603E 11	.573E 11	.524E 11

CC =30702099--FURNITURE MA OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 514

TEMP RANGE	COUNT
0.- 100.	.574E 13
101.- 200.	.464E 10
201.- 300.	.521E 10
301.- 400.	.750E 10
401.- 500.	.0
501.- 600.	.0
601.- 700.	.0
701.- 800.	.150E 12
801.- 900.	.0
901.-1000.	.0
1001.-1100.	.0
1101.-1200.	.0
1201.-1300.	.0
1301.-1400.	.0
1401.-1500.	.0
1501.-1600.	.0
1601.-1700.	.0
1701.-1800.	.0
1801.-1900.	.0
1901.-2000.	.0
2001.-2100.	.0
2101.-2200.	.0
2201.-2300.	.0
2301.-2400.	.0
2401.-2500.	.0
2501.-2600.	.0
2601.-2700.	.0
2701.-2800.	.0
2801.-2900.	.0
2901.-3000.	.0



SCC= 30702099--FURNITURE MA OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 622

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.701E 13	.658E 13	.276E 13	.0	.0	.0
101.- 200.	.639E 11	.548E 11	.758E 10	.0	.0	.0
201.- 300.	.680E 10	.521E 10	.286E 10	.0	.0	.0
301.- 400.	.114E 12	.882E 11	.225E 11	.285E 10	.271E 10	.208E 10
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.510E 09	.413E 09	.268E 09	.119E 09	.113E 09	.103E 09
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.181E 12	.150E 12	.103E 12	.599E 11	.570E 11	.521E 11
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.738E 13	.688E 13	.290E 13	.629E 11	.598E 11	.542E 11

SCC = 30702099--FURNITURE MAOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 622

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
24	.122E 13	.114E 13	.525E 12	.139E 10	.132E 10	.121E 10
25	.555E 13	.516E 13	.229E 13	.615E 11	.585E 11	.530E 11
36	.226E 11	.212E 11	.0	.0	.0	.0
38	.347E 11	.325E 11	.708E 09	.0	.0	.0
39	.226E 11	.212E 11	.0	.0	.0	.0
49	.119E 11	.112E 11	.0	.0	.0	.0
57	.152E 10	.143E 10	.116E 10	.0	.0	.0
82	.699E 09	.656E 09	.534E 09	.0	.0	.0
92	.191E 11	.179E 11	.0	.0	.0	.0
99	.500E 12	.469E 12	.798E 11	.0	.0	.0
	.738E 13	.688E 13	.290E 13	.629E 11	.598E 11	.542E 11

CC 30702099--FURNITURE MA OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 622

```
EMP RANGE   COUNT

                     ----------------------------------------------------------------------------------------------------------------------
   0.- 100.  .658E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .548E 11  !H
 201.- 300.  .521E 10  !H
 301.- 400.  .882E 11  !H
 401.- 500.  .0        !
 501.- 600.  .413E 09  !
 601.- 700.  .0        !
 701.- 800.  .150E 12  !H
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
```

SCC= 30799999--OTHER/NOT CL SPECIFY IN REMARK -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 218

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.424E 13	.397E 13	.964E 11	.0	.0	.0
101.- 200.	.180E 13	.144E 13	.524E 12	.0	.0	.0
201.- 300.	.923E 12	.702E 12	.249E 12	.0	.0	.0
301.- 400.	.111E 13	.868E 12	.373E 11	.808E 11	.767E 11	.378E 10
401.- 500.	.441E 12	.348E 12	.209E 12	.513E 11	.487E 11	.446E 11
501.- 600.	.558E 12	.451E 12	.225E 12	.125E 12	.118E 12	.867E 11
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.285E 12	.236E 12	.162E 12	.944E 11	.898E 11	.820E 11
801.- 900.	.167E 12	.140E 12	.0	.639E 11	.609E 11	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.953E 13	.816E 13	.150E 13	.415E 12	.395E 12	.217E 12

SCC = 30799999--OTHER/NOT CLSPECIFY IN REMARK -NO CONTROL EQUIPMENT -TOT RECS = 218

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
7	.931E 11	.695E 11	.0	.0	.0	.0
20	.124E 12	.116E 12	.0	.0	.0	.0
24	.399E 13	.349E 13	.291E 12	.101E 12	.964E 11	.351E 10
25	.359E 12	.319E 12	.380E 11	.0	.0	.0
26	.407E 13	.336E 13	.111E 13	.307E 12	.292E 12	.208E 12
27	.557E 11	.416E 11	.206E 11	.0	.0	.0
28	.134E 12	.125E 12	.687E 10	.0	.0	.0
29	.179E 12	.168E 12	.0	.0	.0	.0
30	.814E 11	.763E 11	.0	.0	.0	.0
37	.407E 11	.382E 11	.0	.0	.0	.0
39	.814E 11	.763E 11	.0	.0	.0	.0
99	.314E 12	.280E 12	.400E 11	.642E 10	.610E 10	.558E 10
	.953E 13	.816E 13	.150E 13	.415E 12	.395E 12	.217E 12

CC = 30799999--OTHER/NOT CL SPECIFY IN REMARK -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 218

```
TEMP RANGE   COUNT

                     ------------------------------------------------------------------------------------------------------
   0.- 100.  .397E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .144E 13  !HHHHHHHHHHHHHHH
 201.- 300.  .702E 12  !HHHHHHH
 301.- 400.  .868E 12  !HHHHHHHH
 401.- 500.  .348E 12  !HHH
 501.- 600.  .451E 12  !HHHH
 601.- 700.  .0        !
 701.- 800.  .236E 12  !HH
 801.- 900.  .140E 12  !H
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
```

SCC= 30799999--OTHER/NOT CL SPECIFY IN REMARK -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 509

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.288E 13	.270E 13	.908E 12	.0	.0	.0
101.- 200.	.108E 13	.902E 12	.320E 12	.0	.0	.0
201.- 300.	.188E 12	.142E 12	.742E 11	.0	.0	.0
301.- 400.	.151E 12	.117E 12	.367E 11	.748E 10	.710E 10	.219E 10
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.430E 13	.386E 13	.134E 13	.748E 10	.710E 10	.219E 10

SCC = 30799999--OTHER/NOT CLSPECIFY IN REMARK -WITH CONTROL EQUIPMENT -TOT RECS = 509

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
16	.967E 10	.907E 10	.0	.0	.0	.0
17	.115E 10	.108E 10	.880E 09	.0	.0	.0
24	.212E 13	.196E 13	.756E 12	.0	.0	.0
25	.201E 12	.188E 12	.638E 11	.0	.0	.0
26	.113E 13	.935E 12	.370E 12	.629E 09	.598E 09	.547E 09
27	.159E 11	.150E 11	.122E 11	.495E 10	.470E 10	.0
28	.670E 11	.629E 11	.553E 10	.0	.0	.0
29	.221E 12	.208E 12	.613E 09	.0	.0	.0
30	.490E 11	.460E 11	.383E 10	.0	.0	.0
32	.341E 11	.320E 11	.672E 10	.0	.0	.0
33	.107E 11	.100E 11	.816E 10	.0	.0	.0
34	.191E 11	.179E 11	.288E 10	.0	.0	.0
35	.452E 11	.424E 11	.247E 10	.0	.0	.0
36	.256E 11	.240E 11	.469E 09	.0	.0	.0
37	.396E 11	.371E 11	.128E 11	.0	.0	.0
38	.297E 10	.278E 10	.227E 10	.0	.0	.0
39	.962E 11	.856E 11	.212E 11	.0	.0	.0
49	.211E 11	.198E 11	.0	.0	.0	.0
51	.197E 10	.184E 10	.150E 10	.0	.0	.0
99	.194E 12	.169E 12	.673E 11	.189E 10	.180E 10	.165E 10
	.430E 13	.386E 13	.134E 13	.748E 10	.710E 10	.219E 10

CC =30799999--OTHER/NOT CL SPECIFY IN REMARK ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 509

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.  .270E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .902E 12 !HHHHHHHHH
 201.- 300.  .142E 12 !H
 301.- 400.  .117E 12 !H
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30799999--OTHER/NOT CL SPECIFY IN REMARK -TOTAL SCC -SIC = 0 -TOT RECS = 727

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.712E 13	.668E 13	.100E 13	.0	.0	.0
101.- 200.	.288E 13	.234E 13	.844E 12	.0	.0	.0
201.- 300.	.111E 13	.845E 12	.323E 12	.0	.0	.0
301.- 400.	.126E 13	.986E 12	.740E 11	.883E 11	.838E 11	.597E 10
401.- 500.	.441E 12	.348E 12	.209E 12	.513E 11	.487E 11	.446E 11
501.- 600.	.558E 12	.451E 12	.225E 12	.125E 12	.118E 12	.867E 11
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.285E 12	.236E 12	.162E 12	.944E 11	.898E 11	.820E 11
801.- 900.	.167E 12	.140E 12	.0	.639E 11	.609E 11	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.138E 14	.120E 14	.284E 13	.423E 12	.402E 12	.219E 12

SCC = 30799999--OTHER/NOT CLSPECIFY IN REMARK -TOTAL SCC -TOT RECS = 727

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
7	.931E 11	.695E 11	.0	.0	.0	.0
16	.967E 10	.907E 10	.0	.0	.0	.0
17	.115E 10	.108E 10	.880E 09	.0	.0	.0
20	.124E 12	.116E 12	.0	.0	.0	.0
24	.611E 13	.545E 13	.105E 13	.101E 12	.964E 11	.351E 10
25	.560E 12	.506E 12	.102E 12	.629E 09	.598E 09	.547E 09
26	.520E 13	.430E 13	.148E 13	.312E 12	.297E 12	.208E 12
27	.716E 11	.565E 11	.328E 11	.0	.0	.0
28	.201E 12	.187E 12	.124E 11	.0	.0	.0
29	.400E 12	.375E 12	.613E 09	.0	.0	.0
30	.130E 12	.122E 12	.383E 10	.0	.0	.0
32	.341E 11	.320E 11	.672E 10	.0	.0	.0
33	.107E 11	.100E 11	.816E 10	.0	.0	.0
34	.191E 11	.179E 11	.288E 10	.0	.0	.0
35	.452E 11	.424E 11	.247E 10	.0	.0	.0
36	.256E 11	.240E 11	.469E 09	.0	.0	.0
37	.803E 11	.753E 11	.128E 11	.0	.0	.0
38	.297E 10	.278E 10	.227E 10	.0	.0	.0
39	.178E 12	.162E 12	.212E 11	.0	.0	.0
49	.211E 11	.198E 11	.0	.0	.0	.0
51	.197E 10	.184E 10	.150E 10	.0	.0	.0
99	.508E 12	.449E 12	.107E 12	.832E 10	.790E 10	.722E 10
	.138E 14	.120E 14	.284E 13	.423E 12	.402E 12	.219E 12

CC 30799999--OTHER/NOT CL SPECIFY IN REMARK --TOTAL SCC -SIC = 0 -TOT RECS = 727

```
EMP RANGE    COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .668E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .234E 13  !HHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .845E 12  !HHHHHHHHH
 301.- 400.  .986E 12  !HHHHHHHHHH
 401.- 500.  .348E 12  !HHH
 501.- 600.  .451E 12  !HHHH
 601.- 700.  .0        !
 701.- 800.  .236E 12  !HH
 801.- 900.  .140E 12  !H
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30900101--IRON AND STE MISCELLANEOUS HARDWA -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 28

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.601E 11	.564E 11	.181E 11	.0	.0	.0
101.- 200.	.169E 11	.158E 11	.852E 10	.0	.0	.0
201.- 300.	.388E 09	.297E 09	.163E 09	.0	.0	.0
301.- 400.	.395E 11	.307E 11	.112E 11	.198E 10	.188E 10	.817E 09
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.117E 12	.103E 12	.379E 11	.198E 10	.188E 10	.817E 09

SCC = 30900101--IRON AND STEMISCELLANEOUS HARDWA -NO CONTROL EQUIPMENT -TOT RECS = 28

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
33	.194E 11	.160E 11	.407E 09	.104E 10	.984E 09	.0
34	.696E 11	.611E 11	.330E 11	.931E 09	.884E 09	.808E 09
35	.993E 10	.931E 10	.0	.0	.0	.0
36	.611E 10	.573E 10	.313E 10	.0	.0	.0
37	.699E 10	.655E 10	.0	.0	.0	.0
38	.202E 10	.190E 10	.0	.0	.0	.0
99	.285E 10	.249E 10	.144E 10	.990E 07	.940E 07	.860E 07
	.117E 12	.103E 12	.379E 11	.198E 10	.188E 10	.817E 09

CC = 30900101--IRON AND STE MISCELLANEOUS HARDWA-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 28

```
TEMP RANGE   COUNT
                       ------------------------------------------------------------------------------------------------------
   0.- 100.  .564E 11  !H
 101.- 200.  .158E 11  !H
 201.- 300.  .297E 09  !
 301.- 400.  .307E 11  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30900101--IRON AND STE MISCELLANEOUS HARDWA -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 20

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.957E 11	.898E 11	.642E 11	.0	.0	.0
101.- 200.	.545E 11	.511E 11	.331E 11	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.681E 11	.531E 11	.0	.506E 10	.480E 10	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.218E 12	.194E 12	.973E 11	.506E 10	.480E 10	.0

SCC = 30900101--IRON AND STEMISCELLANEOUS HARDWA -WITH CONTROL EQUIPMENT -TOT RECS = 20

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
33	.171E 11	.161E 11	.131E 11	.0	.0	.0
34	.516E 11	.484E 11	.395E 11	.0	.0	.0
35	.948E 11	.781E 11	.115E 11	.506E 10	.480E 10	.0
37	.545E 11	.511E 11	.331E 11	.0	.0	.0
99	.291E 09	.273E 09	.223E 09	.0	.0	.0
	.218E 12	.194E 12	.973E 11	.506E 10	.480E 10	.0

CC =30900101--IRON AND STE MISCELLANEOUS HARDWA---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 20

TEMP RANGE	COUNT	
0.- 100.	.898E 11	!H
101.- 200.	.511E 11	!H
201.- 300.	.0	!
301.- 400.	.531E 11	!H
401.- 500.	.0	!
501.- 600.	.0	!
601.- 700.	.0	!
701.- 800.	.0	!
801.- 900.	.0	!
901.-1000.	.0	!
1001.-1100.	.0	!
1101.-1200.	.0	!
1201.-1300.	.0	!
1301.-1400.	.0	!
1401.-1500.	.0	!
1501.-1600.	.0	!
1601.-1700.	.0	!
1701.-1800.	.0	!
1801.-1900.	.0	!
1901.-2000.	.0	!
2001.-2100.	.0	!
2101.-2200.	.0	!
2201.-2300.	.0	!
2301.-2400.	.0	!
2401.-2500.	.0	!
2501.-2600.	.0	!
2601.-2700.	.0	!
2701.-2800.	.0	!
2801.-2900.	.0	!
2901.-3000.	.0	!

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30900101--IRON AND STE MISCELLANEOUS HARDWA -TOTAL SCC -SIC =   0 -TOT RECS =   48

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.156E 12	.146E 12	.823E 11	.0	.0	.0
101.- 200.	.714E 11	.669E 11	.416E 11	.0	.0	.0
201.- 300.	.388E 09	.297E 09	.163E 09	.0	.0	.0
301.- 400.	.108E 12	.838E 11	.112E 11	.704E 10	.668E 10	.817E 09
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.335E 12	.297E 12	.135E 12	.704E 10	.668E 10	.817E 09

SCC = 30900101--IRON AND STEMISCELLANEOUS HARDWA -TOTAL SCC -TOT RECS = 48

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
33	.366E 11	.321E 11	.135E 11	.104E 10	.984E 09	.0
34	.121E 12	.110E 12	.724E 11	.931E 09	.884E 09	.808E 09
35	.105E 12	.875E 11	.115E 11	.506E 10	.480E 10	.0
36	.611E 10	.573E 10	.313E 10	.0	.0	.0
37	.615E 11	.577E 11	.331E 11	.0	.0	.0
38	.202E 10	.190E 10	.0	.0	.0	.0
99	.314E 10	.276E 10	.166E 10	.990E 07	.940E 07	.860E 07
	.335E 12	.297E 12	.135E 12	.704E 10	.668E 10	.817E 09

CC 30900101--IRON AND STE MISCELLANEOUS HARDWA--TOTAL SCC -SIC = 0 -TOT RECS = 48

```
EMP RANGE   COUNT
           ------------------------------------------------------------------------------------------------------
   0.- 100.  .146E 12  !H
 101.- 200.  .669E 11  !H
 201.- 300.  .297E 09  !
 301.- 400.  .838E 11  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90--------100
```

SCC= 30900102--IRON AND STE FARM MACHINERY -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 4

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30900102--IRON AND STEFARM MACHINERY -NO CONTROL EQUIPMENT -TOT RECS = 4

SIC	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

SCC= 30900102--IRON AND STE FARM MACHINERY -WITH CONTROL EQUIPMENT -SIC =) -TOT RECS = 7

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.113E 11	.106E 11	.611E 10	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.113E 11	.106E 11	.611E 10	.0	.0	.0

SCC = 30900102--IRON AND STEFARM MACHINERY -WITH CONTROL EQUIPMENT -TOT RECS = 7

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
35	.506E 10	.475E 10	.132E 10	.0	.0	.0
99	.626E 10	.587E 10	.479E 10	.0	.0	.0
	.113E 11	.106E 11	.611E 10	.0	.0	.0

CC =30900102--IRON AND STE FARM MACHINERY ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 7

```
TEMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .106E 11  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30900199--IRON AND STE OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 85

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.359E 12	.337E 12	.463E 11	.0	.0	.0
101.- 200.	.601E 11	.508E 11	.106E 11	.0	.0	.0
201.- 300.	.103E 12	.781E 11	.223E 11	.0	.0	.0
301.- 400.	.358E 11	.279E 11	.403E 10	.266E 10	.253E 10	.572E 09
401.- 500.	.576E 11	.456E 11	.0	.765E 10	.726E 10	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.503E 11	.435E 11	.330E 11	.268E 11	.254E 11	.231E 11
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.229E 11	.204E 11	.164E 11	.163E 11	.148E 11	.138E 11
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.689E 12	.603E 12	.133E 12	.534E 11	.500E 11	.375E 11

SCC = 30900199--IRON AND STEOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 85

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
17	.391E 10	.367E 10	.0	.0	.0	.0
25	.113E 11	.106E 11	.327E 10	.0	.0	.0
32	.462E 10	.434E 10	.0	.0	.0	.0
33	.130E 12	.103E 12	.123E 11	.647E 10	.614E 10	.0
34	.177E 12	.159E 12	.219E 11	.169E 11	.154E 11	.144E 11
35	.439E 11	.412E 11	.259E 10	.0	.0	.0
36	.475E 11	.404E 11	.225E 11	.0	.0	.0
37	.184E 12	.169E 12	.483E 11	.268E 11	.254E 11	.231E 11
99	.858E 11	.707E 11	.217E 11	.318E 10	.302E 10	.0
	.689E 12	.603E 12	.133E 12	.534E 11	.500E 11	.375E 11

CC = 30900199--IRON AND STE OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 85

```
TEMP RANGE   COUNT
                      -----------------------------------------------------------------------------------------------------
   0.- 100.  .337E 12 !HHH
 101.- 200.  .508E 11 !H
 201.- 300.  .781E 11 !H
 301.- 400.  .279E 11 !H
 401.- 500.  .456E 11 !H
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .435E 11 !H
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .204E 11 !H
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30900199--IRON AND STE OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 78

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.321E 12	.301E 12	.649E 11	.0	.0	.0
101.- 200.	.548E 11	.417E 11	.661E 10	.0	.0	.0
201.- 300.	.184E 12	.139E 12	.728E 11	.0	.0	.0
301.- 400.	.973E 11	.760E 11	.0	.723E 10	.687E 10	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.624E 11	.512E 11	.0	.178E 11	.169E 11	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.719E 12	.609E 12	.144E 12	.250E 11	.238E 11	.0

SCC = 30900199--IRON AND STEOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 78

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
29	.835E 10	.783E 10	.0	.0	.0	.0
30	.153E 10	.143E 10	.117E 10	.0	.0	.0
33	.217E 11	.203E 11	.197E 10	.0	.0	.0
34	.300E 12	.259E 12	.206E 10	.250E 11	.238E 11	.0
35	.237E 12	.189E 12	.743E 11	.0	.0	.0
36	.167E 11	.156E 11	.127E 11	.0	.0	.0
37	.680E 11	.567E 11	.709E 10	.0	.0	.0
47	.907E 10	.851E 10	.693E 10	.0	.0	.0
49	.167E 11	.131E 11	.735E 10	.0	.0	.0
76	.193E 09	.181E 09	.148E 09	.0	.0	.0
99	.400E 11	.375E 11	.306E 11	.0	.0	.0
	.719E 12	.609E 12	.144E 12	.250E 11	.238E 11	.0

CC =30900199--IRON AND STE OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 78

TEMP RANGE	COUNT	
0.- 100.	.301E 12	!HHH
101.- 200.	.417E 11	!H
201.- 300.	.139E 12	!H
301.- 400.	.760E 11	!H
401.- 500.	.0	!
501.- 600.	.0	!
601.- 700.	.0	!
701.- 800.	.512E 11	!H
801.- 900.	.0	!
901.-1000.	.0	!
1001.-1100.	.0	!
1101.-1200.	.0	!
1201.-1300.	.0	!
1301.-1400.	.0	!
1401.-1500.	.0	!
1501.-1600.	.0	!
1601.-1700.	.0	!
1701.-1800.	.0	!
1801.-1900.	.0	!
1901.-2000.	.0	!
2001.-2100.	.0	!
2101.-2200.	.0	!
2201.-2300.	.0	!
2301.-2400.	.0	!
2401.-2500.	.0	!

SCC= 30900199--IRON AND STE OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 163

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.680E 12	.638E 12	.111E 12	.0	.0	.0
101.- 200.	.115E 12	.925E 11	.172E 11	.0	.0	.0
201.- 300.	.287E 12	.217E 12	.951E 11	.0	.0	.0
301.- 400.	.133E 12	.104E 12	.403E 10	.989E 10	.939E 10	.572E 09
401.- 500.	.576E 11	.456E 11	.0	.765E 10	.726E 10	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.624E 11	.512E 11	.0	.178E 11	.169E 11	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.503E 11	.435E 11	.330E 11	.268E 11	.254E 11	.231E 11
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.229E 11	.204E 11	.164E 11	.163E 11	.148E 11	.138E 11
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.141E 13	.121E 13	.277E 12	.784E 11	.738E 11	.375E 11

SCC = 30900199--IRON AND STEOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 163

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
17	.391E 10	.367E 10	.0	.0	.0	.0
25	.113E 11	.106E 11	.327E 10	.0	.0	.0
29	.835E 10	.783E 10	.0	.0	.0	.0
30	.153E 10	.143E 10	.117E 10	.0	.0	.0
32	.462E 10	.434E 10	.0	.0	.0	.0
33	.152E 12	.124E 12	.142E 11	.647E 10	.614E 10	.0
34	.477E 12	.418E 12	.240E 11	.420E 11	.392E 11	.144E 11
35	.280E 12	.230E 12	.769E 11	.0	.0	.0
36	.642E 11	.560E 11	.352E 11	.0	.0	.0
37	.252E 12	.226E 12	.554E 11	.268E 11	.254E 11	.231E 11
47	.907E 10	.851E 10	.693E 10	.0	.0	.0
49	.167E 11	.131E 11	.735E 10	.0	.0	.0
76	.193E 09	.181E 09	.148E 09	.0	.0	.0
99	.126E 12	.108E 12	.523E 11	.318E 10	.302E 10	.0
	.141E 13	.121E 13	.277E 12	.784E 11	.738E 11	.375E 11

CC 30900199--IRON AND STE OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 163

```
EMP RANGE      COUNT

                         ------------------------------------------------------------------------------------------------
   0.- 100.   .638E 12   !HHHHHH
 101.- 200.   .925E 11   !H
 201.- 300.   .217E 12   !HH
 301.- 400.   .104E 12   !H
 401.- 500.   .456E 11   !H
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .512E 11   !H
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .435E 11   !H
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .204E 11   !H
2401.-2500.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30901099--PLATING OPER OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 70

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.367E 12	.344E 12	.190E 12	.0	.0	.0
101.- 200.	.171E 12	.144E 12	.453E 11	.0	.0	.0
201.- 300.	.991E 11	.755E 11	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.637E 12	.564E 12	.235E 12	.0	.0	.0

SCC = 30901099--PLATING OPEROTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 70

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
27	.161E 11	.151E 11	.493E 10	.0	.0	.0
32	.266E 11	.202E 11	.102E 11	.0	.0	.0
33	.106E 12	.903E 11	.356E 11	.0	.0	.0
34	.319E 12	.282E 12	.925E 11	.0	.0	.0
35	.441E 10	.414E 10	.337E 10	.0	.0	.0
36	.881E 11	.827E 11	.501E 11	.0	.0	.0
37	.126E 11	.118E 11	.961E 10	.0	.0	.0
99	.642E 11	.574E 11	.285E 11	.0	.0	.0
	.637E 12	.564E 12	.235E 12	.0	.0	.0

CC = 30901099--PLATING OPER OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 70

```
TEMP RANGE   COUNT
              -----------------------------------------------------------------------------------------------------
   0.- 100.  .344E 12  !HHH
 101.- 200.  .144E 12  !H
 201.- 300.  .755E 11  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30901099--PLATING OPER OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 41

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.211E 12	.198E 12	.110E 12	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.108E 10	.832E 09	.470E 09	.395E 08	.375E 08	.343E 08
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.212E 12	.199E 12	.111E 12	.395E 08	.375E 08	.343E 08

SCC = 30901099--PLATING OPEROTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 41

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
21	.891E 10	.835E 10	.0	.0	.0	.0
27	.168E 11	.158E 11	.129E 11	.0	.0	.0
33	.320E 10	.282E 10	.209E 10	.395E 08	.375E 08	.343E 08
34	.913E 11	.856E 11	.314E 11	.0	.0	.0
35	.136E 11	.128E 11	.104E 11	.0	.0	.0
36	.486E 11	.456E 11	.371E 11	.0	.0	.0
37	.295E 11	.277E 11	.168E 11	.0	.0	.0
	.212E 12	.199E 12	.111E 12	.395E 08	.375E 08	.343E 08

CC =30901099--PLATING OPER OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 41

```
TEMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .198E 12  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .832E 09  !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30901099--PLATING OPER OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 111

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.578E 12	.542E 12	.300E 12	.0	.0	.0
101.- 200.	.171E 12	.144E 12	.453E 11	.0	.0	.0
201.- 300.	.991E 11	.755E 11	.0	.0	.0	.0
301.- 400.	.108E 10	.832E 09	.470E 09	.395E 08	.375E 08	.343E 08
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.849E 12	.763E 12	.346E 12	.395E 08	.375E 08	.343E 08

SCC = 30901099--PLATING OPEROTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 111

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
21	.891E 10	.835E 10	.0	.0	.0	.0
27	.329E 11	.309E 11	.178E 11	.0	.0	.0
32	.266E 11	.202E 11	.102E 11	.0	.0	.0
33	.109E 12	.931E 11	.377E 11	.395E 08	.375E 08	.343E 08
34	.411E 12	.368E 12	.124E 12	.0	.0	.0
35	.180E 11	.169E 11	.138E 11	.0	.0	.0
36	.137E 12	.128E 12	.873E 11	.0	.0	.0
37	.421E 11	.395E 11	.264E 11	.0	.0	.0
99	.642E 11	.574E 11	.285E 11	.0	.0	.0
	.849E 12	.763E 12	.346E 12	.395E 08	.375E 08	.343E 08

CC 30901099--PLATING OPER OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 111

```
EMP RANGE    COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .542E 12   !HHHHH
 101.- 200.  .144E 12   !H
 201.- 300.  .755E 11   !H
 301.- 400.  .832E 09   !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30902099--CAN MAKING O OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 54

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.147E 12	.138E 12	.101E 12	.0	.0	.0
101.- 200.	.373E 12	.315E 12	.418E 11	.0	.0	.0
201.- 300.	.464E 11	.356E 11	.194E 11	.0	.0	.0
301.- 400.	.933E 11	.721E 11	.216E 10	.310E 10	.295E 10	.157E 09
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.483E 10	.395E 10	.264E 10	.136E 10	.129E 10	.118E 10
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.664E 12	.564E 12	.167E 12	.446E 10	.424E 10	.134E 10

SCC = 30902099--CAN MAKING OOTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 54

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.462E 11	.433E 11	.138E 11	.0	.0	.0
26	.235E 10	.176E 10	.866E 09	.0	.0	.0
27	.440E 11	.339E 11	.0	.129E 10	.122E 10	.0
34	.539E 12	.455E 12	.150E 12	.317E 10	.301E 10	.134E 10
99	.324E 11	.304E 11	.247E 10	.0	.0	.0
	.664E 12	.564E 12	.167E 12	.446E 10	.424E 10	.134E 10

CC = 30902099--CAN MAKING 0 OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 54

```
TEMP RANGE   COUNT
                      -----------------------------------------------------------------------------------------------
   0.- 100.  .138E 12 !H
 101.- 200.  .315E 12 !HHH
 201.- 300.  .356E 11 !H
 301.- 400.  .721E 11 !H
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .395E 10 !H
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30902099--CAN MAKING O OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 42

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.596E 11	.559E 11	.430E 11	.0	.0	.0
101.- 200.	.152E 11	.126E 11	.642E 10	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.585E 11	.482E 11	.327E 11	.179E 11	.171E 11	.156E 11
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.133E 12	.117E 12	.821E 11	.179E 11	.171E 11	.156E 11

SCC = 30902099--CAN MAKING OOTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 42

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.533E 10	.500E 10	.407E 10	.0	.0	.0
26	.238E 10	.223E 10	.182E 10	.0	.0	.0
34	.124E 12	.108E 12	.748E 11	.179E 11	.171E 11	.156E 11
99	.186E 10	.174E 10	.142E 10	.0	.0	.0
	.133E 12	.117E 12	.821E 11	.179E 11	.171E 11	.156E 11

CC =30902099--CAN MAKING 0 OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 42

```
TEMP RANGE   COUNT
                     -----------------------------------------------------------------------------------------------------
   0.- 100.  .559E 11  !H
 101.- 200.  .126E 11  !H
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .482E 11  !H
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30902099--CAN MAKING O OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 96

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.207E 12	.194E 12	.144E 12	.0	.0	.0
101.- 200.	.388E 12	.328E 12	.482E 11	.0	.0	.0
201.- 300.	.464E 11	.356E 11	.194E 11	.0	.0	.0
301.- 400.	.933E 11	.721E 11	.216E 10	.310E 10	.295E 10	.157E 09
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.483E 10	.395E 10	.264E 10	.136E 10	.129E 10	.118E 10
701.- 800.	.585E 11	.482E 11	.327E 11	.179E 11	.171E 11	.156E 11
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.798E 12	.681E 12	.249E 12	.224E 11	.213E 11	.169E 11

SCC = 30902099--CAN MAKING OOTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 96

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.515E 11	.483E 11	.178E 11	.0	.0	.0
26	.473E 10	.399E 10	.268E 10	.0	.0	.0
27	.440E 11	.339E 11	.0	.129E 10	.122E 10	.0
34	.663E 12	.563E 12	.225E 12	.211E 11	.201E 11	.169E 11
99	.343E 11	.321E 11	.389E 10	.0	.0	.0
	.798E 12	.681E 12	.249E 12	.224E 11	.213E 11	.169E 11

CC 30902099--CAN MAKING O OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 96

```
EMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .194E 12 !H
 101.- 200.  .328E 12 !HHH
 201.- 300.  .356E 11 !H
 301.- 400.  .721E 11 !H
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .395E 10 !H
 701.- 800.  .482E 11 !H
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30903001--MACHINE OPER DRILLING-SPECIAL MAT -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30903001--MACHINE OPERDRILLING-SPECIAL MAT -NO CONTROL EQUIPMENT -TOT RECS = 0

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 30903001--MACHINE OPER DRILLING-SPECIAL MAT -WITH CONTROL EQUIPMENT -SIC =) -TOT RECS = 6

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.723E 11	.678E 11	.552E 11	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.723E 11	.678E 11	.552E 11	.0	.0	.0

SCC = 30903001--MACHINE OPERDRILLING-SPECIAL MAT -WITH CONTROL EQUIPMENT -TOT RECS = 6

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
37	.723E 11	.678E 11	.552E 11	.0	.0	.0
	.723E 11	.678E 11	.552E 11	.0	.0	.0

CC =30903001--MACHINE OPER DRILLING-SPECIAL MAT---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 6

TEMP RANGE	COUNT
0.- 100.	.678E 11
101.- 200.	.0
201.- 300.	.0
301.- 400.	.0
401.- 500.	.0
501.- 600.	.0
601.- 700.	.0
701.- 800.	.0
801.- 900.	.0
901.-1000.	.0
1001.-1100.	.0
1101.-1200.	.0
1201.-1300.	.0
1301.-1400.	.0
1401.-1500.	.0
1501.-1600.	.0
1601.-1700.	.0
1701.-1800.	.0
1801.-1900.	.0
1901.-2000.	.0
2001.-2100.	.0
2101.-2200.	.0
2201.-2300.	.0
2301.-2400.	.0
2401.-2500.	.0
2501.-2600.	.0
2601.-2700.	.0
2701.-2800.	.0
2801.-2900.	.0
2901.-3000.	.0

SCC= 30903002--MACHINE OPER MILLING-SPECIAL MATE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30903002--MACHINE OPERMILLING-SPECIAL MATE -NO CONTROL EQUIPMENT -TOT RECS = 0

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 30903002--MACHINE OPER MILLING-SPECIAL MATE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 6

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.542E 11	.509E 11	.414E 11	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.542E 11	.509E 11	.414E 11	.0	.0	.0

SCC = 30903002--MACHINE OPERMILLING-SPECIAL MATE -WITH CONTROL EQUIPMENT -TOT RECS = 6

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
37	.542E 11	.509E 11	.414E 11	.0	.0	.0
38	.446E 07	.418E 07	.341E 07	.0	.0	.0
	.542E 11	.509E 11	.414E 11	.0	.0	.0

CC =30903002--MACHINE OPER MILLING-SPECIAL MATE---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 6

TEMP RANGE	COUNT	
0.- 100.	.509E 11	!H
101.- 200.	.0	!
201.- 300.	.0	!
301.- 400.	.0	!
401.- 500.	.0	!
501.- 600.	.0	!
601.- 700.	.0	!
701.- 800.	.0	!
801.- 900.	.0	!
901.-1000.	.0	!
1001.-1100.	.0	!
1101.-1200.	.0	!
1201.-1300.	.0	!
1301.-1400.	.0	!
1401.-1500.	.0	!
1501.-1600.	.0	!
1601.-1700.	.0	!
1701.-1800.	.0	!
1801.-1900.	.0	!
1901.-2000.	.0	!
2001.-2100.	.0	!
2101.-2200.	.0	!
2201.-2300.	.0	!
2301.-2400.	.0	!
2401.-2500.	.0	!
2501.-2600.	.0	!
2601.-2700.	.0	!
2701.-2800.	.0	!
2801.-2900.	.0	!
2901.-3000.	.0	!

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 30903003--MACHINE OPER REAMING-SPECIAL MATE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30903003--MACHINE OPERREAMING-SPECIAL MATE -NO CONTROL EQUIPMENT -TOT RECS = 0

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 30903003--MACHINE OPER REAMING-SPECIAL MATE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 4

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.542E 11	.509E 11	.414E 11	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.542E 11	.509E 11	.414E 11	.0	.0	.0

SCC = 30903003--MACHINE OPERREAMING-SPECIAL MATE -WITH CONTROL EQUIPMENT -TOT RECS = 4

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
37	.542E 11	.509E 11	.414E 11	.0	.0	.0
	.542E 11	.509E 11	.414E 11	.0	.0	.0

CC =30903003--MACHINE OPER REAMING-SPECIAL MATE---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 4

```
TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .509E 11  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30903004--MACHINE OPER GRINDING-SPECIAL MAT -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30903004--MACHINE OPERGRINDING-SPECIAL MAT -NO CONTROL EQUIPMENT -TOT RECS = 1

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 30903004--MACHINE OPER GRINDING-SPECIAL MAT -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 40

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.634E 11	.595E 11	.431E 11	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.634E 11	.595E 11	.431E 11	.0	.0	.0

SCC = 30903004--MACHINE OPERGRINDING-SPECIAL MAT -WITH CONTROL EQUIPMENT -TOT RECS = 40

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
17	.724E 09	.679E 09	.553E 09	.0	.0	.0
33	.430E 10	.404E 10	.134E 10	.0	.0	.0
34	.153E 11	.143E 11	.831E 10	.0	.0	.0
35	.799E 10	.750E 10	.611E 10	.0	.0	.0
36	.489E 08	.459E 08	.374E 08	.0	.0	.0
37	.291E 11	.273E 11	.223E 11	.0	.0	.0
38	.153E 10	.144E 10	.117E 10	.0	.0	.0
39	.205E 09	.193E 09	.157E 09	.0	.0	.0
75	.328E 10	.307E 10	.250E 10	.0	.0	.0
99	.910E 09	.854E 09	.696E 09	.0	.0	.0
	.634E 11	.595E 11	.431E 11	.0	.0	.0

CC =30903004--MACHINE OPER GRINDING-SPECIAL MAT---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 40

```
TEMP RANGE   COUNT
             -------------------------------------------------------------------------------------------
   0.- 100.  .595E 11  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30903005--MACHINE OPER SAWING-SPECIAL MATER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 30903005--MACHINE OPERSAWING-SPECIAL MATER -NO CONTROL EQUIPMENT -TOT RECS = 0

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 30903005--MACHINE OPER SAWING-SPECIAL MATER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 4

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.257E 11	.241E 11	.196E 11	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.257E 11	.241E 11	.196E 11	.0	.0	.0

SCC = 30903005--MACHINE OPERSAWING-SPECIAL MATER -WITH CONTROL EQUIPMENT -TOT RECS = 4

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
35	.944E 06	.885E 06	.721E 06	.0	.0	.0
37	.257E 11	.241E 11	.196E 11	.0	.0	.0
	.257E 11	.241E 11	.196E 11	.0	.0	.0

CC =30903005--MACHINE OPER SAWING-SPECIAL MATER---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 4

```
TEMP RANGE   COUNT
                     ---------------------------------------------------------------------------------------------------
   0.- 100.  .241E 11  !H
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30903099--MACHINE OPER OTHER-SPECIAL MATERI -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 10

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.152E 11	.143E 11	.116E 11	.0	.0	.0
101.- 200.	.134E 11	.105E 11	.519E 10	.0	.0	.0
201.- 300.	.970E 09	.739E 09	.398E 09	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.296E 11	.255E 11	.172E 11	.0	.0	.0

SCC = 30903099--MACHINE OPEROTHER-SPECIAL MATERI -NO CONTROL EQUIPMENT -TOT RECS = 10

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
30	.909E 09	.852E 09	.695E 09	.0	.0	.0
33	.233E 11	.207E 11	.145E 11	.0	.0	.0
34	.438E 10	.327E 10	.162E 10	.0	.0	.0
39	.970E 09	.739E 09	.398E 09	.0	.0	.0
	.296E 11	.255E 11	.172E 11	.0	.0	.0

CC = 30903099--MACHINE OPER OTHER-SPECIAL MATERI-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 10

```
TEMP RANGE   COUNT
                       ------------------------------------------------------------------------------------------
   0.- 100.  .143E 11  !H
 101.- 200.  .105E 11  !H
 201.- 300.  .739E 09  !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30903099--MACHINE OPER OTHER-SPECIAL MATERI -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 52

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.334E 12	.313E 12	.173E 12	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.426E 11	.334E 11	.198E 11	.430E 10	.409E 10	.374E 10
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.377E 12	.347E 12	.193E 12	.430E 10	.409E 10	.374E 10

SCC = 30903099--MACHINE OPEROTHER-SPECIAL MATERI -WITH CONTROL EQUIPMENT -TOT RECS = 52

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.109E 11	.102E 11	.0	.0	.0	.0
32	.281E 11	.264E 11	.0	.0	.0	.0
33	.123E 11	.115E 11	.220E 10	.0	.0	.0
34	.206E 11	.194E 11	.114E 09	.0	.0	.0
35	.325E 11	.305E 11	.373E 10	.0	.0	.0
36	.613E 10	.575E 10	.468E 10	.0	.0	.0
37	.231E 12	.210E 12	.164E 12	.430E 10	.409E 10	.374E 10
38	.223E 09	.209E 09	.170E 09	.0	.0	.0
73	.146E 09	.137E 09	.111E 09	.0	.0	.0
99	.352E 11	.330E 11	.184E 11	.0	.0	.0
	.377E 12	.347E 12	.193E 12	.430E 10	.409E 10	.374E 10

CC =30903099--MACHINE OPER OTHER-SPECIAL MATERI---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 52

```
TEMP RANGE   COUNT

                       ------------------------------------------------------------------------------------------
    0.- 100.  .313E 12  !HHH
  101.- 200.  .0        !
  201.- 300.  .0        !
  301.- 400.  .0        !
  401.- 500.  .334E 11  !H
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
```

SCC= 30903099--MACHINE OPER OTHER-SPECIAL MATERI -TOTAL SCC -SIC = 0 -TOT RECS = 62

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.349E 12	.328E 12	.185E 12	.0	.0	.0
101.- 200.	.134E 11	.105E 11	.519E 10	.0	.0	.0
201.- 300.	.970E 09	.739E 09	.398E 09	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.426E 11	.334E 11	.198E 11	.430E 10	.409E 10	.374E 10
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.406E 12	.372E 12	.210E 12	.430E 10	.409E 10	.374E 10

SCC = 30903099--MACHINE OPEROTHER-SPECIAL MATERI -TOTAL SCC -TOT RECS = 62

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.109E 11	.102E 11	.0	.0	.0	.0
30	.909E 09	.852E 09	.695E 09	.0	.0	.0
32	.281E 11	.264E 11	.0	.0	.0	.0
33	.356E 11	.322E 11	.167E 11	.0	.0	.0
34	.250E 11	.226E 11	.173E 10	.0	.0	.0
35	.325E 11	.305E 11	.373E 10	.0	.0	.0
36	.613E 10	.575E 10	.468E 10	.0	.0	.0
37	.231E 12	.210E 12	.164E 12	.430E 10	.409E 10	.374E 10
38	.223E 09	.209E 09	.170E 09	.0	.0	.0
39	.970E 09	.739E 09	.398E 09	.0	.0	.0
73	.146E 09	.137E 09	.111E 09	.0	.0	.0
99	.352E 11	.330E 11	.184E 11	.0	.0	.0
	.406E 12	.372E 12	.210E 12	.430E 10	.409E 10	.374E 10

CC 30903099--MACHINE OPER OTHER-SPECIAL MATERI--TOTAL SCC -SIC = 0 -TOT RECS = 62

```
EMP RANGE     COUNT
                     ------------------------------------------------------------------------------------------
   0.- 100.   .328E 12  !HHH
 101.- 200.   .105E 11  !H
 201.- 300.   .739E 09  !
 301.- 400.   .0        !
 401.- 500.   .334E 11  !H
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
```

SCC= 30999999--OTHER/NOT CL SPECIFY IN REMARK -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 206

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.121E 13	.114E 13	.232E 12	.0	.0	.0
101.- 200.	.721E 12	.615E 12	.269E 12	.0	.0	.0
201.- 300.	.224E 12	.170E 12	.312E 11	.0	.0	.0
301.- 400.	.927E 11	.718E 11	.227E 11	.400E 10	.380E 10	.215E 10
401.- 500.	.489E 10	.388E 10	.237E 10	.695E 09	.660E 09	.604E 09
501.- 600.	.141E 12	.113E 12	.218E 11	.287E 11	.273E 11	.812E 10
601.- 700.	.589E 11	.482E 11	.322E 11	.166E 11	.158E 11	.144E 11
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.946E 10	.829E 10	.647E 10	.565E 10	.537E 10	.466E 10
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.246E 13	.217E 13	.617E 12	.556E 11	.529E 11	.299E 11

SCC = 30999999--OTHER/NOT CLSPECIFY IN REMARK -NO CONTROL EQUIPMENT -TOT RECS = 206

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
23	.126E 10	.101E 10	.629E 09	.221E 09	.210E 09	.192E 09
24	.630E 10	.591E 10	.0	.0	.0	.0
25	.799E 11	.614E 11	.0	.0	.0	.0
26	.905E 11	.738E 11	.487E 11	.238E 11	.226E 11	.207E 11
28	.800E 11	.750E 11	.257E 11	.0	.0	.0
30	.155E 11	.145E 11	.0	.0	.0	.0
32	.714E 10	.536E 10	.263E 10	.0	.0	.0
33	.178E 11	.163E 11	.319E 10	.0	.0	.0
34	.578E 12	.508E 12	.100E 12	.142E 11	.135E 11	.171E 10
35	.477E 12	.424E 12	.154E 12	.269E 10	.255E 10	.234E 10
36	.190E 12	.154E 12	.599E 11	.291E 09	.276E 09	.253E 09
37	.478E 12	.422E 12	.996E 11	.581E 10	.551E 10	.479E 10
39	.155E 11	.145E 11	.0	.0	.0	.0
40	.676E 11	.567E 11	.0	.868E 10	.824E 10	.0
49	.115E 11	.868E 10	.447E 10	.0	.0	.0
50	.773E 11	.725E 11	.0	.0	.0	.0
89	.630E 10	.591E 10	.0	.0	.0	.0
99	.264E 12	.248E 12	.118E 12	.0	.0	.0
	.246E 13	.217E 13	.617E 12	.556E 11	.529E 11	.299E 11

CC = 30999999--OTHER/NOT CL SPECIFY IN REMARK -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 206

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.  .114E 13 !HHHHHHHHHHH
 101.- 200.  .615E 12 !HHHHHH
 201.- 300.  .170E 12 !H
 301.- 400.  .718E 11 !H
 401.- 500.  .388E 10 !H
 501.- 600.  .113E 12 !H
 601.- 700.  .482E 11 !H
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .829E 10 !H
1701.-1800.  .0       !
1801.-1900.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30999999--OTHER/NOT CL SPECIFY IN REMARK -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 138

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.121E 13	.114E 13	.414E 12	.0	.0	.0
101.- 200.	.108E 11	.809E 10	.397E 10	.0	.0	.0
201.- 300.	.182E 11	.138E 11	.720E 10	.0	.0	.0
301.- 400.	.668E 11	.521E 11	.127E 10	.485E 10	.461E 10	.929E 08
401.- 500.	.313E 11	.249E 11	.153E 11	.475E 10	.451E 10	.413E 10
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.875E 11	.725E 11	.0	.290E 11	.276E 11	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.363E 11	.317E 11	.246E 11	.210E 11	.200E 11	.177E 11
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.146E 13	.134E 13	.467E 12	.597E 11	.567E 11	.220E 11

SCC = 30999999--OTHER/NOT CLSPECIFY IN REMARK -WITH CONTROL EQUIPMENT -TOT RECS = 138

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
10	.227E 11	.213E 11	.0	.0	.0	.0
17	.165E 10	.155E 10	.126E 10	.0	.0	.0
20	.533E 10	.500E 10	.407E 10	.0	.0	.0
27	.284E 10	.266E 10	.217E 10	.0	.0	.0
30	.909E 09	.852E 09	.695E 09	.0	.0	.0
33	.112E 12	.103E 12	.264E 11	.210E 11	.200E 11	.177E 11
34	.602E 12	.552E 12	.233E 12	.291E 11	.277E 11	.929E 08
35	.173E 12	.162E 12	.475E 11	.0	.0	.0
36	.808E 11	.758E 11	.463E 11	.0	.0	.0
37	.275E 12	.242E 12	.773E 11	.950E 10	.902E 10	.413E 10
38	.238E 09	.224E 09	.182E 09	.0	.0	.0
39	.729E 10	.683E 10	.557E 10	.0	.0	.0
40	.170E 11	.160E 11	.130E 11	.0	.0	.0
50	.100E 12	.940E 11	.0	.0	.0	.0
75	.644E 08	.604E 08	.492E 08	.0	.0	.0
99	.629E 11	.570E 11	.908E 10	.0	.0	.0
	.146E 13	.134E 13	.467E 12	.597E 11	.567E 11	.220E 11

CC =30999999--OTHER/NOT CL SPECIFY IN REMARK ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 138

```
TEMP RANGE   COUNT

                        ------------------------------------------------------------------------------------------------------
   0.- 100.  .114E 13  !HHHHHHHHHHH
 101.- 200.  .809E 10  !H
 201.- 300.  .138E 11  !H
 301.- 400.  .521E 11  !H
 401.- 500.  .249E 11  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .725E 11  !H
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .317E 11  !H
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 30999999--OTHER/NOT CL SPECIFY IN REMARK -TOTAL SCC -SIC = 0 -TOT RECS = 344

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.243E 13	.228E 13	.646E 12	.0	.0	.0
101.- 200.	.732E 12	.623E 12	.273E 12	.0	.0	.0
201.- 300.	.242E 12	.184E 12	.384E 11	.0	.0	.0
301.- 400.	.159E 12	.124E 12	.240E 11	.885E 10	.841E 10	.225E 10
401.- 500.	.362E 11	.287E 11	.177E 11	.545E 10	.517E 10	.473E 10
501.- 600.	.141E 12	.113E 12	.218E 11	.287E 11	.273E 11	.812E 10
601.- 700.	.589E 11	.482E 11	.322E 11	.166E 11	.158E 11	.144E 11
701.- 800.	.875E 11	.725E 11	.0	.290E 11	.276E 11	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.363E 11	.317E 11	.246E 11	.210E 11	.200E 11	.177E 11
1601.-1700.	.946E 10	.829E 10	.647E 10	.565E 10	.537E 10	.466E 10
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.393E 13	.351E 13	.108E 13	.115E 12	.110E 12	.519E 11

SCC = 30999999--OTHER/NOT CLSPECIFY IN REMARK -TOTAL SCC -TOT RECS = 344

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
10	.227E 11	.213E 11	.0	.0	.0	.0
17	.165E 10	.155E 10	.126E 10	.0	.0	.0
20	.533E 10	.500E 10	.407E 10	.0	.0	.0
23	.126E 10	.101E 10	.629E 09	.221E 09	.210E 09	.192E 09
24	.630E 10	.591E 10	.0	.0	.0	.0
25	.799E 11	.614E 11	.0	.0	.0	.0
26	.905E 11	.738E 11	.487E 11	.238E 11	.226E 11	.207E 11
27	.284E 10	.266E 10	.217E 10	.0	.0	.0
28	.800E 11	.750E 11	.257E 11	.0	.0	.0
30	.164E 11	.154E 11	.695E 09	.0	.0	.0
32	.714E 10	.536E 10	.263E 10	.0	.0	.0
33	.130E 12	.119E 12	.296E 11	.210E 11	.200E 11	.177E 11
34	.118E 13	.106E 13	.333E 12	.433E 11	.412E 11	.180E 10
35	.650E 12	.586E 12	.202E 12	.269E 10	.255E 10	.234E 10
36	.271E 12	.229E 12	.106E 12	.291E 09	.276E 09	.253E 09
37	.753E 12	.665E 12	.177E 12	.153E 11	.145E 11	.892E 10
38	.238E 09	.224E 09	.182E 09	.0	.0	.0
39	.227E 11	.213E 11	.557E 10	.0	.0	.0
40	.846E 11	.726E 11	.130E 11	.868E 10	.824E 10	.0
49	.115E 11	.868E 10	.447E 10	.0	.0	.0
50	.177E 12	.166E 12	.0	.0	.0	.0
75	.644E 08	.604E 08	.492E 08	.0	.0	.0
89	.630E 10	.591E 10	.0	.0	.0	.0
99	.327E 12	.305E 12	.127E 12	.0	.0	.0
	.393E 13	.351E 13	.108E 13	.115E 12	.110E 12	.519E 11

CC 30999999--OTHER/NOT CL SPECIFY IN REMARK --TOTAL SCC -SIC = 0 -TOT RECS = 344

```
EMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .228E 13   !HHHHHHHHHHHHHHHHHHHHHH
 101.- 200.  .623E 12   !HHHHHH
 201.- 300.  .184E 12   !H
 301.- 400.  .124E 12   !H
 401.- 500.  .287E 11   !H
 501.- 600.  .113E 12   !H
 601.- 700.  .482E 11   !H
 701.- 800.  .725E 11   !H
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .317E 11   !H
1601.-1700.  .829E 10   !H
1801.-1900.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 32099999--OTHER/NOT CL SPECIFY IN REMARK -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 35

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.436E 11	.409E 11	.171E 11	.0	.0	.0
101.- 200.	.174E 11	.131E 11	.642E 10	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.610E 11	.539E 11	.235E 11	.0	.0	.0

SCC = 32099999--OTHER/NOT CLSPECIFY IN REMARK -NO CONTROL EQUIPMENT -TOT RECS = 35

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
30	.816E 10	.766E 10	.254E 10	.0	.0	.0
31	.528E 11	.463E 11	.209E 11	.0	.0	.0
	.610E 11	.539E 11	.235E 11	.0	.0	.0

CC = 32099999--OTHER/NOT CL SPECIFY IN REMARK -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 35

```
TEMP RANGE   COUNT
                        -----------------------------------------------------------------------------------------------------
   0.- 100.  .409E 11   !H
 101.- 200.  .131E 11   !H
 201.- 300.  .0         !
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 32099999--OTHER/NOT CL SPECIFY IN REMARK -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 34

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.120E 12	.112E 12	.522E 11	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.539E 08	.403E 08	.202E 08	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.120E 12	.112E 12	.522E 11	.0	.0	.0

SCC = 32099999--OTHER/NOT CLSPECIFY IN REMARK -WITH CONTROL EQUIPMENT -TOT RECS = 34

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
30	.501E 10	.470E 10	.556E 08	.0	.0	.0
31	.106E 12	.995E 11	.455E 11	.0	.0	.0
36	.867E 10	.813E 10	.662E 10	.0	.0	.0
99	.539E 08	.403E 08	.202E 08	.0	.0	.0
					.0	.0
	.120E 12	.112E 12	.522E 11	.0	.0	.0

CC =32099999--OTHER/NOT CL SPECIFY IN REMARK ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 34

TEMP RANGE	COUNT
0.- 100.	.112E 12
101.- 200.	.0
201.- 300.	.403E 08
301.- 400.	.0
401.- 500.	.0
501.- 600.	.0
601.- 700.	.0
701.- 800.	.0
801.- 900.	.0
901.-1000.	.0
1001.-1100.	.0
1101.-1200.	.0
1201.-1300.	.0
1301.-1400.	.0
1401.-1500.	.0
1501.-1600.	.0
1601.-1700.	.0
1701.-1800.	.0
1801.-1900.	.0
1901.-2000.	.0
2001.-2100.	.0
2101.-2200.	.0
2201.-2300.	.0
2301.-2400.	.0
2401.-2500.	.0
2501.-2600.	.0
2601.-2700.	.0
2701.-2800.	.0
2801.-2900.	.0
2901.-3000.	.0



SCC= 32099999--OTHER/NOT CL SPECIFY IN REMARK -TOTAL SCC -SIC = 0 -TOT RECS = 69

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.163E 12	.153E 12	.692E 11	.0	.0	.0
101.- 200.	.174E 11	.131E 11	.642E 10	.0	.0	.0
201.- 300.	.539E 08	.403E 08	.202E 08	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.181E 12	.166E 12	.757E 11	.0	.0	.0

SCC = 32099999--OTHER/NOT CLSPECIFY IN REMARK -TOTAL SCC -TOT RECS = 69

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
30	.132E 11	.124E 11	.260E 10	.0	.0	.0
31	.159E 12	.146E 12	.664E 11	.0	.0	.0
36	.867E 10	.813E 10	.662E 10	.0	.0	.0
99	.539E 08	.403E 08	.202E 08	.0	.0	.0
	.181E 12	.166E 12	.757E 11	.0	.0	.0

CC 32099999--OTHER/NOT CL SPECIFY IN REMARK --TOTAL SCC -SIC = 0 -TOT RECS = 69

```
EMP RANGE   COUNT

                       ------------------------------------------------------------------------------------------------------
   0.- 100.  .153E 12 !H
 101.- 200.  .131E 11 !H
 201.- 300.  .403E 08 !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 33000101--GENERAL FAB YARN PREPARING AND B -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 14

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.106E 12	.998E 11	.580E 11	.0	.0	.0
101.- 200.	.793E 11	.655E 11	.212E 11	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.567E 11	.435E 11	.0	.413E 09	.392E 09	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.242E 12	.209E 12	.791E 11	.413E 09	.392E 09	.0

SCC = 33000101--GENERAL FAB YARN PREPARING AND B -NO CONTROL EQUIPMENT -TOT RECS = 14

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
22	.186E 12	.165E 12	.791E 11	.0	.0	.0
99	.567E 11	.435E 11	.0	.413E 09	.392E 09	.0
	.242E 12	.209E 12	.791E 11	.413E 09	.392E 09	.0

CC = 33000101--GENERAL FAB YARN PREPARING AND B-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 14

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.  .998E 11  !H
 101.- 200.  .655E 11  !H
 201.- 300.  .0        !
 301.- 400.  .435E 11  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 33000101--GENERAL FAB YARN PREPARING AND B -WITH CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   6

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.153E 11	.144E 11	.117E 11	.0	.0	.0
101.- 200.	.135E 10	.126E 10	.816E 09	.0	.0	.0
201.- 300.	.195E 11	.149E 11	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.361E 11	.306E 11	.125E 11	.0	.0	.0

SCC = 33000101--GENERAL FAB YARN PREPARING AND B -WITH CONTROL EQUIPMENT -TOT RECS = 6

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.248E 08	.232E 08	.189E 08	.0	.0	.0
22	.321E 11	.267E 11	.962E 10	.0	.0	.0
26	.270E 10	.254E 10	.207E 10	.0	.0	.0
28	.135E 10	.126E 10	.816E 09	.0	.0	.0
	.361E 11	.306E 11	.125E 11	.0	.0	.0

CC =33000101--GENERAL FAB YARN PREPARING AND B---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 6

```
TEMP RANGE    COUNT
                       ------------------------------------------------------------------------------------------------------
    0.- 100.  .144E 11 !H
  101.- 200.  .126E 10 !H
  201.- 300.  .149E 11 !H
  301.- 400.  .0       !
  401.- 500.  .0       !
  501.- 600.  .0       !
  601.- 700.  .0       !
  701.- 800.  .0       !
  801.- 900.  .0       !
  901.-1000.  .0       !
 1001.-1100.  .0       !
 1101.-1200.  .0       !
 1201.-1300.  .0       !
 1301.-1400.  .0       !
 1401.-1500.  .0       !
 1501.-1600.  .0       !
 1601.-1700.  .0       !
 1701.-1800.  .0       !
 1801.-1900.  .0       !
 1901.-2000.  .0       !
 2001.-2100.  .0       !
 2101.-2200.  .0       !
 2201.-2300.  .0       !
 2301.-2400.  .0       !
 2401.-2500.  .0       !
 2501.-2600.  .0       !
 2601.-2700.  .0       !
 2701.-2800.  .0       !
 2801.-2900.  .0       !
 2901.-3000.  .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 33000101--GENERAL FAB YARN PREPARING AND B -TOTAL SCC -SIC = 0 -TOT RECS = 20

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.122E 12	.114E 12	.697E 11	.0	.0	.0
101.- 200.	.807E 11	.667E 11	.220E 11	.0	.0	.0
201.- 300.	.195E 11	.149E 11	.0	.0	.0	.0
301.- 400.	.567E 11	.435E 11	.0	.413E 09	.392E 09	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.278E 12	.239E 12	.916E 11	.413E 09	.392E 09	.0

SCC = 33000101--GENERAL FAB YARN PREPARING AND B -TOTAL SCC -TOT RECS = 20

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.248E 08	.232E 08	.189E 08	.0	.0	.0
22	.218E 12	.192E 12	.887E 11	.0	.0	.0
26	.270E 10	.254E 10	.207E 10	.0	.0	.0
28	.135E 10	.126E 10	.816E 09	.0	.0	.0
99	.567E 11	.435E 11	.0	.413E 09	.392E 09	.0
	.278E 12	.239E 12	.916E 11	.413E 09	.392E 09	.0

CC 33000101--GENERAL FAB YARN PREPARING AND B--TOTAL SCC -SIC = 0 -TOT RECS = 20

```
EMP RANGE     COUNT

                         -------------------------------------------------------------------------------------------------
   0.- 100.  .114E 12   !H
 101.- 200.  .667E 11   !H
 201.- 300.  .149E 11   !H
 301.- 400.  .435E 11   !H
 401.- 500.  .0         !
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 33000102--GENERAL FAB PRINTING   -NO CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   4

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 33000102--GENERAL FAB PRINTING -NO CONTROL EQUIPMENT -TOT RECS = 4

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 33000102--GENERAL FAB PRINTING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 33000102--GENERAL FAB PRINTING -WITH CONTROL EQUIPMENT -TOT RECS = 0

SIC	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300DEG	300 DEG	300 DEG
TEMP OUTSIDE CURVES		50.0				
TEMP OUTSIDE CURVES		50.0				
TEMP OUTSIDE CURVES		50.0				

SCC= 33000199--GENERAL FAB OTHER/NOT SPECIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 201

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.498E 12	.468E 12	.304E 12	.0	.0	.0
101.- 200.	.540E 13	.488E 13	.681E 12	.0	.0	.0
201.- 300.	.191E 13	.146E 13	.352E 12	.0	.0	.0
301.- 400.	.657E 12	.508E 12	.193E 12	.220E 11	.209E 11	.170E 11
401.- 500.	.165E 12	.131E 12	.170E 11	.245E 11	.233E 11	.416E 10
501.- 600.	.496E 11	.402E 11	.261E 11	.116E 11	.110E 11	.101E 11
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.869E 13	.748E 13	.157E 13	.581E 11	.551E 11	.312E 11

SCC = 33000199--GENERAL FAB OTHER/NOT SPECIFIED -NO CONTROL EQUIPMENT -TOT RECS = 201

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
22	.719E 13	.626E 13	.130E 13	.573E 11	.544E 11	.312E 11
23	.494E 12	.401E 12	.226E 11	.0	.0	.0
28	.111E 12	.104E 12	.846E 11	.0	.0	.0
29	.203E 12	.152E 12	.748E 11	.0	.0	.0
34	.311E 11	.238E 11	.131E 11	.0	.0	.0
51	.719E 11	.674E 11	.0	.0	.0	.0
99	.586E 12	.477E 12	.784E 11	.791E 09	.751E 09	.0
	.869E 13	.748E 13	.157E 13	.581E 11	.551E 11	.312E 11

CC = 33000199--GENERAL FAB OTHER/NOT SPECIFIED -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 201

```
TEMP RANGE    COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .468E 12  !HHHH
 101.- 200.  .488E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .146E 13  !HHHHHHHHHHHHHHH
 301.- 400.  .508E 12  !HHHHH
 401.- 500.  .131E 12  !H
 501.- 600.  .402E 11  !H
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 33000199--GENERAL FAB OTHER/NOT SPECIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 135

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.148E 13	.139E 13	.584E 12	.0	.0	.0
101.- 200.	.967E 12	.821E 12	.447E 12	.0	.0	.0
201.- 300.	.103E 12	.778E 11	.407E 11	.0	.0	.0
301.- 400.	.554E 11	.428E 11	.241E 11	.172E 10	.163E 10	.149E 10
401.- 500.	.871E 10	.686E 10	.410E 10	.982E 09	.932E 09	.853E 09
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.777E 11	.637E 11	.425E 11	.219E 11	.208E 11	.190E 11
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.269E 13	.240E 13	.114E 13	.246E 11	.234E 11	.214E 11

SCC = 33000199--GENERAL FAB OTHER/NOT SPECIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 135

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
11	.523E 11	.392E 11	.199E 11	.0	.0	.0
22	.224E 13	.200E 13	.966E 12	.270E 10	.256E 10	.234E 10
23	.842E 11	.754E 11	.236E 11	.0	.0	.0
28	.269E 12	.243E 12	.126E 12	.219E 11	.208E 11	.190E 11
72	.378E 11	.354E 11	.0	.0	.0	.0
99	.905E 10	.849E 10	.692E 10	.0	.0	.0
	.269E 13	.240E 13	.114E 13	.246E 11	.234E 11	.214E 11

CC =33000199--GENERAL FAB OTHER/NOT SPECIFIED ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 135

```
TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .139E 13   !HHHHHHHHHHHHH
 101.- 200.  .821E 12   !HHHHHHHH
 201.- 300.  .778E 11   !H
 301.- 400.  .428E 11   !H
 401.- 500.  .686E 10   !H
 501.- 600.  .0         !
 601.- 700.  .637E 11   !H
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 33000199--GENERAL FAB OTHER/NOT SPECIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 336

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.198E 13	.186E 13	.888E 12	.0	.0	.0
101.- 200.	.637E 13	.570E 13	.113E 13	.0	.0	.0
201.- 300.	.202E 13	.153E 13	.393E 12	.0	.0	.0
301.- 400.	.712E 12	.550E 12	.217E 12	.237E 11	.225E 11	.185E 11
401.- 500.	.174E 12	.138E 12	.211E 11	.255E 11	.242E 11	.502E 10
501.- 600.	.496E 11	.402E 11	.261E 11	.116E 11	.110E 11	.101E 11
601.- 700.	.777E 11	.637E 11	.425E 11	.219E 11	.208E 11	.190E 11
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.114E 14	.988E 13	.271E 13	.827E 11	.785E 11	.526E 11

SCC = 33000199--GENERAL FAB OTHER/NOT SPECIFIED -TOTAL SCC -TOT RECS = 336

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
11	.523E 11	.392E 11	.199E 11	.0	.0	.0
22	.943E 13	.826E 13	.227E 13	.600E 11	.570E 11	.336E 11
23	.578E 12	.476E 12	.462E 11	.0	.0	.0
28	.380E 12	.347E 12	.211E 12	.219E 11	.208E 11	.190E 11
29	.203E 12	.152E 12	.748E 11	.0	.0	.0
34	.311E 11	.238E 11	.131E 11	.0	.0	.0
51	.719E 11	.674E 11	.0	.0	.0	.0
72	.378E 11	.354E 11	.0	.0	.0	.0
99	.595E 12	.485E 12	.853E 11	.791E 09	.751E 09	.0
	.114E 14	.988E 13	.271E 13	.827E 11	.785E 11	.526E 11

CC 33000199--GENERAL FAB OTHER/NOT SPECIFIED --TOTAL SCC -SIC = 0 -TOT RECS = 336

```
EMP RANGE   COUNT
                     ----------------------------------------------------------------------------------------------------
    0.- 100.  .186E 13  !HHHHHHHHHHHHHHHHHHH
  101.- 200.  .570E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
  201.- 300.  .153E 13  !HHHHHHHHHHHHHHHH
  301.- 400.  .550E 12  !HHHHH
  401.- 500.  .138E 12  !H
  501.- 600.  .402E 11  !H
  601.- 700.  .637E 11  !H
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 33000201--RUB FABRIC IMPREGNATION -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 2

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 33000201--RUB FABRIC IMPREGNATION -NO CONTROL EQUIPMENT -TOT RECS = 2

SIC	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

SCC= 33000201--RUB FABRIC IMPREGNATION -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 33000201--RUB FABRIC IMPREGNATION -WITH CONTROL EQUIPMENT -TOT RECS = 0

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 33000202--RUB FABRIC WET COATING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 30

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.123E 12	.116E 12	.635E 11	.0	.0	.0
101.- 200.	.153E 12	.133E 12	.574E 11	.0	.0	.0
201.- 300.	.507E 10	.379E 10	.190E 10	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.474E 10	.374E 10	.224E 10	.535E 09	.508E 09	.464E 09
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.286E 12	.256E 12	.125E 12	.535E 09	.508E 09	.464E 09

SCC = 33000202--RUB FABRIC WET COATING -NO CONTROL EQUIPMENT -TOT RECS = 30

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
22	.120E 12	.111E 12	.638E 11	.535E 09	.508E 09	.464E 09
26	.549E 11	.410E 11	.0	.0	.0	.0
30	.107E 12	.101E 12	.586E 11	.0	.0	.0
99	.355E 10	.333E 10	.271E 10	.0	.0	.0
	.286E 12	.256E 12	.125E 12	.535E 09	.508E 09	.464E 09

CC = 33000202--RUB FABRIC WET COATING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 30

TEMP RANGE	COUNT	
0.- 100.	.116E 12	!H
101.- 200.	.133E 12	!H
201.- 300.	.379E 10	!H
301.- 400.	.0	!
401.- 500.	.374E 10	!H
501.- 600.	.0	!
601.- 700.	.0	!
701.- 800.	.0	!
801.- 900.	.0	!
901.-1000.	.0	!
1001.-1100.	.0	!
1101.-1200.	.0	!
1201.-1300.	.0	!
1301.-1400.	.0	!
1401.-1500.	.0	!
1501.-1600.	.0	!
1601.-1700.	.0	!
1701.-1800.	.0	!
1801.-1900.	.0	!
1901.-2000.	.0	!
2001.-2100.	.0	!
2101.-2200.	.0	!
2201.-2300.	.0	!
2301.-2400.	.0	!
2401.-2500.	.0	!
2501.-2600.	.0	!
2601.-2700.	.0	!
2701.-2800.	.0	!
2801.-2900.	.0	!
2901.-3000.	.0	!

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 33000202--RUB FABRIC WET COATING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 4

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 33000202--RUB FABRIC WET COATING -WITH CONTROL EQUIPMENT -TOT RECS = 4

SIC	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300DEG	300 DEG	300 DEG

SCC= 33000203--RUB FABRIC HOT MELT COATING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 2

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.154E 11	.144E 11	.118E 11	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.154E 11	.144E 11	.118E 11	.0	.0	.0

SCC = 33000203--RUB FABRIC HOT MELT COATING -NO CONTROL EQUIPMENT -TOT RECS = 2

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.154E 11	.144E 11	.118E 11	.0	.0	.0
	.154E 11	.144E 11	.118E 11	.0	.0	.0

CC = 33000203--RUB FABRIC HOT MELT COATING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 2

```
TEMP RANGE     COUNT
                          -----------------------------------------------------------------------------------------------------
   0.- 100.   .144E 11   !H
 101.- 200.   .0         !
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .0         !
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 33000203--RUB FABRIC HOT MELT COATING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 33000203--RUB FABRIC HOT MELT COATING -WITH CONTROL EQUIPMENT -TOT RECS = 0

SIC	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300DEG	300 DEG	300 DEG

SCC= 33000299--RUB FABRIC OTHER/NOT SPECIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 38

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.885E 11	.830E 11	.321E 11	.0	.0	.0
101.- 200.	.453E 12	.368E 12	.146E 12	.0	.0	.0
201.- 300.	.457E 12	.346E 12	.181E 12	.0	.0	.0
301.- 400.	.193E 11	.150E 11	.857E 10	.990E 09	.940E 09	.860E 09
401.- 500.	.132E 12	.104E 12	.302E 11	.139E 11	.132E 11	.548E 10
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.115E 13	.916E 12	.398E 12	.149E 11	.141E 11	.634E 10

SCC = 33000299--RUB FABRIC OTHER/NOT SPECIFIED -NO CONTROL EQUIPMENT -TOT RECS = 38

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
22	.707E 12	.549E 12	.289E 12	.730E 10	.693E 10	.634E 10
30	.326E 12	.276E 12	.109E 12	.0	.0	.0
99	.117E 12	.901E 11	.0	.757E 10	.719E 10	.0
	.115E 13	.916E 12	.398E 12	.149E 11	.141E 11	.634E 10

CC = 33000299--RUB FABRIC OTHER/NOT SPECIFIED -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 38

```
TEMP RANGE   COUNT
                       ------------------------------------------------------------------------------------------------------
   0.- 100.  .830E 11  !H
 101.- 200.  .368E 12  !HHH
 201.- 300.  .346E 12  !HHH
 301.- 400.  .150E 11  !H
 401.- 500.  .104E 12  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 33000299--RUB FABRIC   OTHER/NOT SPECIFIED   -WITH CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   16

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.746E 11	.700E 11	.392E 11	.0	.0	.0
101.- 200.	.320E 12	.269E 12	.147E 12	.0	.0	.0
201.- 300.	.277E 12	.210E 12	.110E 12	.0	.0	.0
301.- 400.	.632E 11	.489E 11	.276E 11	.232E 10	.221E 10	.202E 10
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.735E 12	.598E 12	.323E 12	.232E 10	.221E 10	.202E 10

SCC = 33000299--RUB FABRIC OTHER/NOT SPECIFIED -WITH CONTROL EQUIPMENT -TOT RECS =   16

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
22	.488E 12	.370E 12	.192E 12	.232E 10	.221E 10	.202E 10
30	.240E 12	.221E 12	.128E 12	.0	.0	.0
99	.694E 10	.651E 10	.348E 10	.0	.0	.0
	.735E 12	.598E 12	.323E 12	.232E 10	.221E 10	.202E 10

CC =33000299--RUB FABRIC   OTHER/NOT SPECIFIED ---WITH CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   16

```
TEMP RANGE   COUNT
                    ------------------------------------------------------------------------------------------------------
   0.- 100.  .700E 11  !H
 101.- 200.  .269E 12  !HH
 201.- 300.  .210E 12  !HH
 301.- 400.  .489E 11  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 33000299--RUB FABRIC OTHER/NOT SPECIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 54

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.163E 12	.153E 12	.713E 11	.0	.0	.0
101.- 200.	.773E 12	.636E 12	.293E 12	.0	.0	.0
201.- 300.	.734E 12	.556E 12	.291E 12	.0	.0	.0
301.- 400.	.826E 11	.639E 11	.362E 11	.331E 10	.315E 10	.288E 10
401.- 500.	.132E 12	.104E 12	.302E 11	.139E 11	.132E 11	.548E 10
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.189E 13	.151E 13	.722E 12	.172E 11	.163E 11	.836E 10

SCC = 33000299--RUB FABRIC OTHER/NOT SPECIFIED -TOTAL SCC -TOT RECS = 54

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
22	.119E 13	.919E 12	.482E 12	.962E 10	.914E 10	.836E 10
30	.567E 12	.498E 12	.236E 12	.0	.0	.0
99	.124E 12	.966E 11	.348E 10	.757E 10	.719E 10	.0
	.189E 13	.151E 13	.722E 12	.172E 11	.163E 11	.836E 10

CC 33000299--RUB FABRIC OTHER/NOT SPECIFIED --TOTAL SCC -SIC = 0 -TOT RECS = 54

```
EMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .153E 12  !H
 101.- 200.  .636E 12  !HHHHHH
 201.- 300.  .556E 12  !HHHHH
 301.- 400.  .639E 11  !H
 401.- 500.  .104E 12  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 33000399--CARPET OPER OTHER/NOT SPECIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 23

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.460E 11	.432E 11	.206E 11	.0	.0	.0
101.- 200.	.414E 12	.346E 12	.157E 12	.0	.0	.0
201.- 300.	.120E 12	.908E 11	.248E 11	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.579E 12	.480E 12	.203E 12	.0	.0	.0

SCC = 33000399--CARPET OPER OTHER/NOT SPECIFIED -NO CONTROL EQUIPMENT -TOT RECS = 23

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
22	.579E 12	.480E 12	.202E 12	.0	.0	.0
28	.344E 09	.323E 09	.263E 09	.0	.0	.0
	.579E 12	.480E 12	.203E 12	.0	.0	.0

CC = 33000399--CARPET OPER OTHER/NOT SPECIFIED -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 23

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.  .432E 11  !H
 101.- 200.  .346E 12  !HHH
 201.- 300.  .908E 11  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 33000399--CARPET OPER OTHER/NOT SPECIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 27

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.248E 12	.232E 12	.162E 12	.0	.0	.0
101.- 200.	.231E 11	.188E 11	.110E 11	.0	.0	.0
201.- 300.	.117E 11	.892E 10	.475E 10	.0	.0	.0
301.- 400.	.158E 11	.123E 11	.708E 10	.937E 09	.890E 09	.814E 09
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.298E 12	.272E 12	.184E 12	.937E 09	.890E 09	.814E 09

SCC = 33000399--CARPET OPER OTHER/NOT SPECIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 27

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
22	.298E 12	.272E 12	.184E 12	.937E 09	.890E 09	.814E 09
28	.506E 09	.381E 09	.187E 09	.0	.0	.0
	.298E 12	.272E 12	.184E 12	.937E 09	.890E 09	.814E 09

CC =33000399--CARPET OPER OTHER/NOT SPECIFIED ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 27

```
TEMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
    0.- 100.  .232E 12  !HH
  101.- 200.  .188E 11  !H
  201.- 300.  .892E 10  !H
  301.- 400.  .123E 11  !H
  401.- 500.  .0        !
  501.- 600.  .0        !
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 33000399--CARPET OPER OTHER/NOT SPECIFIED -TOTAL SCC -SIC =   0 -TOT RECS =   50

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.294E 12	.275E 12	.182E 12	.0	.0	.0
101.- 200.	.437E 12	.365E 12	.168E 12	.0	.0	.0
201.- 300.	.132E 12	.997E 11	.296E 11	.0	.0	.0
301.- 400.	.158E 11	.123E 11	.708E 10	.937E 09	.890E 09	.814E 09
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.878E 12	.752E 12	.387E 12	.937E 09	.890E 09	.814E 09

SCC = 33000399--CARPET OPER OTHER/NOT SPECIFIED -TOTAL SCC -TOT RECS = 50

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
22	.877E 12	.752E 12	.387E 12	.937E 09	.890E 09	.814E 09
28	.850E 09	.703E 09	.450E 09	.0	.0	.0
	.878E 12	.752E 12	.387E 12	.937E 09	.890E 09	.814E 09

CC 33000399--CARPET OPER OTHER/NOT SPECIFIED --TOTAL SCC -SIC = 0 -TOT RECS = 50

```
EMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .275E 12  !HH
 101.- 200.  .365E 12  !HHH
 201.- 300.  .997E 11  !H
 301.- 400.  .123E 11  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000199--ANTH COAL OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 22

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.296E 11	.277E 11	.226E 11	.0	.0	.0
101.- 200.	.340E 11	.254E 11	.126E 11	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.113E 12	.867E 11	.477E 11	.411E 09	.390E 09	.357E 09
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.848E 10	.729E 10	.546E 10	.425E 10	.404E 10	.368E 10
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.381E 10	.338E 10	.269E 10	.248E 10	.235E 10	.192E 10
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.189E 12	.150E 12	.911E 11	.715E 10	.679E 10	.595E 10

SCC = 39000199--ANTH COAL OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS = 22

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
28	.113E 12	.867E 11	.477E 11	.411E 09	.390E 09	.357E 09
33	.759E 11	.638E 11	.433E 11	.673E 10	.640E 10	.560E 10
	.189E 12	.150E 12	.911E 11	.715E 10	.679E 10	.595E 10

CC = 39000199--ANTH COAL OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 22

```
TEMP RANGE   COUNT

                        --------------------------------------------------------------------------------
   0.- 100.  .277E 11  !H
 101.- 200.  .254E 11  !H
 201.- 300.  .0        !
 301.- 400.  .867E 11  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .729E 10  !H
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .338E 10  !H
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000199--ANTH COAL OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 10

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.314E 10	.295E 10	.240E 10	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.118E 13	.893E 12	.467E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.225E 13	.178E 13	.108E 13	.298E 12	.283E 12	.259E 12
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.344E 13	.268E 13	.155E 13	.298E 12	.283E 12	.259E 12

SCC = 39000199--ANTH COAL OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS = 10

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.167E 10	.156E 10	.127E 10	.0	.0	.0
26	.270E 11	.205E 11	.109E 11	.0	.0	.0
32	.228E 13	.180E 13	.109E 13	.298E 12	.283E 12	.259E 12
33	.113E 13	.854E 12	.448E 12	.0	.0	.0
	.344E 13	.268E 13	.155E 13	.298E 12	.283E 12	.259E 12

CC =39000199--ANTH COAL OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 10

```
TEMP RANGE   COUNT
                    -----------------------------------------------------------------------------------------------------
   0.- 100.  .295E 10 !H
 101.- 200.  .0       !
 201.- 300.  .893E 12 !HHHHHHHHH
 301.- 400.  .0       !
 401.- 500.  .178E 13 !HHHHHHHHHHHHHHHHHH
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000199--ANTH COAL OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 32

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.327E 11	.307E 11	.250E 11	.0	.0	.0
101.- 200.	.340E 11	.254E 11	.126E 11	.0	.0	.0
201.- 300.	.118E 13	.893E 12	.467E 12	.0	.0	.0
301.- 400.	.113E 12	.867E 11	.477E 11	.411E 09	.390E 09	.357E 09
401.- 500.	.225E 13	.178E 13	.108E 13	.298E 12	.283E 12	.259E 12
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.848E 10	.729E 10	.546E 10	.425E 10	.404E 10	.368E 10
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.381E 10	.338E 10	.269E 10	.248E 10	.235E 10	.192E 10
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.362E 13	.283E 13	.164E 13	.305E 12	.290E 12	.265E 12

SCC = 39000199--ANTH COAL OTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS = 32

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.167E 10	.156E 10	.127E 10	.0	.0	.0
26	.270E 11	.205E 11	.109E 11	.0	.0	.0
28	.113E 12	.867E 11	.477E 11	.411E 09	.390E 09	.357E 09
32	.228E 13	.180E 13	.109E 13	.298E 12	.283E 12	.259E 12
33	.120E 13	.918E 12	.491E 12	.673E 10	.640E 10	.560E 10
	.362E 13	.283E 13	.164E 13	.305E 12	.290E 12	.265E 12

CC 39000199--ANTH COAL OTHER/NOT CLASSIFIED--TOTAL SCC -SIC = 0 -TOT RECS = 32

```
EMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .307E 11  !H
 101.- 200.  .254E 11  !H
 201.- 300.  .893E 12  !HHHHHHHH
 301.- 400.  .867E 11  !H
 401.- 500.  .178E 13  !HHHHHHHHHHHHHHHHH
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .729E 10  !H
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .338E 10  !H
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000201--BITU COAL CEMENT KILN AND DRYE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 4

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.173E 12	.162E 12	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.648E 10	.497E 10	.273E 10	.0	.0	.0
301.- 400.	.110E 13	.851E 12	.481E 12	.404E 11	.384E 11	.351E 11
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.347E 12	.281E 12	.182E 12	.808E 11	.767E 11	.702E 11
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.163E 13	.130E 13	.666E 12	.121E 12	.115E 12	.105E 12

SCC = 39000201--BITU COAL   CEMENT KILN AND DRYE -NO CONTROL EQUIPMENT -TOT RECS = 4

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.162E 13	.129E 13	.663E 12	.121E 12	.115E 12	.105E 12
33	.648E 10	.497E 10	.273E 10	.0	.0	.0
	.163E 13	.130E 13	.666E 12	.121E 12	.115E 12	.105E 12

CC = 39000201--BITU COAL   CEMENT KILN AND DRYE-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 4

```
TEMP RANGE   COUNT
                       -----------------------------------------------------------------------------------------------------
    0.- 100.  .162E 12 !H
  101.- 200.  .0       !
  201.- 300.  .497E 10 !H
  301.- 400.  .851E 12 !HHHHHHHH
  401.- 500.  .0       !
  501.- 600.  .281E 12 !HH
  601.- 700.  .0       !
  701.- 800.  .0       !
  801.- 900.  .0       !
  901.-1000.  .0       !
 1001.-1100.  .0       !
 1101.-1200.  .0       !
 1201.-1300.  .0       !
 1301.-1400.  .0       !
 1401.-1500.  .0       !
 1501.-1600.  .0       !
 1601.-1700.  .0       !
 1701.-1800.  .0       !
 1801.-1900.  .0       !
 1901.-2000.  .0       !
 2001.-2100.  .0       !
 2101.-2200.  .0       !
 2201.-2300.  .0       !
 2301.-2400.  .0       !
 2401.-2500.  .0       !
 2501.-2600.  .0       !
 2601.-2700.  .0       !
 2701.-2800.  .0       !
 2801.-2900.  .0       !
 2901.-3000.  .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000201--BITU COAL CEMENT KILN AND DRYE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 69

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.669E 11	.627E 11	.0	.0	.0	.0
101.- 200.	.606E 12	.467E 12	.233E 12	.0	.0	.0
201.- 300.	.261E 13	.199E 13	.107E 13	.0	.0	.0
301.- 400.	.109E 14	.847E 13	.483E 13	.538E 12	.511E 12	.467E 12
401.- 500.	.243E 14	.192E 14	.891E 13	.294E 13	.279E 13	.209E 13
501.- 600.	.511E 13	.412E 13	.264E 13	.109E 13	.104E 13	.950E 12
601.- 700.	.326E 13	.266E 13	.176E 13	.853E 12	.811E 12	.741E 12
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.469E 14	.370E 14	.194E 14	.542E 13	.515E 13	.425E 13

SCC = 39000201--BITU COAL CEMENT KILN AND DRYE -WITH CONTROL EQUIPMENT -TOT RECS = 69

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.468E 14	.369E 14	.194E 14	.542E 13	.515E 13	.425E 13
35	.536E 11	.503E 11	.281E 11	.0	.0	.0
	.469E 14	.370E 14	.194E 14	.542E 13	.515E 13	.425E 13

CC =39000201--BITU COAL CEMENT KILN AND DRYE---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 69

TEMP RANGE	COUNT
0.- 100.	.627E 11
101.- 200.	.467E 12
201.- 300.	.199E 13
301.- 400.	.847E 13
401.- 500.	.192E 14
501.- 600.	.412E 13
601.- 700.	.266E 13
701.- 800.	.0
801.- 900.	.0
901.-1000.	.0
1001.-1100.	.0
1101.-1200.	.0
1201.-1300.	.0
1301.-1400.	.0
1401.-1500.	.0
1501.-1600.	.0
1601.-1700.	.0
1701.-1800.	.0
1801.-1900.	.0
1901.-2000.	.0
2001.-2100.	.0
2101.-2200.	.0
2201.-2300.	.0
2301.-2400.	.0
2401.-2500.	.0
2501.-2600.	.0
2601.-2700.	.0
2701.-2800.	.0
2801.-2900.	.0
2901.-3000.	.0

SCC= 39000201--BITU COAL CEMENT KILN AND DRYE -TOTAL SCC -SIC = 0 -TOT RECS = 73

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.240E 12	.225E 12	.0	.0	.0	.0
101.- 200.	.606E 12	.467E 12	.233E 12	.0	.0	.0
201.- 300.	.262E 13	.200E 13	.107E 13	.0	.0	.0
301.- 400.	.120E 14	.932E 13	.531E 13	.578E 12	.549E 12	.503E 12
401.- 500.	.243E 14	.192E 14	.891E 13	.294E 13	.279E 13	.209E 13
501.- 600.	.545E 13	.440E 13	.282E 13	.117E 13	.112E 13	.102E 13
601.- 700.	.326E 13	.266E 13	.176E 13	.853E 12	.811E 12	.741E 12
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.485E 14	.383E 14	.201E 14	.555E 13	.527E 13	.436E 13

SCC = 39000201--BITU COAL   CEMENT KILN AND DRYE -TOTAL SCC -TOT RECS =   73

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.485E 14	.382E 14	.201E 14	.555E 13	.527E 13	.436E 13
33	.648E 10	.497E 10	.273E 10	.0	.0	.0
35	.536E 11	.503E 11	.281E 11	.0	.0	.0
	.485E 14	.383E 14	.201E 14	.555E 13	.527E 13	.436E 13

CC 39000201--BITU COAL   CEMENT KILN AND DRYE--TOTAL SCC -SIC =   0 -TOT RECS =   73

EMP RANGE	COUNT
0.- 100.	.225E 12
101.- 200.	.467E 12
201.- 300.	.200E 13
301.- 400.	.932E 13
401.- 500.	.192E 14
501.- 600.	.440E 13
601.- 700.	.266E 13
701.- 800.	.0
801.- 900.	.0
901.-1000.	.0
1001.-1100.	.0
1101.-1200.	.0
1201.-1300.	.0
1301.-1400.	.0
1401.-1500.	.0
1501.-1600.	.0
1601.-1700.	.0
1701.-1800.	.0
1801.-1900.	.0
1901.-2000.	.0
2001.-2100.	.0
2101.-2200.	.0
2201.-2300.	.0
2301.-2400.	.0
2401.-2500.	.0
2501.-2600.	.0
2601.-2700.	.0
2701.-2800.	.0
2801.-2900.	.0
2901.-3000.	.0

SCC= 39000203--BITU COAL LIME KILN -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.455E 12	.362E 12	.223E 12	.0	.0	.0
501.- 600.	.416E 12	.334E 12	.0	.692E 11	.657E 11	.601E 11
601.- 700.	.395E 12	.323E 12	.214E 12	.800E 11	.759E 11	.0
701.- 800.	.0	.0	.0	.107E 12	.101E 12	.926E 11
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.127E 13	.102E 13	.437E 12	.256E 12	.243E 12	.153E 12

SCC = 39000203--BITU COAL LIME KILN -NO CONTROL EQUIPMENT -TOT RECS = 3

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.416E 12	.334E 12	.0	.800E 11	.759E 11	.0
32	.851E 12	.685E 12	.437E 12	.176E 12	.167E 12	.153E 12
	.127E 13	.102E 13	.437E 12	.256E 12	.243E 12	.153E 12

CC = 39000203--BITU COAL LIME KILN -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE    COUNT
                         ------------------------------------------------------------------------------------------------
   0.- 100.   .0         !
 101.- 200.   .0         !
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .362E 12   !HHH
 501.- 600.   .334E 12   !HHH
 601.- 700.   .323E 12   !HHH
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000203--BITU COAL   LIME KILN   -WITH CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   19

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.998E 12	.838E 12	.431E 12	.0	.0	.0
201.- 300.	.263E 12	.200E 12	.107E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.238E 13	.188E 13	.958E 12	.296E 12	.281E 12	.220E 12
501.- 600.	.164E 13	.133E 13	.853E 12	.360E 12	.342E 12	.313E 12
601.- 700.	.650E 12	.531E 12	.353E 12	.177E 12	.168E 12	.154E 12
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.594E 13	.478E 13	.270E 13	.833E 12	.791E 12	.687E 12

SCC = 39000203--BITU COAL LIME KILN -WITH CONTROL EQUIPMENT -TOT RECS = 19

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.594E 13	.478E 13	.270E 13	.833E 12	.791E 12	.687E 12
	.594E 13	.478E 13	.270E 13	.833E 12	.791E 12	.687E 12

CC =39000203--BITU COAL LIME KILN ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 19

```
TEMP RANGE   COUNT
                     ------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .838E 12  !HHHHHHHH
 201.- 300.  .200E 12  !HH
 301.- 400.  .0        !
 401.- 500.  .188E 13  !HHHHHHHHHHHHHHHHHHH
 501.- 600.  .133E 13  !HHHHHHHHHHHHHH
 601.- 700.  .531E 12  !HHHHH
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000203--BITU COAL   LIME KILN   -TOTAL SCC -SIC =   0 -TOT RECS =   22

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.998E 12	.838E 12	.431E 12	.0	.0	.0
201.- 300.	.263E 12	.200E 12	.107E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.284E 13	.225E 13	.118E 13	.365E 12	.347E 12	.280E 12
501.- 600.	.206E 13	.166E 13	.853E 12	.440E 12	.418E 12	.313E 12
601.- 700.	.105E 13	.854E 12	.567E 12	.284E 12	.269E 12	.246E 12
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.721E 13	.580E 13	.314E 13	.109E 13	.103E 13	.839E 12

SCC = 39000203--BITU COAL LIME KILN -TOTAL SCC -TOT RECS = 22

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.416E 12	.334E 12	.0	.800E 11	.759E 11	.0
32	.679E 13	.547E 13	.314E 13	.101E 13	.958E 12	.839E 12
	.721E 13	.580E 13	.314E 13	.109E 13	.103E 13	.839E 12

CC 39000203--BITU COAL LIME KILN --TOTAL SCC -SIC = 0 -TOT RECS = 22

```
EMP RANGE   COUNT

   0.- 100.  .0        -----------------------------------------------------------------------------------------------
 101.- 200.  .838E 12  !HHHHHHHH
 201.- 300.  .200E 12  !HH
 301.- 400.  .0        !
 401.- 500.  .225E 13  !HHHHHHHHHHHHHHHHHHHHHHH
 501.- 600.  .166E 13  !HHHHHHHHHHHHHHHHH
 601.- 700.  .854E 12  !HHHHHHHH
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000205-- -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 29

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 39000205-- -NO CONTROL EQUIPMENT -TOT RECS = 29

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

-WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 27

SCC= 39000205--

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 39000205-- -WITH CONTROL EQUIPMENT -TOT RECS = 27

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 39000206--BITU COAL   BRICK KILN AND DRYER -NO CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   4

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.292E 10	.274E 10	.0	.0	.0	.0
101.- 200.	.164E 11	.122E 11	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.349E 11	.273E 11	.159E 11	.259E 10	.246E 10	.225E 10
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.126E 11	.111E 11	.875E 10	.779E 10	.739E 10	.628E 10
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.669E 11	.533E 11	.246E 11	.104E 11	.985E 10	.853E 10

SCC = 39000206--BITU COAL BRICK KILN AND DRYER -NO CONTROL EQUIPMENT -TOT RECS = 4

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.669E 11	.533E 11	.246E 11	.104E 11	.985E 10	.853E 10
	.669E 11	.533E 11	.246E 11	.104E 11	.985E 10	.853E 10

CC = 39000206--BITU COAL BRICK KILN AND DRYER-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 4

```
TEMP RANGE    COUNT

                         ------------------------------------------------------------------------------------------
   0.- 100.   .274E 10  !H
 101.- 200.   .122E 11  !H
 201.- 300.   .0        !
 301.- 400.   .273E 11  !H
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .111E 11  !H
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000206--BITU COAL BRICK KILN AND DRYER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 39000206--BITU COAL   BRICK KILN AND DRYER -WITH CONTROL EQUIPMENT -TOT RECS = 0

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 39000207--BITU COAL GYPSUM KILN, ETC. -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 39000207--BITU COAL GYPSUM KILN, ETC. -NO CONTROL EQUIPMENT -TOT RECS = 0

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 39000207--BITU COAL GYPSUM KILN, ETC. -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 5

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.564E 11	.425E 11	.218E 11	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.207E 12	.165E 12	.103E 12	.364E 11	.345E 11	.316E 11
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.263E 12	.208E 12	.125E 12	.364E 11	.345E 11	.316E 11

SCC = 39000207--BITU COAL GYPSUM KILN, ETC. -WITH CONTROL EQUIPMENT -TOT RECS = 5

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.263E 12	.208E 12	.125E 12	.364E 11	.345E 11	.316E 11
	.263E 12	.208E 12	.125E 12	.364E 11	.345E 11	.316E 11

CC =39000207--BITU COAL GYPSUM KILN, ETC. ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 5

```
TEMP RANGE   COUNT
                     ----------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .0        !
 201.- 300.  .425E 11  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .165E 12  !H
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000208--BITU COAL   COAL DRYERS   -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 2

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.443E 11	.415E 11	.0	.0	.0	.0
101.- 200.	.235E 12	.177E 12	.869E 11	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.280E 12	.218E 12	.869E 11	.0	.0	.0

SCC = 39000208--BITU COAL   COAL DRYERS   -NO CONTROL EQUIPMENT -TOT RECS =   2

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
12	.280E 12	.218E 12	.869E 11	.0	.0	.0
	.280E 12	.218E 12	.869E 11	.0	.0	.0

CC = 39000208--BITU COAL   COAL DRYERS   -- -NO CONTROL EQUIPMENT -SIC=   ) -TOTAL RECS =   2

TEMP RANGE	COUNT	
0.- 100.	.415E 11	!H
101.- 200.	.177E 12	!H
201.- 300.	.0	!
301.- 400.	.0	!
401.- 500.	.0	!
501.- 600.	.0	!
601.- 700.	.0	!
701.- 800.	.0	!
801.- 900.	.0	!
901.-1000.	.0	!
1001.-1100.	.0	!
1101.-1200.	.0	!
1201.-1300.	.0	!
1301.-1400.	.0	!
1401.-1500.	.0	!
1501.-1600.	.0	!
1601.-1700.	.0	!
1701.-1800.	.0	!
1801.-1900.	.0	!
1901.-2000.	.0	!
2001.-2100.	.0	!
2101.-2200.	.0	!
2201.-2300.	.0	!
2301.-2400.	.0	!
2401.-2500.	.0	!
2501.-2600.	.0	!
2601.-2700.	.0	!
2701.-2800.	.0	!
2801.-2900.	.0	!
2901.-3000.	.0	!

0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100

SCC= 39000208--BITU COAL   COAL DRYERS   -WITH CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   12

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.630E 11	.591E 11	.224E 11	.0	.0	.0
101.- 200.	.164E 13	.130E 13	.516E 12	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.193E 12	.153E 12	.941E 11	.293E 11	.278E 11	.254E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.190E 13	.151E 13	.632E 12	.293E 11	.278E 11	.254E 11

SCC = 39000208--BITU COAL   COAL DRYERS   -WITH CONTROL EQUIPMENT -TOT RECS =   12

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
12	.139E 13	.113E 13	.510E 12	.293E 11	.278E 11	.254E 11
29	.178E 12	.134E 12	.0	.0	.0	.0
32	.330E 12	.248E 12	.122E 12	.0	.0	.0
33	.104E 10	.974E 09	.521E 09	.0	.0	.0
	.190E 13	.151E 13	.632E 12	.293E 11	.278E 11	.254E 11

CC =39000208--BITU COAL   COAL DRYERS   ---WITH CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   12

```
TEMP RANGE    COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.   .591E 11   !H
 101.- 200.   .130E 13   !HHHHHHHHHHHHH
 201.- 300.   .0         !
 301.- 400.   .0         !
 401.- 500.   .153E 12   !H
 501.- 600.   .0         !
 601.- 700.   .0         !
 701.- 800.   .0         !
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000208--BITU COAL   COAL DRYERS   -TOTAL SCC -SIC =   0 -TOT RECS =   14

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.107E 12	.101E 12	.224E 11	.0	.0	.0
101.- 200.	.188E 13	.147E 13	.602E 12	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.193E 12	.153E 12	.941E 11	.293E 11	.278E 11	.254E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.218E 13	.173E 13	.719E 12	.293E 11	.278E 11	.254E 11

SCC = 39000208--BITU COAL   COAL DRYERS   -TOTAL SCC -TOT RECS =   14

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
12	.167E 13	.135E 13	.596E 12	.293E 11	.278E 11	.254E 11
29	.178E 12	.134E 12	.0	.0	.0	.0
32	.330E 12	.248E 12	.122E 12	.0	.0	.0
33	.104E 10	.974E 09	.521E 09	.0	.0	.0
	.218E 13	.173E 13	.719E 12	.293E 11	.278E 11	.254E 11

CC 39000208--BITU COAL   COAL DRYERS   --TOTAL SCC -SIC =   0 -TOT RECS =   14

```
EMP RANGE   COUNT

                       -----------------------------------------------------------------------------------------------------
   0.- 100.  .101E 12  !H
 101.- 200.  .147E 13  !HHHHHHHHHHHHHH
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .153E 12  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000209--BITU COAL   ROCK AND GRAVEL DRYE -NO CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   0

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 39000209--BITU COAL ROCK AND GRAVEL DRYE -NO CONTROL EQUIPMENT -TOT RECS = 0

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 39000209--BITU COAL ROCK AND GRAVEL DRYE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.362E 10	.271E 10	.136E 10	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.362E 10	.271E 10	.136E 10	.0	.0	.0

SCC = 39000209--BITU COAL ROCK AND GRAVEL DRYE -WITH CONTROL EQUIPMENT -TOT RECS = 1

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.362E 10	.271E 10	.136E 10	.0	.0	.0
	.362E 10	.271E 10	.136E 10	.0	.0	.0

CC =39000209--BITU COAL ROCK AND GRAVEL DRYE---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 1

TEMP RANGE	COUNT
0.- 100.	.0
101.- 200.	.0
201.- 300.	.271E 10
301.- 400.	.0
401.- 500.	.0
501.- 600.	.0
601.- 700.	.0
701.- 800.	.0
801.- 900.	.0
901.-1000.	.0
1001.-1100.	.0
1101.-1200.	.0
1201.-1300.	.0
1301.-1400.	.0
1401.-1500.	.0
1501.-1600.	.0
1601.-1700.	.0
1701.-1800.	.0
1801.-1900.	.0
1901.-2000.	.0
2001.-2100.	.0
2101.-2200.	.0
2201.-2300.	.0
2301.-2400.	.0
2401.-2500.	.0
2501.-2600.	.0
2601.-2700.	.0
2701.-2800.	.0
2801.-2900.	.0
2901.-3000.	.0

SCC= 39000299--BITU COAL OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 45

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.450E 12	.422E 12	.126E 10	.0	.0	.0
101.- 200.	.123E 13	.917E 12	.747E 11	.0	.0	.0
201.- 300.	.139E 13	.106E 13	.576E 12	.0	.0	.0
301.- 400.	.327E 12	.253E 12	.143E 12	.121E 11	.115E 11	.105E 11
401.- 500.	.125E 14	.995E 13	.137E 13	.178E 13	.169E 13	.274E 12
501.- 600.	.301E 09	.244E 09	.158E 09	.701E 08	.666E 08	.609E 08
601.- 700.	.155E 13	.126E 13	.0	.398E 12	.378E 12	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.380E 12	.320E 12	.230E 12	.156E 12	.149E 12	.136E 12
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.206E 12	.176E 12	.130E 12	.970E 11	.922E 11	.839E 11
1201.-1300.	.211E 10	.181E 10	.135E 10	.106E 10	.100E 10	.913E 09
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.116E 11	.101E 11	.775E 10	.651E 10	.618E 10	.562E 10
1501.-1600.	.456E 11	.398E 11	.309E 11	.265E 11	.251E 11	.223E 11
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.506E 12	.445E 12	.350E 12	.311E 12	.296E 12	.251E 12
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.327E 13	.290E 13	.231E 13	.213E 13	.202E 13	.165E 13
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.219E 14	.178E 14	.522E 13	.492E 13	.467E 13	.243E 13

SCC = 39000299--BITU COAL   OTHER/NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =   45

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
2	.203E 12	.152E 12	.747E 11	.0	.0	.0
12	.138E 13	.109E 13	.0	.209E 12	.199E 12	.0
14	.138E 13	.109E 13	.0	.209E 12	.199E 12	.0
28	.449E 12	.421E 12	.347E 09	.0	.0	.0
32	.930E 13	.741E 13	.136E 13	.165E 13	.157E 13	.523E 12
33	.456E 13	.359E 13	.148E 13	.513E 12	.487E 12	.263E 12
34	.119E 08	.948E 07	.583E 07	.181E 07	.172E 07	.157E 07
37	.119E 09	.111E 09	.908E 08	.0	.0	.0
52	.138E 13	.109E 13	.0	.209E 12	.199E 12	.0
73	.327E 13	.289E 13	.231E 13	.213E 13	.202E 13	.165E 13
	.219E 14	.178E 14	.522E 13	.492E 13	.467E 13	.243E 13

CC = 39000299--BITU COAL   OTHER/NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS =   45

```
TEMP RANGE   COUNT

                        -----------------------------------------------------------------------------------------------------
   0.- 100.   .422E 12  !HHHH
 101.- 200.   .917E 12  !HHHHHHHHH
 201.- 300.   .106E 13  !HHHHHHHHHH
 301.- 400.   .253E 12  !HH
 401.- 500.   .995E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 501.- 600.   .244E 09  !
 601.- 700.   .126E 13  !HHHHHHHHHHHH
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .320E 12  !HHH
1001.-1100.   .0        !
1101.-1200.   .176E 12  !H
1201.-1300.   .181E 10  !H
1301.-1400.   .0        !
1401.-1500.   .101E 11  !H
1501.-1600.   .398E 11  !H
1601.-1700.   .0        !
1701.-1800.   .445E 12  !HHHH
1801.-1900.   .0        !
1901.-2000.   .290E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHH
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000299--BITU COAL OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 72

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.355E 12	.333E 12	.195E 12	.0	.0	.0
101.- 200.	.484E 13	.370E 13	.105E 13	.0	.0	.0
201.- 300.	.722E 13	.547E 13	.538E 12	.0	.0	.0
301.- 400.	.173E 13	.134E 13	.457E 12	.951E 11	.903E 11	.382E 11
401.- 500.	.144E 13	.114E 13	.698E 12	.210E 12	.199E 12	.182E 12
501.- 600.	.236E 13	.190E 13	.779E 12	.476E 12	.452E 12	.249E 12
601.- 700.	.120E 13	.976E 12	.643E 12	.312E 12	.296E 12	.271E 12
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.435E 12	.367E 12	.263E 12	.179E 12	.170E 12	.155E 12
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.128E 12	.109E 12	.808E 11	.604E 11	.574E 11	.523E 11
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.197E 14	.153E 14	.470E 13	.133E 13	.127E 13	.948E 12

SCC = 39000299--BITU COAL   OTHER/NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =   72

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
12	.175E 13	.138E 13	.331E 12	.0	.0	.0
14	.908E 12	.713E 12	.340E 12	.0	.0	.0
20	.690E 11	.647E 11	.527E 11	.0	.0	.0
26	.294E 11	.225E 11	.122E 11	.0	.0	.0
28	.417E 12	.317E 12	.167E 12	.123E 11	.117E 11	.107E 11
29	.121E 13	.920E 12	.131E 11	.0	.0	.0
32	.136E 14	.105E 14	.349E 13	.123E 13	.117E 13	.863E 12
33	.173E 13	.133E 13	.261E 12	.860E 11	.818E 11	.745E 11
50	.366E 11	.343E 11	.280E 11	.0	.0	.0
	.197E 14	.153E 14	.470E 13	.133E 13	.127E 13	.948E 12

CC =39000299--BITU COAL   OTHER/NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   72

```
TEMP RANGE   COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .333E 12  !HHH
 101.- 200.  .370E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .547E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.  .134E 13  !HHHHHHHHHHHHHH
 401.- 500.  .114E 13  !HHHHHHHHHHHH
 501.- 600.  .190E 13  !HHHHHHHHHHHHHHHHHHH
 601.- 700.  .976E 12  !HHHHHHHHHH
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .367E 12  !HHH
1001.-1100.  .0        !
1101.-1200.  .109E 12  !H
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000299--BITU COAL OTHER/NOT CLASSIFIED -TOTAL SCC -SIC = 0 -TOT RECS = 117

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.805E 12	.755E 12	.196E 12	.0	.0	.0
101.- 200.	.607E 13	.462E 13	.112E 13	.0	.0	.0
201.- 300.	.861E 13	.653E 13	.111E 13	.0	.0	.0
301.- 400.	.206E 13	.160E 13	.601E 12	.107E 12	.102E 12	.487E 11
401.- 500.	.140E 14	.111E 14	.207E 13	.199E 13	.189E 13	.457E 12
501.- 600.	.236E 13	.190E 13	.779E 12	.476E 12	.452E 12	.249E 12
601.- 700.	.274E 13	.224E 13	.643E 12	.710E 12	.674E 12	.271E 12
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.815E 12	.687E 12	.493E 12	.335E 12	.319E 12	.291E 12
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.334E 12	.285E 12	.210E 12	.157E 12	.150E 12	.136E 12
1201.-1300.	.211E 10	.181E 10	.135E 10	.106E 10	.100E 10	.913E 09
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.116E 11	.101E 11	.775E 10	.651E 10	.618E 10	.562E 10
1501.-1600.	.456E 11	.398E 11	.309E 11	.265E 11	.251E 11	.223E 11
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.506E 12	.445E 12	.350E 12	.311E 12	.296E 12	.251E 12
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.327E 13	.290E 13	.231E 13	.213E 13	.202E 13	.165E 13
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.416E 14	.331E 14	.992E 13	.625E 13	.593E 13	.338E 13

SCC = 39000299--BITU COAL   OTHER/NOT CLASSIFIED -TOTAL SCC -TOT RECS =   117

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
2	.203E 12	.152E 12	.747E 11	.0	.0	.0
12	.312E 13	.248E 13	.331E 12	.209E 12	.199E 12	.0
14	.228E 13	.181E 13	.340E 12	.209E 12	.199E 12	.0
20	.690E 11	.647E 11	.527E 11	.0	.0	.0
26	.294E 11	.225E 11	.122E 11	.0	.0	.0
28	.866E 12	.739E 12	.167E 12	.123E 11	.117E 11	.107E 11
29	.121E 13	.920E 12	.131E 11	.0	.0	.0
32	.228E 14	.180E 14	.486E 13	.288E 13	.274E 13	.139E 13
33	.630E 13	.492E 13	.174E 13	.599E 12	.569E 12	.337E 12
34	.119E 08	.948E 07	.583E 07	.181E 07	.172E 07	.157E 07
37	.119E 09	.111E 09	.908E 08	.0	.0	.0
50	.366E 11	.343E 11	.280E 11	.0	.0	.0
52	.138E 13	.109E 13	.0	.209E 12	.199E 12	.0
73	.327E 13	.289E 13	.231E 13	.213E 13	.202E 13	.165E 13
	.416E 14	.331E 14	.992E 13	.625E 13	.593E 13	.338E 13

CC 39000299--BITU COAL   OTHER/NOT CLASSIFIED--TOTAL SCC -SIC =   0 -TOT RECS =   117

```
EMP RANGE   COUNT
                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .755E 12   !HHHHHHH
 101.- 200.  .462E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .653E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.  .160E 13   !HHHHHHHHHHHHHHH
 401.- 500.  .111E 14   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 501.- 600.  .190E 13   !HHHHHHHHHHHHHHHHHH
 601.- 700.  .224E 13   !HHHHHHHHHHHHHHHHHHHHHH
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .687E 12   !HHHHHH
1001.-1100.  .0         !
1101.-1200.  .285E 12   !HH
1201.-1300.  .181E 10   !H
1301.-1400.  .0         !
1401.-1500.  .101E 11   !H
1501.-1600.  .398E 11   !H
1601.-1700.  .0         !
1701.-1800.  .445E 12   !HHHH
1801.-1900.  .0         !
1901.-2000.  .290E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHH
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000401--RESI OIL ASPHALT DRYER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 22

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.101E 12	.948E 11	.729E 11	.0	.0	.0
101.- 200.	.115E 12	.870E 11	.474E 10	.0	.0	.0
201.- 300.	.562E 12	.423E 12	.0	.0	.0	.0
301.- 400.	.635E 11	.491E 11	.278E 11	.233E 10	.221E 10	.203E 10
401.- 500.	.698E 11	.549E 11	.0	.786E 10	.746E 10	.0
501.- 600.	.786E 11	.636E 11	.0	.183E 11	.174E 11	.0
601.- 700.	.593E 11	.483E 11	.318E 11	.153E 11	.145E 11	.133E 11
701.- 800.	.882E 11	.727E 11	.0	.270E 11	.257E 11	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.114E 13	.894E 12	.137E 12	.708E 11	.673E 11	.153E 11

SCC = 39000401--RESI OIL ASPHALT DRYER -NO CONTROL EQUIPMENT -TOT RECS = 22

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
29	.869E 12	.673E 12	.643E 11	.708E 11	.673E 11	.153E 11
32	.614E 11	.472E 11	.0	.0	.0	.0
33	.954E 11	.895E 11	.729E 11	.0	.0	.0
99	.111E 12	.838E 11	.0	.0	.0	.0
	.114E 13	.894E 12	.137E 12	.708E 11	.673E 11	.153E 11

CC = 39000401--RESI OIL ASPHALT DRYER -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 22

```
TEMP RANGE     COUNT
                        -----------------------------------------------------------------------------------------------------
   0.- 100.   .948E 11  !H
 101.- 200.   .870E 11  !H
 201.- 300.   .423E 12  !HHHH
 301.- 400.   .491E 11  !H
 401.- 500.   .549E 11  !H
 501.- 600.   .636E 11  !H
 601.- 700.   .483E 11  !H
 701.- 800.   .727E 11  !H
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000401--RESI OIL   ASPHALT DRYER   -WITH CONTROL EQUIPMENT -SIC =   ) -TOT RECS =   327

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.966E 11	.906E 11	.502E 11	.0	.0	.0
101.- 200.	.782E 13	.604E 13	.193E 13	.0	.0	.0
201.- 300.	.182E 13	.138E 13	.631E 12	.0	.0	.0
301.- 400.	.349E 12	.271E 12	.116E 12	.144E 11	.137E 11	.840E 10
401.- 500.	.115E 12	.908E 11	.114E 11	.125E 11	.119E 11	.200E 10
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.248E 11	.206E 11	.144E 11	.883E 10	.840E 10	.767E 10
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.102E 14	.789E 13	.275E 13	.358E 11	.340E 11	.181E 11

SCC = 39000401--RESI OIL   ASPHALT DRYER   -WITH CONTROL EQUIPMENT -TOT RECS =   327

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.138E 12	.103E 12	.127E 11	.0	.0	.0
16	.415E 11	.310E 11	.238E 10	.0	.0	.0
28	.353E 11	.264E 11	.0	.0	.0	.0
29	.942E 13	.727E 13	.260E 13	.325E 11	.309E 11	.181E 11
32	.254E 12	.201E 12	.646E 11	.0	.0	.0
33	.284E 11	.213E 11	.105E 11	.0	.0	.0
35	.434E 11	.339E 11	.0	.322E 10	.306E 10	.0
49	.685E 11	.520E 11	.275E 11	.0	.0	.0
99	.194E 12	.145E 12	.341E 11	.0	.0	.0
	.102E 14	.789E 13	.275E 13	.358E 11	.340E 11	.181E 11

CC =39000401--RESI OIL   ASPHALT DRYER   ---WITH CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   327

```
TEMP RANGE   COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .906E 11   !H
 101.- 200.  .604E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .138E 13   !HHHHHHHHHHHHHH
 301.- 400.  .271E 12   !HH
 401.- 500.  .908E 11   !H
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .206E 11   !H
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000401--RESI OIL ASPHALT DRYER -TOTAL SCC -SIC = 0 -TOT RECS = 349

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.198E 12	.185E 12	.123E 12	.0	.0	.0
101.- 200.	.794E 13	.612E 13	.193E 13	.0	.0	.0
201.- 300.	.238E 13	.180E 13	.631E 12	.0	.0	.0
301.- 400.	.413E 12	.320E 12	.143E 12	.167E 11	.159E 11	.104E 11
401.- 500.	.185E 12	.146E 12	.114E 11	.204E 11	.194E 11	.200E 10
501.- 600.	.786E 11	.636E 11	.0	.183E 11	.174E 11	.0
601.- 700.	.593E 11	.483E 11	.318E 11	.153E 11	.145E 11	.133E 11
701.- 800.	.882E 11	.727E 11	.0	.270E 11	.257E 11	.0
801.- 900.	.248E 11	.206E 11	.144E 11	.883E 10	.840E 10	.767E 10
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.114E 14	.878E 13	.289E 13	.107E 12	.101E 12	.333E 11

SCC = 39000401--RESI OIL   ASPHALT DRYER   -TOTAL SCC -TOT RECS =   349

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.138E 12	.103E 12	.127E 11	.0	.0	.0
16	.415E 11	.310E 11	.238E 10	.0	.0	.0
28	.353E 11	.264E 11	.0	.0	.0	.0
29	.103E 14	.795E 13	.266E 13	.103E 12	.982E 11	.333E 11
32	.315E 12	.248E 12	.646E 11	.0	.0	.0
33	.124E 12	.111E 12	.834E 11	.0	.0	.0
35	.434E 11	.339E 11	.0	.322E 10	.306E 10	.0
49	.685E 11	.520E 11	.275E 11	.0	.0	.0
99	.306E 12	.229E 12	.341E 11	.0	.0	.0
	.114E 14	.878E 13	.289E 13	.107E 12	.101E 12	.333E 11

CC 39000401--RESI OIL   ASPHALT DRYER   --TOTAL SCC -SIC =   0 -TOT RECS =   349

```
EMP RANGE   COUNT

                          ----------------------------------------------------------------------------------------------------
    0.- 100.   .185E 12   !H
  101.- 200.   .612E 13   !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
  201.- 300.   .180E 13   !HHHHHHHHHHHHHHHHHHH
  301.- 400.   .320E 12   !HHH
  401.- 500.   .146E 12   !H
  501.- 600.   .636E 11   !H
  601.- 700.   .483E 11   !H
  701.- 800.   .727E 11   !H
  801.- 900.   .206E 11   !H
  901.-1000.   .0         !
 1001.-1100.   .0         !
 1101.-1200.   .0         !
 1201.-1300.   .0         !
 1301.-1400.   .0         !
 1401.-1500.   .0         !
 1501.-1600.   .0         !
 1601.-1700.   .0         !
 1701.-1800.   .0         !
 1801.-1900.   .0         !
 1901.-2000.   .0         !
 2001.-2100.   .0         !
 2101.-2200.   .0         !
 2201.-2300.   .0         !
 2301.-2400.   .0         !
 2401.-2500.   .0         !
 2501.-2600.   .0         !
 2601.-2700.   .0         !
 2701.-2800.   .0         !
 2801.-2900.   .0         !
 2901.-3000.   .0         !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000402--RESI OIL   CEMENT KILN AND DRYE -NO CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   2

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 39000402--RESI OIL CEMENT KILN AND DRYE -NO CONTROL EQUIPMENT -TOT RECS = 2

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 39000402--RESI OIL CEMENT KILN AND DRYE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 66

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.137E 12	.129E 12	.105E 12	.0	.0	.0
101.- 200.	.387E 12	.290E 12	.142E 12	.0	.0	.0
201.- 300.	.253E 13	.193E 13	.104E 13	.0	.0	.0
301.- 400.	.182E 14	.141E 14	.484E 13	.973E 12	.924E 12	.386E 12
401.- 500.	.747E 13	.591E 13	.358E 13	.967E 12	.918E 12	.840E 12
501.- 600.	.319E 13	.256E 13	.163E 13	.638E 12	.606E 12	.554E 12
601.- 700.	.366E 12	.297E 12	.194E 12	.884E 11	.840E 11	.768E 11
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.322E 14	.252E 14	.115E 14	.267E 13	.253E 13	.186E 13

SCC = 39000402--RESI OIL   CEMENT KILN AND DRYE -WITH CONTROL EQUIPMENT -TOT RECS =   66

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
29	.648E 12	.505E 12	.0	.481E 11	.457E 11	.0
32	.315E 14	.246E 14	.114E 14	.262E 13	.249E 13	.186E 13
33	.112E 12	.105E 12	.853E 11	.0	.0	.0
	.322E 14	.252E 14	.115E 14	.267E 13	.253E 13	.186E 13

CC =39000402--RESI OIL   CEMENT KILN AND DRYE---WITH CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   66

TEMP RANGE	COUNT
0.- 100.	.129E 12
101.- 200.	.290E 12
201.- 300.	.193E 13
301.- 400.	.141E 14
401.- 500.	.591E 13
501.- 600.	.256E 13
601.- 700.	.297E 12
701.- 800.	.0
801.- 900.	.0
901.-1000.	.0
1001.-1100.	.0
1101.-1200.	.0
1201.-1300.	.0
1301.-1400.	.0
1401.-1500.	.0
1501.-1600.	.0
1601.-1700.	.0
1701.-1800.	.0
1801.-1900.	.0
1901.-2000.	.0
2001.-2100.	.0
2101.-2200.	.0
2201.-2300.	.0
2301.-2400.	.0
2401.-2500.	.0
2501.-2600.	.0
2601.-2700.	.0
2701.-2800.	.0
2801.-2900.	.0
2901.-3000.	.0

SCC= 39000403--RESI OIL LIME KILN -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 5

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.108E 12	.806E 11	.395E 11	.0	.0	.0
201.- 300.	.346E 12	.260E 12	.860E 11	.0	.0	.0
301.- 400.	.135E 12	.105E 12	.606E 11	.820E 10	.779E 10	.713E 10
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.588E 12	.446E 12	.186E 12	.820E 10	.779E 10	.713E 10

SCC = 39000403--RESI OIL LIME KILN -NO CONTROL EQUIPMENT -TOT RECS = 5

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.108E 12	.806E 11	.395E 11	.0	.0	.0
28	.135E 12	.105E 12	.606E 11	.820E 10	.779E 10	.713E 10
32	.228E 12	.171E 12	.860E 11	.0	.0	.0
99	.118E 12	.894E 11	.0	.0	.0	.0
	.588E 12	.446E 12	.186E 12	.820E 10	.779E 10	.713E 10

CC = 39000403--RESI OIL LIME KILN -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 5

```
TEMP RANGE   COUNT
                     ---------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .806E 11  !H
 201.- 300.  .260E 12  !HH
 301.- 400.  .105E 12  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000403--RESI OIL LIME KILN -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 71

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.807E 11	.757E 11	.617E 11	.0	.0	.0
101.- 200.	.651E 13	.489E 13	.207E 13	.0	.0	.0
201.- 300.	.259E 12	.197E 12	.105E 12	.0	.0	.0
301.- 400.	.179E 12	.140E 12	.813E 11	.133E 11	.126E 11	.116E 11
401.- 500.	.281E 12	.222E 12	.135E 12	.378E 11	.359E 11	.328E 11
501.- 600.	.455E 12	.369E 12	.239E 12	.106E 12	.101E 12	.922E 11
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.776E 13	.589E 13	.270E 13	.157E 12	.149E 12	.137E 12

SCC = 39000403--RESI OIL   LIME KILN   -WITH CONTROL EQUIPMENT -TOT RECS =   71

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.288E 11	.217E 11	.107E 11	.0	.0	.0
20	.276E 12	.210E 12	.617E 11	.0	.0	.0
26	.527E 13	.396E 13	.190E 13	.0	.0	.0
28	.128E 12	.962E 11	.0	.0	.0	.0
32	.199E 13	.156E 13	.700E 12	.157E 12	.149E 12	.137E 12
33	.640E 11	.481E 11	.236E 11	.0	.0	.0
	.776E 13	.589E 13	.270E 13	.157E 12	.149E 12	.137E 12

CC =39000403--RESI OIL   LIME KILN   ---WITH CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   71

```
TEMP RANGE    COUNT
                       ------------------------------------------------------------------------------------------------
    0.- 100.  .757E 11  !H
  101.- 200.  .489E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
  201.- 300.  .197E 12  !H
  301.- 400.  .140E 12  !H
  401.- 500.  .222E 12  !HH
  501.- 600.  .369E 12  !HHH
  601.- 700.  .0        !
  701.- 800.  .0        !
  801.- 900.  .0        !
  901.-1000.  .0        !
 1001.-1100.  .0        !
 1101.-1200.  .0        !
 1201.-1300.  .0        !
 1301.-1400.  .0        !
 1401.-1500.  .0        !
 1501.-1600.  .0        !
 1601.-1700.  .0        !
 1701.-1800.  .0        !
 1801.-1900.  .0        !
 1901.-2000.  .0        !
 2001.-2100.  .0        !
 2101.-2200.  .0        !
 2201.-2300.  .0        !
 2301.-2400.  .0        !
 2401.-2500.  .0        !
 2501.-2600.  .0        !
 2601.-2700.  .0        !
 2701.-2800.  .0        !
 2801.-2900.  .0        !
 2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000403--RESI OIL LIME KILN -TOTAL SCC -SIC = 0 -TOT RECS = 76

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.807E 11	.757E 11	.617E 11	.0	.0	.0
101.- 200.	.662E 13	.497E 13	.211E 13	.0	.0	.0
201.- 300.	.605E 12	.457E 12	.191E 12	.0	.0	.0
301.- 400.	.314E 12	.245E 12	.142E 12	.215E 11	.204E 11	.187E 11
401.- 500.	.281E 12	.222E 12	.135E 12	.378E 11	.359E 11	.328E 11
501.- 600.	.455E 12	.369E 12	.239E 12	.106E 12	.101E 12	.922E 11
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.835E 13	.634E 13	.288E 13	.165E 12	.157E 12	.144E 12

SCC = 39000403--RESI OIL   LIME KILN   -TOTAL SCC -TOT RECS =   76

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.288E 11	.217E 11	.107E 11	.0	.0	.0
20	.276E 12	.210E 12	.617E 11	.0	.0	.0
26	.538E 13	.404E 13	.194E 13	.0	.0	.0
28	.263E 12	.201E 12	.606E 11	.820E 10	.779E 10	.713E 10
32	.222E 13	.173E 13	.786E 12	.157E 12	.149E 12	.137E 12
33	.640E 11	.481E 11	.236E 11	.0	.0	.0
99	.118E 12	.894E 11	.0	.0	.0	.0
	.835E 13	.634E 13	.288E 13	.165E 12	.157E 12	.144E 12

CC 39000403--RESI OIL   LIME KILN   --TOTAL SCC -SIC =   0 -TOT RECS =   76

```
EMP RANGE   COUNT
                   -----------------------------------------------------------------------------------------------------
   0.- 100.  .757E 11  !H
 101.- 200.  .497E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .457E 12  !HHHH
 301.- 400.  .245E 12  !HH
 401.- 500.  .222E 12  !HH
 501.- 600.  .369E 12  !HHH
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000404--RESI OIL KAOLIN KILN -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 5

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.104E 12	.788E 11	.413E 11	.0	.0	.0
301.- 400.	.771E 11	.597E 11	.338E 11	.0	.0	.0
401.- 500.	.0	.0	.0	.312E 10	.296E 10	.271E 10
501.- 600.	.326E 12	.262E 12	.167E 12	.0	.0	.0
601.- 700.	.0	.0	.0	.655E 11	.622E 11	.569E 11
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.507E 12	.401E 12	.242E 12	.686E 11	.652E 11	.596E 11

SCC = 39000404--RESI OIL KAOLIN KILN -NO CONTROL EQUIPMENT -TOT RECS = 5

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.507E 12	.401E 12	.242E 12	.686E 11	.652E 11	.596E 11
	.507E 12	.401E 12	.242E 12	.686E 11	.652E 11	.596E 11

CC = 39000404--RESI OIL KAOLIN KILN -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 5

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .0        !
 201.- 300.   .788E 11  !H
 301.- 400.   .597E 11  !H
 401.- 500.   .0        !
 501.- 600.   .262E 12  !HH
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000404--RESI OIL KAOLIN KILN -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 6

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.310E 13	.233E 13	.114E 13	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.215E 12	.167E 12	.963E 11	.127E 11	.121E 11	.111E 11
401.- 500.	.101E 12	.798E 11	.479E 11	.118E 11	.112E 11	.102E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.101E 13	.826E 12	.555E 12	.293E 12	.279E 12	.255E 12
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.442E 13	.340E 13	.184E 13	.318E 12	.302E 12	.276E 12

SCC = 39000404--RESI OIL KAOLIN KILN -WITH CONTROL EQUIPMENT -TOT RECS = 6

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.165E 12	.123E 12	.604E 11	.0	.0	.0
32	.215E 12	.167E 12	.963E 11	.127E 11	.121E 11	.111E 11
33	.394E 13	.303E 13	.164E 13	.293E 12	.279E 12	.255E 12
99	.101E 12	.798E 11	.479E 11	.118E 11	.112E 11	.102E 11
	.442E 13	.340E 13	.184E 13	.318E 12	.302E 12	.276E 12

CC =39000404--RESI OIL KAOLIN KILN ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 6

```
TEMP RANGE    COUNT
                        ------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .233E 13  !HHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.   .0        !
 301.- 400.   .167E 12  !H
 401.- 500.   .798E 11  !H
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .826E 12  !HHHHHHHH
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000404--RESI OIL KAOLIN KILN -TOTAL SCC -SIC = 0 -TOT RECS = 11

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.310E 13	.233E 13	.114E 13	.0	.0	.0
201.- 300.	.104E 12	.788E 11	.413E 11	.0	.0	.0
301.- 400.	.292E 12	.227E 12	.130E 12	.159E 11	.151E 11	.138E 11
401.- 500.	.101E 12	.798E 11	.479E 11	.118E 11	.112E 11	.102E 11
501.- 600.	.326E 12	.262E 12	.167E 12	.655E 11	.622E 11	.569E 11
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.101E 13	.826E 12	.555E 12	.293E 12	.279E 12	.255E 12
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.493E 13	.380E 13	.208E 13	.387E 12	.367E 12	.336E 12

SCC = 39000404--RESI OIL   KAOLIN KILN   -TOTAL SCC -TOT RECS = 11

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.165E 12	.123E 12	.604E 11	.0	.0	.0
32	.723E 12	.568E 12	.338E 12	.814E 11	.773E 11	.707E 11
33	.394E 13	.303E 13	.164E 13	.293E 12	.279E 12	.255E 12
99	.101E 12	.798E 11	.479E 11	.118E 11	.112E 11	.102E 11
	.493E 13	.380E 13	.208E 13	.387E 12	.367E 12	.336E 12

CC 39000404--RESI OIL   KAOLIN KILN   --TOTAL SCC -SIC = 0 -TOT RECS = 11

```
EMP RANGE      COUNT
                         ------------------------------------------------------------------------------------------------
   0.- 100.   .0         !
 101.- 200.   .233E 13   !HHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.   .788E 11   !H
 301.- 400.   .227E 12   !HH
 401.- 500.   .798E 11   !H
 501.- 600.   .262E 12   !HH
 601.- 700.   .0         !
 701.- 800.   .826E 12   !HHHHHHHH
 801.- 900.   .0         !
 901.-1000.   .0         !
1001.-1100.   .0         !
1101.-1200.   .0         !
1201.-1300.   .0         !
1301.-1400.   .0         !
1401.-1500.   .0         !
1501.-1600.   .0         !
1601.-1700.   .0         !
1701.-1800.   .0         !
1801.-1900.   .0         !
1901.-2000.   .0         !
2001.-2100.   .0         !
2101.-2200.   .0         !
2201.-2300.   .0         !
2301.-2400.   .0         !
2401.-2500.   .0         !
2501.-2600.   .0         !
2601.-2700.   .0         !
2701.-2800.   .0         !
2801.-2900.   .0         !
2901.-3000.   .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90------100
```

SCC= 39000405--RESI OIL METAL MELTING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 62

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.370E 11	.347E 11	.283E 11	.0	.0	.0
101.- 200.	.170E 12	.130E 12	.654E 11	.0	.0	.0
201.- 300.	.370E 10	.282E 10	.152E 10	.0	.0	.0
301.- 400.	.319E 13	.246E 13	.378E 12	.977E 11	.927E 11	.475E 11
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.849E 11	.681E 11	.430E 11	.163E 11	.155E 11	.142E 11
601.- 700.	.619E 10	.504E 10	.332E 10	.159E 10	.151E 10	.138E 10
701.- 800.	.272E 10	.225E 10	.155E 10	.902E 09	.858E 09	.784E 09
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.533E 13	.449E 13	.322E 13	.219E 13	.209E 13	.190E 13
1001.-1100.	.525E 12	.446E 12	.324E 12	.232E 12	.221E 12	.201E 12
1101.-1200.	.628E 11	.536E 11	.396E 11	.296E 11	.282E 11	.256E 11
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.941E 13	.770E 13	.411E 13	.257E 13	.245E 13	.219E 13

SCC = 39000405--RESI OIL METAL MELTING -NO CONTROL EQUIPMENT -TOT RECS = 62

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
10	.138E 12	.106E 12	.0	.253E 10	.240E 10	.0
33	.898E 13	.737E 13	.410E 13	.256E 13	.244E 13	.219E 13
34	.197E 11	.147E 11	.735E 10	.0	.0	.0
37	.138E 12	.106E 12	.0	.253E 10	.240E 10	.0
99	.138E 12	.106E 12	.0	.253E 10	.240E 10	.0
	.941E 13	.770E 13	.411E 13	.257E 13	.245E 13	.219E 13

CC = 39000405--RESI OIL METAL MELTING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 62

```
TEMP RANGE     COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .347E 11  !H
 101.- 200.  .130E 12  !H
 201.- 300.  .282E 10  !H
 301.- 400.  .246E 13  !HHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.  .0        !
 501.- 600.  .681E 11  !H
 601.- 700.  .504E 10  !H
 701.- 800.  .225E 10  !H
 801.- 900.  .0        !
 901.-1000.  .449E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
1001.-1100.  .446E 12  !HHHH
1101.-1200.  .536E 11  !H
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000405--RESI OIL   METAL MELTING   -WITH CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   39

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.172E 11	.161E 11	.131E 11	.0	.0	.0
101.- 200.	.411E 12	.341E 12	.172E 12	.0	.0	.0
201.- 300.	.183E 12	.139E 12	.727E 11	.0	.0	.0
301.- 400.	.593E 13	.460E 13	.101E 13	.250E 12	.238E 12	.101E 12
401.- 500.	.451E 13	.358E 13	.220E 13	.670E 12	.636E 12	.582E 12
501.- 600.	.459E 12	.368E 12	.231E 12	.845E 11	.802E 11	.734E 11
601.- 700.	.679E 12	.557E 12	.372E 12	.191E 12	.182E 12	.166E 12
701.- 800.	.369E 10	.305E 10	.210E 10	.122E 10	.116E 10	.106E 10
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.152E 13	.128E 13	.232E 11	.614E 12	.585E 12	.135E 11
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.311E 11	.268E 11	.202E 11	.160E 11	.153E 11	.139E 11
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.137E 14	.109E 14	.411E 13	.183E 13	.174E 13	.951E 12

SCC = 39000405--RESI OIL   METAL MELTING   -WITH CONTROL EQUIPMENT -TOT RECS =   39

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
33	.137E 14	.108E 14	.408E 13	.183E 13	.174E 13	.951E 12
99	.780E 11	.586E 11	.288E 11	.0	.0	.0
	.137E 14	.109E 14	.411E 13	.183E 13	.174E 13	.951E 12

CC =39000405--RESI OIL   METAL MELTING   ---WITH CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   39

```
TEMP RANGE   COUNT
                        -----------------------------------------------------------------------------------------------------
   0.- 100.  .161E 11  !H
 101.- 200.  .341E 12  !HHH
 201.- 300.  .139E 12  !H
 301.- 400.  .460E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.  .358E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 501.- 600.  .368E 12  !HHH
 601.- 700.  .557E 12  !HHHHH
 701.- 800.  .305E 10  !H
 801.- 900.  .0        !
 901.-1000.  .128E 13  !HHHHHHHHHHHH
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .268E 11  !H
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000405--RESI OIL METAL MELTING -TOTAL SCC -SIC = 0 -TOT RECS = 101

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.542E 11	.508E 11	.414E 11	.0	.0	.0
101.- 200.	.581E 12	.471E 12	.238E 12	.0	.0	.0
201.- 300.	.187E 12	.142E 12	.743E 11	.0	.0	.0
301.- 400.	.913E 13	.706E 13	.138E 13	.348E 12	.330E 12	.148E 12
401.- 500.	.451E 13	.358E 13	.220E 13	.670E 12	.636E 12	.582E 12
501.- 600.	.544E 12	.436E 12	.274E 12	.101E 12	.957E 11	.875E 11
601.- 700.	.686E 12	.562E 12	.375E 12	.193E 12	.183E 12	.168E 12
701.- 800.	.641E 10	.531E 10	.365E 10	.212E 10	.202E 10	.185E 10
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.685E 13	.577E 13	.325E 13	.281E 13	.267E 13	.192E 13
1001.-1100.	.525E 12	.446E 12	.324E 12	.232E 12	.221E 12	.201E 12
1101.-1200.	.628E 11	.536E 11	.396E 11	.296E 11	.282E 11	.256E 11
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.311E 11	.268E 11	.202E 11	.160E 11	.153E 11	.139E 11
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.232E 14	.186E 14	.822E 13	.440E 13	.418E 13	.315E 13

SCC = 39000405--RESI OIL METAL MELTING -TOTAL SCC -TOT RECS = 101

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
10	.138E 12	.106E 12	.0	.253E 10	.240E 10	.0
33	.226E 14	.182E 14	.818E 13	.439E 13	.418E 13	.315E 13
34	.197E 11	.147E 11	.735E 10	.0	.0	.0
37	.138E 12	.106E 12	.0	.253E 10	.240E 10	.0
99	.216E 12	.165E 12	.288E 11	.253E 10	.240E 10	.0
	.232E 14	.186E 14	.822E 13	.440E 13	.418E 13	.315E 13

CC 39000405--RESI OIL METAL MELTING --TOTAL SCC -SIC = 0 -TOT RECS = 101

```
EMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .508E 11  !H
 101.- 200.  .471E 12  !HHHH
 201.- 300.  .142E 12  !H
 301.- 400.  .706E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.  .358E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 501.- 600.  .436E 12  !HHHH
 601.- 700.  .562E 12  !HHHHH
 701.- 800.  .531E 10  !H
 801.- 900.  .0        !
 901.-1000.  .577E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
1001.-1100.  .446E 12  !HHHH
1101.-1200.  .536E 11  !H
1201.-1300.  .0        !
1301.-1400.  .268E 11  !H
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000406--RESI OIL   BRICK KILN AND DRYER -NO CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   12

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.356E 10	.309E 10	.152E 10	.0	.0	.0
201.- 300.	.467E 12	.358E 12	.196E 12	.0	.0	.0
301.- 400.	.244E 12	.190E 12	.111E 12	.181E 11	.172E 11	.157E 11
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.114E 13	.917E 12	.476E 12	.238E 12	.226E 12	.171E 12
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.701E 12	.577E 12	.391E 12	.215E 12	.204E 12	.187E 12
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.188E 10	.164E 10	.127E 10	.109E 10	.104E 10	.919E 09
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.256E 13	.205E 13	.118E 13	.472E 12	.449E 12	.374E 12

SCC = 39000406--RESI OIL   BRICK KILN AND DRYER -NO CONTROL EQUIPMENT -TOT RECS =   12

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.256E 13	.205E 13	.118E 13	.472E 12	.449E 12	.374E 12
	.256E 13	.205E 13	.118E 13	.472E 12	.449E 12	.374E 12

CC = 39000406--RESI OIL   BRICK KILN AND DRYER-- -NO CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   12

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .309E 10  !H
 201.- 300.   .358E 12  !HHH
 301.- 400.   .190E 12  !H
 401.- 500.   .0        !
 501.- 600.   .917E 12  !HHHHHHHHH
 601.- 700.   .0        !
 701.- 800.   .577E 12  !HHHHH
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .164E 10  !H
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000406--RESI OIL BRICK KILN AND DRYER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 39000406--RESI OIL   BRICK KILN AND DRYER -WITH CONTROL EQUIPMENT -TOT RECS =   1

SIC	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300DEG	300 DEG	300 DEG

SCC= 39000407--RESI OIL GYPSUM KILN, ETC. -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.243E 12	.202E 12	.140E 12	.842E 11	.802E 11	.732E 11
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.243E 12	.202E 12	.140E 12	.842E 11	.802E 11	.732E 11

SCC = 39000407--RESI OIL GYPSUM KILN, ETC. -NO CONTROL EQUIPMENT -TOT RECS = 3

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.243E 12	.202E 12	.140E 12	.842E 11	.802E 11	.732E 11
	.243E 12	.202E 12	.140E 12	.842E 11	.802E 11	.732E 11

CC = 39000407--RESI OIL GYPSUM KILN, ETC. -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE   COUNT
                       ------------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .202E 12  !HH
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000407--RESI OIL GYPSUM KILN, ETC. -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 12

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.643E 12	.483E 12	.165E 12	.0	.0	.0
201.- 300.	.208E 11	.157E 11	.824E 10	.0	.0	.0
301.- 400.	.348E 11	.269E 11	.151E 11	.102E 10	.969E 09	.886E 09
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.156E 12	.129E 12	.873E 11	.479E 11	.456E 11	.417E 11
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.855E 12	.655E 12	.276E 12	.489E 11	.466E 11	.425E 11

```
SCC = 39000407--RESI OIL    GYPSUM KILN, ETC.    -WITH CONTROL EQUIPMENT -TOT RECS =    12
SIC          MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED   MINIMUM
             60 DEG     60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   32       .855E 12   .655E 12   .276E 12   .489E 11   .466E 11   .425E 11

            .855E 12   .655E 12   .276E 12   .489E 11   .466E 11   .425E 11

CC =39000407--RESI OIL    GYPSUM KILN, ETC.   ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =    12
TEMP RANGE   COUNT
                      -------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .483E 12  !HHHH
 201.- 300.  .157E 11  !H
 301.- 400.  .269E 11  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .129E 12  !H
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000407--RESI OIL GYPSUM KILN, ETC. -TOTAL SCC -SIC = 0 -TOT RECS = 15

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.643E 12	.483E 12	.165E 12	.0	.0	.0
201.- 300.	.208E 11	.157E 11	.824E 10	.0	.0	.0
301.- 400.	.348E 11	.269E 11	.151E 11	.102E 10	.969E 09	.886E 09
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.156E 12	.129E 12	.873E 11	.479E 11	.456E 11	.417E 11
801.- 900.	.243E 12	.202E 12	.140E 12	.842E 11	.802E 11	.732E 11
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.110E 13	.857E 12	.416E 12	.133E 12	.127E 12	.116E 12

```
SCC = 39000407--RESI OIL    GYPSUM KILN, ETC.    -TOTAL SCC -TOT RECS =     15

SIC           MAXIMUM     EXPECTED    MINIMUM     MAXIMUM    EXPECTED    MINIMUM
              60 DEG      60 DEG      60 DEG      300 DEG    300 DEG     300 DEG
   32        .110E 13    .857E 12    .416E 12    .133E 12   .127E 12    .116E 12

             .110E 13    .857E 12    .416E 12    .133E 12   .127E 12    .116E 12

CC 39000407--RESI OIL     GYPSUM KILN, ETC.   --TOTAL SCC  -SIC =    0 -TOT RECS =     15

EMP RANGE    COUNT
                        ----------------------------------------------------------------------------------------------------
    0.- 100.   .0       !
  101.- 200.   .483E 12 !HHHH
  201.- 300.   .157E 11 !H
  301.- 400.   .269E 11 !H
  401.- 500.   .0       !
  501.- 600.   .0       !
  601.- 700.   .0       !
  701.- 800.   .129E 12 !H
  801.- 900.   .202E 12 !HH
  901.-1000.   .0       !
 1001.-1100.   .0       !
 1101.-1200.   .0       !
 1201.-1300.   .0       !
 1301.-1400.   .0       !
 1401.-1500.   .0       !
 1501.-1600.   .0       !
 1601.-1700.   .0       !
 1701.-1800.   .0       !
 1801.-1900.   .0       !
 1901.-2000.   .0       !
 2001.-2100.   .0       !
 2101.-2200.   .0       !
 2201.-2300.   .0       !
 2301.-2400.   .0       !
 2401.-2500.   .0       !
 2501.-2600.   .0       !
 2601.-2700.   .0       !
 2701.-2800.   .0       !
 2801.-2900.   .0       !
 2901.-3000.   .0       !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000408--RESI OIL GLASS FURNACE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 19

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.132E 12	.106E 12	.680E 11	.276E 11	.262E 11	.239E 11
601.- 700.	.969E 11	.794E 11	.530E 11	.273E 11	.259E 11	.237E 11
701.- 800.	.128E 13	.106E 13	.722E 12	.413E 12	.393E 12	.359E 12
801.- 900.	.351E 12	.292E 12	.204E 12	.126E 12	.120E 12	.110E 12
901.-1000.	.197E 11	.166E 11	.119E 11	.813E 10	.773E 10	.705E 10
1001.-1100.	.203E 12	.172E 12	.371E 11	.866E 11	.824E 11	.225E 11
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.208E 13	.172E 13	.110E 13	.689E 12	.655E 12	.546E 12

```
SCC = 39000408--RESI OIL    GLASS FURNACE       -NO CONTROL EQUIPMENT -TOT RECS =     19

SIC          MAXIMUM     EXPECTED     MINIMUM     MAXIMUM    EXPECTED     MINIMUM
             60 DEG      60 DEG       60 DEG      300 DEG     300 DEG     300 DEG
   32       .208E 13    .172E 13     .110E 13    .689E 12    .655E 12    .546E 12

            .208E 13    .172E 13     .110E 13    .689E 12    .655E 12    .546E 12


CC = 39000408--RESI OIL     GLASS FURNACE       --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     19

TEMP RANGE   COUNT
                        ---------------------------------------------------------------------------------------------------
   0.- 100.  .0         !
 101.- 200.  .0         !
 201.- 300.  .0         !
 301.- 400.  .0         !
 401.- 500.  .0         !
 501.- 600.  .106E 12   !H
 601.- 700.  .794E 11   !H
 701.- 800.  .106E 13   !HHHHHHHHHH
 801.- 900.  .292E 12   !HH
 901.-1000.  .166E 11   !H
1001.-1100.  .172E 12   !H
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000408--RESI OIL GLASS FURNACE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 4

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.569E 12	.452E 12	.278E 12	.865E 11	.821E 11	.751E 11
501.- 600.	.557E 12	.451E 12	.291E 12	.128E 12	.121E 12	.111E 12
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.389E 12	.323E 12	.224E 12	.134E 12	.128E 12	.117E 12
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.152E 13	.123E 13	.794E 12	.349E 12	.331E 12	.303E 12

```
SCC = 39000408--RESI OIL    GLASS FURNACE        -WITH CONTROL EQUIPMENT -TOT RECS =     4

SIC          MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG     60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   32       .152E 13   .123E 13   .794E 12   .349E 12   .331E 12   .303E 12

            .152E 13   .123E 13   .794E 12   .349E 12   .331E 12   .303E 12

CC =39000408--RESI OIL     GLASS FURNACE      ---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     4

TEMP RANGE   COUNT
                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .0          !
 101.- 200.  .0          !
 201.- 300.  .0          !
 301.- 400.  .0          !
 401.- 500.  .452E 12    !HHHH
 501.- 600.  .451E 12    !HHHH
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .323E 12    !HHH
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000408--RESI OIL GLASS FURNACE -TOTAL SCC -SIC = 0 -TOT RECS = 23

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.569E 12	.452E 12	.278E 12	.865E 11	.821E 11	.751E 11
501.- 600.	.689E 12	.557E 12	.359E 12	.155E 12	.147E 12	.135E 12
601.- 700.	.969E 11	.794E 11	.530E 11	.273E 11	.259E 11	.237E 11
701.- 800.	.128E 13	.106E 13	.722E 12	.413E 12	.393E 12	.359E 12
801.- 900.	.740E 12	.616E 12	.428E 12	.261E 12	.248E 12	.227E 12
901.-1000.	.197E 11	.166E 11	.119E 11	.813E 10	.773E 10	.705E 10
1001.-1100.	.203E 12	.172E 12	.371E 11	.866E 11	.824E 11	.225E 11
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.359E 13	.295E 13	.189E 13	.104E 13	.987E 12	.849E 12

SCC = 39000408--RESI OIL GLASS FURNACE -TOTAL SCC -TOT RECS = 23

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.359E 13	.295E 13	.189E 13	.104E 13	.987E 12	.849E 12
	.359E 13	.295E 13	.189E 13	.104E 13	.987E 12	.849E 12

CC 39000408--RESI OIL GLASS FURNACE --TOTAL SCC -SIC = 0 -TOT RECS = 23

```
EMP RANGE   COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .452E 12  !HHHH
 501.- 600.  .557E 12  !HHHHH
 601.- 700.  .794E 11  !H
 701.- 800.  .106E 13  !HHHHHHHHHH
 801.- 900.  .616E 12  !HHHHHH
 901.-1000.  .166E 11  !H
1001.-1100.  .172E 12  !H
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000409--RESI OIL   ROCK AND GRAVEL DRYE -NO CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   0

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 39000409--RESI OIL   ROCK AND GRAVEL DRYE -NO CONTROL EQUIPMENT -TOT RECS =   0

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 39000409--RESI OIL ROCK AND GRAVEL DRYE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 39000409--RESI OIL ROCK AND GRAVEL DRYE -WITH CONTROL EQUIPMENT -TOT RECS = 3

SIC	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300DEG	300 DEG	300 DEG

SCC= 39000411--RESI OIL   PERLITE FURNACE   -NO CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   0

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 39000411--RESI OIL   PERLITE FURNACE   -NO CONTROL EQUIPMENT -TOT RECS =   0

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 39000411--RESI OIL PERLITE FURNACE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.138E 12	.104E 12	.508E 11	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.326E 12	.253E 12	.673E 11	.172E 11	.164E 11	.395E 10
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.464E 12	.357E 12	.118E 12	.172E 11	.164E 11	.395E 10

SCC = 39000411--RESI OIL PERLITE FURNACE -WITH CONTROL EQUIPMENT -TOT RECS = 3

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.464E 12	.357E 12	.118E 12	.172E 11	.164E 11	.395E 10
	.464E 12	.357E 12	.118E 12	.172E 11	.164E 11	.395E 10

CC =39000411--RESI OIL PERLITE FURNACE ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE   COUNT
                        ------------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .104E 12  !H
 201.- 300.   .0        !
 301.- 400.   .253E 12  !HH
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000430--RESI OIL FEED AND GRAIN DRYIN -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 10

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.958E 11	.899E 11	.0	.0	.0	.0
101.- 200.	.291E 12	.273E 12	.181E 12	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.161E 12	.125E 12	.0	.894E 10	.849E 10	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.548E 12	.488E 12	.181E 12	.894E 10	.849E 10	.0

SCC = 39000430--RESI OIL   FEED AND GRAIN DRYIN -NO CONTROL EQUIPMENT -TOT RECS =   10

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.548E 12	.488E 12	.181E 12	.894E 10	.849E 10	.0
	.548E 12	.488E 12	.181E 12	.894E 10	.849E 10	.0

CC = 39000430--RESI OIL   FEED AND GRAIN DRYIN-- -NO CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   10

```
TEMP RANGE   COUNT

                          ------------------------------------------------------------------------------------------------------
   0.- 100.  .899E 11    !H
 101.- 200.  .273E 12    !HH
 201.- 300.  .0          !
 301.- 400.  .125E 12    !H
 401.- 500.  .0          !
 501.- 600.  .0          !
 601.- 700.  .0          !
 701.- 800.  .0          !
 801.- 900.  .0          !
 901.-1000.  .0          !
1001.-1100.  .0          !
1101.-1200.  .0          !
1201.-1300.  .0          !
1301.-1400.  .0          !
1401.-1500.  .0          !
1501.-1600.  .0          !
1601.-1700.  .0          !
1701.-1800.  .0          !
1801.-1900.  .0          !
1901.-2000.  .0          !
2001.-2100.  .0          !
2101.-2200.  .0          !
2201.-2300.  .0          !
2301.-2400.  .0          !
2401.-2500.  .0          !
2501.-2600.  .0          !
2601.-2700.  .0          !
2701.-2800.  .0          !
2801.-2900.  .0          !
2901.-3000.  .0          !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000430--RESI OIL FEED AND GRAIN DRYIN -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 12

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.233E 10	.219E 10	.178E 10	.0	.0	.0
101.- 200.	.594E 12	.463E 12	.233E 12	.0	.0	.0
201.- 300.	.200E 12	.152E 12	.810E 11	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.796E 12	.617E 12	.315E 12	.0	.0	.0

```
SCC = 39000430--RESI OIL    FEED AND GRAIN DRYIN -WITH CONTROL EQUIPMENT -TOT RECS =     12

SIC          MAXIMUM    EXPECTED   MINIMUM    MAXIMUM    EXPECTED   MINIMUM
             60 DEG     60 DEG      60 DEG     300DEG    300 DEG    300 DEG
   20       .796E 12   .617E 12   .315E 12   .0         .0         .0

            .796E 12   .617E 12   .315E 12   .0         .0         .0

CC =39000430--RESI OIL    FEED AND GRAIN DRYIN---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     12

TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .219E 10  !H
 101.- 200.  .463E 12  !HHHH
 201.- 300.  .152E 12  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000430--RESI OIL FEED AND GRAIN DRYIN -TOTAL SCC -SIC = 0 -TOT RECS = 22

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.982E 11	.921E 11	.178E 10	.0	.0	.0
101.- 200.	.884E 12	.736E 12	.414E 12	.0	.0	.0
201.- 300.	.200E 12	.152E 12	.810E 11	.0	.0	.0
301.- 400.	.161E 12	.125E 12	.0	.894E 10	.849E 10	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.134E 13	.110E 13	.497E 12	.894E 10	.849E 10	.0

SCC = 39000430--RESI OIL FEED AND GRAIN DRYIN -TOTAL SCC -TOT RECS = 22

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.134E 13	.110E 13	.497E 12	.894E 10	.849E 10	.0
	.134E 13	.110E 13	.497E 12	.894E 10	.849E 10	.0

CC 39000430--RESI OIL FEED AND GRAIN DRYIN--TOTAL SCC -SIC = 0 -TOT RECS = 22

```
EMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .921E 11  !H
 101.- 200.  .736E 12  !HHHHHHH
 201.- 300.  .152E 12  !H
 301.- 400.  .125E 12  !H
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000431--RESI OIL FOOD-DRYING AND COOK -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 5

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 39000431--RESI OIL   FOOD-DRYING AND COOK -NO CONTROL EQUIPMENT -TOT RECS =   5

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 39000431--RESI OIL FOOD-DRYING AND COOK -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 39000431--RESI OIL FOOD-DRYING AND COOK -WITH CONTROL EQUIPMENT -TOT RECS = 1

SIC	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300DEG	300 DEG	300 DEG

SCC= 39000432--RESI OIL FERTILIZER DRYING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 0

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 39000432--RESI OIL   FERTILIZER DRYING   -NO CONTROL EQUIPMENT -TOT RECS =   0

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG

SCC= 39000432--RESI OIL FERTILIZER DRYING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 6

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.521E 11	.489E 11	.398E 11	.0	.0	.0
101.- 200.	.441E 12	.360E 12	.177E 12	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.493E 12	.408E 12	.216E 12	.0	.0	.0

SCC = 39000432--RESI OIL FERTILIZER DRYING -WITH CONTROL EQUIPMENT -TOT RECS = 6

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
28	.493E 12	.408E 12	.216E 12	.0	.0	.0
	.493E 12	.408E 12	.216E 12	.0	.0	.0

CC =39000432--RESI OIL FERTILIZER DRYING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 6

```
TEMP RANGE   COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.  .489E 11  !H
 101.- 200.  .360E 12  !HHH
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000452--RESI OIL   PULP-RECOVERY BOILER -NO CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   2

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.754E 12	.608E 12	.299E 12	.0	.0	.0
201.- 300.	.970E 11	.734E 11	.385E 11	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.851E 12	.681E 12	.337E 12	.0	.0	.0

SCC = 39000452--RESI OIL   PULP-RECOVERY BOILER -NO CONTROL EQUIPMENT -TOT RECS = 2

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.851E 12	.681E 12	.337E 12	.0	.0	.0
	.851E 12	.681E 12	.337E 12	.0	.0	.0

CC = 39000452--RESI OIL   PULP-RECOVERY BOILER-- -NO CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   2

```
TEMP RANGE   COUNT

   0.- 100.  .0        !-----------------------------------------------------------------------------------------------
 101.- 200.  .608E 12  !HHHHHH
 201.- 300.  .734E 11  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000452--RESI OIL PULP-RECOVERY BOILER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 11

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.120E 13	.893E 12	.438E 12	.0	.0	.0
201.- 300.	.377E 13	.287E 13	.154E 13	.0	.0	.0
301.- 400.	.329E 13	.254E 13	.143E 13	.107E 12	.102E 12	.930E 11
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.826E 13	.630E 13	.341E 13	.107E 12	.102E 12	.930E 11

```
SCC = 39000452--RESI OIL    PULP-RECOVERY BOILER -WITH CONTROL EQUIPMENT -TOT RECS =    11

SIC          MAXIMUM   EXPECTED   MINIMUM    MAXIMUM    EXPECTED    MINIMUM
             60 DEG    60 DEG      60 DEG      300DEG   300 DEG     300 DEG
   26       .826E 13  .630E 13   .341E 13   .107E 12   .102E 12   .930E 11


            .826E 13  .630E 13   .341E 13   .107E 12   .102E 12   .930E 11


CC =39000452--RESI OIL     PULP-RECOVERY BOILER---WITH CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     11

TEMP RANGE    COUNT

                        ------------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .893E 12  !HHHHHHHHH
 201.- 300.   .287E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.   .254E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000452--RESI OIL PULP-RECOVERY BOILER -TOTAL SCC -SIC = 0 -TOT RECS = 13

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.195E 13	.150E 13	.736E 12	.0	.0	.0
201.- 300.	.387E 13	.295E 13	.158E 13	.0	.0	.0
301.- 400.	.329E 13	.254E 13	.143E 13	.0	.0	.0
401.- 500.	.0	.0	.0	.107E 12	.102E 12	.930E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.911E 13	.699E 13	.374E 13	.107E 12	.102E 12	.930E 11

SCC = 39000452--RESI OIL   PULP-RECOVERY BOILER -TOTAL SCC -TOT RECS =   13

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.911E 13	.699E 13	.374E 13	.107E 12	.102E 12	.930E 11
	.911E 13	.699E 13	.374E 13	.107E 12	.102E 12	.930E 11

CC 39000452--RESI OIL   PULP-RECOVERY BOILER--TOTAL SCC -SIC =   0 -TOT RECS =   13

```
EMP RANGE   COUNT

                      ------------------------------------------------------------------------------------------------------
   0.- 100.   .0      !
 101.- 200.   .150E 13 !HHHHHHHHHHHHHHHH
 201.- 300.   .295E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.   .254E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.   .0      !
 501.- 600.   .0      !
 601.- 700.   .0      !
 701.- 800.   .0      !
 801.- 900.   .0      !
 901.-1000.   .0      !
1001.-1100.   .0      !
1101.-1200.   .0      !
1201.-1300.   .0      !
1301.-1400.   .0      !
1401.-1500.   .0      !
1501.-1600.   .0      !
1601.-1700.   .0      !
1701.-1800.   .0      !
1801.-1900.   .0      !
1901.-2000.   .0      !
2001.-2100.   .0      !
2101.-2200.   .0      !
2201.-2300.   .0      !
2301.-2400.   .0      !
2401.-2500.   .0      !
2501.-2600.   .0      !
2601.-2700.   .0      !
2701.-2800.   .0      !
2801.-2900.   .0      !
2901.-3000.   .0      !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000499--RESI OIL OTHER-NOT CLASSIFIED -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 318

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.188E 12	.177E 12	.448E 10	.0	.0	.0
101.- 200.	.113E 13	.937E 12	.442E 12	.0	.0	.0
201.- 300.	.750E 13	.568E 13	.228E 12	.0	.0	.0
301.- 400.	.110E 13	.849E 12	.373E 12	.0	.0	.0
401.- 500.	.382E 13	.303E 13	.171E 13	.343E 11	.326E 11	.222E 11
501.- 600.	.333E 13	.267E 13	.124E 13	.529E 12	.502E 12	.423E 12
601.- 700.	.122E 14	.997E 13	.106E 13	.634E 12	.602E 12	.390E 12
701.- 800.	.221E 13	.182E 13	.877E 12	.340E 13	.323E 13	.468E 12
801.- 900.	.580E 13	.485E 13	.213E 13	.698E 12	.664E 12	.437E 12
901.-1000.	.310E 11	.261E 11	.187E 11	.220E 13	.210E 13	.120E 13
1001.-1100.	.136E 13	.115E 13	.320E 12	.127E 11	.121E 11	.111E 11
1101.-1200.	.681E 13	.581E 13	.429E 13	.598E 12	.569E 12	.198E 12
1201.-1300.	.829E 13	.712E 13	.533E 13	.321E 13	.305E 13	.278E 13
1301.-1400.	.604E 11	.522E 11	.396E 11	.415E 13	.395E 13	.359E 13
1401.-1500.	.519E 12	.451E 12	.0	.321E 11	.305E 11	.277E 11
1501.-1600.	.0	.0	.0	.292E 12	.277E 12	.0
1601.-1700.	.112E 13	.978E 12	.0	.0	.0	.0
1701.-1800.	.212E 13	.186E 13	.105E 13	.659E 12	.626E 12	.0
1801.-1900.	.0	.0	.0	.130E 13	.124E 13	.755E 12
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.576E 14	.474E 14	.191E 14	.178E 14	.169E 14	.103E 14

SCC = 39000499--RESI OIL   OTHER-NOT CLASSIFIED -NO CONTROL EQUIPMENT -TOT RECS =   318

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
10	.902E 10	.700E 10	.399E 10	.432E 09	.411E 09	.376E 09
14	.365E 11	.342E 11	.0	.0	.0	.0
20	.683E 13	.520E 13	.368E 12	.742E 11	.704E 11	.645E 11
22	.325E 12	.266E 12	.208E 10	.909E 11	.865E 11	.497E 09
24	.560E 12	.446E 12	.549E 10	.913E 11	.868E 11	.780E 09
26	.879E 10	.656E 10	.321E 10	.0	.0	.0
27	.847E 11	.632E 11	.313E 11	.0	.0	.0
28	.400E 13	.332E 13	.790E 12	.126E 13	.120E 13	.133E 12
29	.706E 13	.574E 13	.370E 12	.177E 13	.168E 13	.161E 12
32	.283E 13	.228E 13	.112E 13	.576E 12	.548E 12	.371E 12
33	.309E 14	.261E 14	.159E 14	.125E 14	.119E 14	.937E 13
34	.141E 13	.115E 13	.618E 11	.385E 12	.366E 12	.203E 11
35	.871E 12	.701E 12	.445E 12	.178E 12	.169E 12	.155E 12
37	.445E 12	.376E 12	.336E 11	.117E 12	.111E 12	.231E 11
40	.365E 11	.342E 11	.0	.0	.0	.0
49	.246E 10	.195E 10	.120E 10	.374E 09	.355E 09	.325E 09
51	.321E 12	.263E 12	.0	.904E 11	.859E 11	.0
93	.321E 12	.263E 12	.0	.904E 11	.859E 11	.0
99	.148E 13	.124E 13	.543E 10	.563E 12	.536E 12	.284E 09
	.576E 14	.474E 14	.191E 14	.178E 14	.169E 14	.103E 14

CC = 39000499--RESI OIL   OTHER-NOT CLASSIFIED-- -NO CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   318

```
TEMP RANGE    COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.   .177E 12  !H
 101.- 200.   .937E 12  !HHHHHHHHHH
 201.- 300.   .568E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.   .849E 12  !HHHHHHHHH
 401.- 500.   .303E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 501.- 600.   .267E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHH
 601.- 700.   .997E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 701.- 800.   .182E 13  !HHHHHHHHHHHHHHHHHH
 801.- 900.   .485E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 901.-1000.   .261E 11  !H
1001.-1100.   .115E 13  !HHHHHHHHHHHH
1101.-1200.   .581E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
1201.-1300.   .712E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
1301.-1400.   .522E 11  !H
1401.-1500.   .451E 12  !HHHH
1501.-1600.   .0        !
1601.-1700.   .978E 12  !HHHHHHHHHH
1701.-1800.   .186E 13  !HHHHHHHHHHHHHHHHHHH
1801.-1900.   .0        !
                        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000499--RESI OIL OTHER-NOT CLASSIFIED -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 271

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.126E 13	.118E 13	.875E 12	.0	.0	.0
101.- 200.	.168E 14	.129E 14	.479E 13	.0	.0	.0
201.- 300.	.851E 13	.643E 13	.316E 13	.0	.0	.0
301.- 400.	.691E 13	.534E 13	.301E 13	.241E 12	.228E 12	.209E 12
401.- 500.	.117E 13	.926E 12	.431E 12	.142E 12	.135E 12	.102E 12
501.- 600.	.264E 13	.213E 13	.874E 12	.550E 12	.522E 12	.300E 12
601.- 700.	.139E 13	.114E 13	.760E 12	.391E 12	.372E 12	.340E 12
701.- 800.	.106E 14	.878E 13	.603E 13	.351E 13	.334E 13	.305E 13
801.- 900.	.203E 12	.170E 12	.120E 12	.764E 11	.727E 11	.664E 11
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.993E 12	.843E 12	.613E 12	.438E 12	.417E 12	.380E 12
1101.-1200.	.222E 11	.189E 11	.140E 11	.104E 11	.993E 10	.904E 10
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.191E 12	.165E 12	.125E 12	.101E 12	.964E 11	.876E 11
1401.-1500.	.451E 11	.393E 11	.302E 11	.254E 11	.241E 11	.219E 11
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.584E 10	.514E 10	.404E 10	.360E 10	.341E 10	.290E 10
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.507E 14	.400E 14	.208E 14	.549E 13	.522E 13	.457E 13

SCC = 39000499--RESI OIL   OTHER-NOT CLASSIFIED -WITH CONTROL EQUIPMENT -TOT RECS =   271

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
10	.251E 12	.194E 12	.129E 11	.0	.0	.0
14	.651E 12	.521E 12	.187E 12	.813E 09	.772E 09	.706E 09
20	.578E 13	.451E 13	.161E 13	.474E 12	.451E 12	.411E 12
24	.168E 12	.126E 12	.617E 11	.0	.0	.0
26	.814E 13	.617E 13	.325E 13	.553E 11	.525E 11	.480E 11
28	.703E 13	.567E 13	.283E 13	.257E 12	.244E 12	.960E 11
29	.170E 13	.136E 13	.546E 12	.297E 12	.282E 12	.235E 12
32	.884E 13	.675E 13	.342E 13	.253E 12	.240E 12	.219E 12
33	.149E 14	.122E 14	.792E 13	.394E 13	.375E 13	.337E 13
36	.402E 12	.326E 12	.211E 12	.929E 11	.884E 11	.808E 11
99	.289E 13	.221E 13	.794E 12	.120E 12	.114E 12	.104E 12
	.507E 14	.400E 14	.208E 14	.549E 13	.522E 13	.457E 13

CC =39000499--RESI OIL   OTHER-NOT CLASSIFIED---WITH CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   271

TEMP RANGE	COUNT
0.- 100.	.118E 13
101.- 200.	.129E 14
201.- 300.	.643E 13
301.- 400.	.534E 13
401.- 500.	.926E 12
501.- 600.	.213E 13
601.- 700.	.114E 13
701.- 800.	.878E 13
801.- 900.	.170E 12
901.-1000.	.0
1001.-1100.	.843E 12
1101.-1200.	.189E 11
1201.-1300.	.0
1301.-1400.	.165E 12
1401.-1500.	.393E 11
1501.-1600.	.0
1601.-1700.	.0
1701.-1800.	.514E 10
1801.-1900.	.0
1901.-2000.	.0
2001.-2100.	.0
2101.-2200.	.0
2201.-2300.	.0
2301.-2400.	.0
2401.-2500.	.0
2501.-2600.	.0



SCC= 39000499--RESI OIL   OTHER-NOT CLASSIFIED -TOTAL SCC -SIC =   0 -TOT RECS =   589

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.145E 13	.136E 13	.879E 12	.0	.0	.0
101.- 200.	.179E 14	.138E 14	.523E 13	.0	.0	.0
201.- 300.	.160E 14	.121E 14	.339E 13	.0	.0	.0
301.- 400.	.801E 13	.619E 13	.339E 13	.275E 12	.261E 12	.231E 12
401.- 500.	.500E 13	.396E 13	.214E 13	.672E 12	.638E 12	.525E 12
501.- 600.	.598E 13	.480E 13	.211E 13	.118E 13	.112E 13	.690E 12
601.- 700.	.136E 14	.111E 14	.182E 13	.379E 13	.360E 13	.808E 12
701.- 800.	.128E 14	.106E 14	.691E 13	.421E 13	.400E 13	.349E 13
801.- 900.	.600E 13	.502E 13	.225E 13	.228E 13	.217E 13	.126E 13
901.-1000.	.310E 11	.261E 11	.187E 11	.127E 11	.121E 11	.111E 11
1001.-1100.	.235E 13	.199E 13	.933E 12	.104E 13	.986E 12	.578E 12
1101.-1200.	.683E 13	.583E 13	.430E 13	.322E 13	.306E 13	.279E 13
1201.-1300.	.829E 13	.712E 13	.533E 13	.415E 13	.395E 13	.359E 13
1301.-1400.	.251E 12	.217E 12	.165E 12	.134E 12	.127E 12	.115E 12
1401.-1500.	.564E 12	.490E 12	.302E 11	.317E 12	.301E 12	.219E 11
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.112E 13	.978E 12	.0	.659E 12	.626E 12	.0
1701.-1800.	.212E 13	.187E 13	.106E 13	.131E 13	.124E 13	.758E 12
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.108E 15	.875E 14	.400E 14	.232E 14	.221E 14	.149E 14

SCC = 39000499--RESI OIL   OTHER-NOT CLASSIFIED -TOTAL SCC -TOT RECS =   589

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
10	.260E 12	.201E 12	.169E 11	.432E 09	.411E 09	.376E 09
14	.687E 12	.555E 12	.187E 12	.813E 09	.772E 09	.706E 09
20	.126E 14	.971E 13	.197E 13	.549E 12	.522E 12	.476E 12
22	.325E 12	.266E 12	.208E 10	.909E 11	.865E 11	.497E 09
24	.728E 12	.572E 12	.672E 11	.913E 11	.868E 11	.780E 09
26	.814E 13	.618E 13	.325E 13	.553E 11	.525E 11	.480E 11
27	.847E 11	.632E 11	.313E 11	.0	.0	.0
28	.110E 14	.899E 13	.362E 13	.151E 13	.144E 13	.229E 12
29	.876E 13	.710E 13	.917E 12	.206E 13	.196E 13	.397E 12
32	.117E 14	.903E 13	.455E 13	.829E 12	.787E 12	.590E 12
33	.458E 14	.383E 14	.238E 14	.164E 14	.156E 14	.127E 14
34	.141E 13	.115E 13	.618E 11	.385E 12	.366E 12	.203E 11
35	.871E 12	.701E 12	.445E 12	.178E 12	.169E 12	.155E 12
36	.402E 12	.326E 12	.211E 12	.929E 11	.884E 11	.808E 11
37	.445E 12	.376E 12	.336E 11	.117E 12	.111E 12	.231E 11
40	.365E 11	.342E 11	.0	.0	.0	.0
49	.246E 10	.195E 10	.120E 10	.374E 09	.355E 09	.325E 09
51	.321E 12	.263E 12	.0	.904E 11	.859E 11	.0
93	.321E 12	.263E 12	.0	.904E 11	.859E 11	.0
99	.438E 13	.346E 13	.799E 12	.682E 12	.650E 12	.104E 12
	.108E 15	.875E 14	.400E 14	.232E 14	.221E 14	.149E 14

CC 39000499--RESI OIL   OTHER-NOT CLASSIFIED--TOTAL SCC -SIC =   0 -TOT RECS =   589

```
EMP RANGE    COUNT
                    ----------------------------------------------------------------------------------------------------
   0.- 100.  .136E 13  !HHHHHHHHHHHHHH
 101.- 200.  .138E 14  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .121E 14  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.  .619E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.  .396E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 501.- 600.  .480E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 601.- 700.  .111E 14  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 701.- 800.  .106E 14  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 801.- 900.  .502E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 901.-1000.  .261E 11  !H
1001.-1100.  .199E 13  !HHHHHHHHHHHHHHHHHHHH
1101.-1200.  .583E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
1201.-1300.  .712E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
1301.-1400.  .217E 12  !HH
1401.-1500.  .490E 12  !HHHH
1501.-1600.  .0        !
1601.-1700.  .978E 12  !HHHHHHHHHH
1701.-1800.  .187E 13  !HHHHHHHHHHHHHHHHHHH
1801.-1900.  .0        !
                    0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000501--DIST OIL   ASPHALT DRYER   -NO CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   101

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.128E 10	.120E 10	.890E 06	.0	.0	.0
101.- 200.	.144E 12	.119E 12	.408E 11	.0	.0	.0
201.- 300.	.440E 11	.336E 11	.182E 11	.0	.0	.0
301.- 400.	.440E 11	.341E 11	.0	.195E 10	.185E 10	.0
401.- 500.	.125E 13	.995E 12	.993E 10	.190E 12	.181E 12	.265E 10
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.148E 13	.118E 13	.690E 11	.192E 12	.182E 12	.265E 10

SCC = 39000501--DIST OIL ASPHALT DRYER -NO CONTROL EQUIPMENT -TOT RECS = 101

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
16	.382E 10	.288E 10	.147E 10	.0	.0	.0
29	.141E 13	.113E 13	.675E 11	.182E 12	.173E 12	.265E 10
32	.166E 11	.132E 11	.0	.253E 10	.240E 10	.0
99	.499E 11	.397E 11	.856E 07	.758E 10	.720E 10	.0
	.148E 13	.118E 13	.690E 11	.192E 12	.182E 12	.265E 10

CC = 39000501--DIST OIL ASPHALT DRYER -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 101

```
TEMP RANGE   COUNT
                     ----------------------------------------------------------------------------------------------------
   0.- 100.  .120E 10  !H
 101.- 200.  .119E 12  !H
 201.- 300.  .336E 11  !H
 301.- 400.  .341E 11  !H
 401.- 500.  .995E 12  !HHHHHHHHH
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000501--DIST OIL ASPHALT DRYER -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 841

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.307E 12	.288E 12	.186E 12	.0	.0	.0
101.- 200.	.140E 14	.108E 14	.335E 13	.0	.0	.0
201.- 300.	.531E 13	.403E 13	.192E 13	.0	.0	.0
301.- 400.	.745E 12	.577E 12	.250E 12	.307E 11	.291E 11	.204E 11
401.- 500.	.375E 11	.298E 11	.183E 11	.570E 10	.542E 10	.495E 10
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.137E 11	.117E 11	.863E 10	.646E 10	.615E 10	.559E 10
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.204E 14	.158E 14	.573E 13	.428E 11	.407E 11	.309E 11

SCC = 39000501--DIST OIL ASPHALT DRYER -WITH CONTROL EQUIPMENT -TOT RECS = 841

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
2	.314E 11	.238E 11	.125E 11	.0	.0	.0
14	.279E 12	.216E 12	.671E 11	.438E 09	.416E 09	.381E 09
16	.123E 12	.990E 11	.282E 11	.371E 09	.352E 09	.322E 09
25	.282E 10	.265E 10	.142E 10	.0	.0	.0
28	.990E 11	.755E 11	.290E 11	.646E 10	.615E 10	.559E 10
29	.192E 14	.148E 14	.541E 13	.356E 11	.338E 11	.246E 11
32	.284E 12	.216E 12	.870E 11	.0	.0	.0
35	.522E 10	.442E 10	.217E 10	.0	.0	.0
49	.249E 11	.187E 11	.917E 10	.0	.0	.0
50	.184E 11	.173E 11	.101E 11	.0	.0	.0
51	.130E 11	.122E 11	.0	.0	.0	.0
93	.298E 11	.222E 11	.0	.0	.0	.0
99	.286E 12	.217E 12	.765E 11	.0	.0	.0
	.204E 14	.158E 14	.573E 13	.428E 11	.407E 11	.309E 11

CC =39000501--DIST OIL ASPHALT DRYER ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 841

```
TEMP RANGE   COUNT
                    ----------------------------------------------------------------------------------------------------
   0.- 100.  .288E 12  !HH
 101.- 200.  .108E 14  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .403E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 301.- 400.  .577E 12  !HHHHH
 401.- 500.  .298E 11  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .117E 11  !H
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000501--DIST OIL ASPHALT DRYER -TOTAL SCC -SIC = 0 -TOT RECS = 942

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.308E 12	.289E 12	.186E 12	.0	.0	.0
101.- 200.	.142E 14	.109E 14	.339E 13	.0	.0	.0
201.- 300.	.535E 13	.406E 13	.193E 13	.0	.0	.0
301.- 400.	.789E 12	.611E 12	.250E 12	.326E 11	.310E 11	.204E 11
401.- 500.	.129E 13	.102E 13	.283E 11	.196E 12	.186E 12	.760E 10
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.137E 11	.117E 11	.863E 10	.646E 10	.615E 10	.559E 10
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.219E 14	.169E 14	.580E 13	.235E 12	.223E 12	.336E 11

SCC = 39000501--DIST OIL   ASPHALT DRYER   -TOTAL SCC -TOT RECS =   942

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
2	.314E 11	.238E 11	.125E 11	.0	.0	.0
14	.279E 12	.216E 12	.671E 11	.438E 09	.416E 09	.381E 09
16	.127E 12	.102E 12	.296E 11	.371E 09	.352E 09	.322E 09
25	.282E 10	.265E 10	.142E 10	.0	.0	.0
28	.990E 11	.755E 11	.290E 11	.646E 10	.615E 10	.559E 10
29	.206E 14	.160E 14	.547E 13	.218E 12	.207E 12	.273E 11
32	.301E 12	.229E 12	.870E 11	.253E 10	.240E 10	.0
35	.522E 10	.442E 10	.217E 10	.0	.0	.0
49	.249E 11	.187E 11	.917E 10	.0	.0	.0
50	.184E 11	.173E 11	.101E 11	.0	.0	.0
51	.130E 11	.122E 11	.0	.0	.0	.0
93	.298E 11	.222E 11	.0	.0	.0	.0
99	.336E 12	.257E 12	.765E 11	.758E 10	.720E 10	.0
	.219E 14	.169E 14	.580E 13	.235E 12	.223E 12	.336E 11

CC 39000501--DIST OIL   ASPHALT DRYER   --TOTAL SCC -SIC =   0 -TOT RECS =   942

EMP RANGE	COUNT
0.- 100.	.289E 12
101.- 200.	.109E 14
201.- 300.	.406E 13
301.- 400.	.611E 12
401.- 500.	.102E 13
501.- 600.	.0
601.- 700.	.0
701.- 800.	.0
801.- 900.	.0
901.-1000.	.0
1001.-1100.	.0
1101.-1200.	.0
1201.-1300.	.117E 11
1301.-1400.	.0
1401.-1500.	.0
1501.-1600.	.0
1601.-1700.	.0
1701.-1800.	.0
1801.-1900.	.0
1901.-2000.	.0
2001.-2100.	.0
2101.-2200.	.0
2201.-2300.	.0



SCC= 39000502--DIST OIL CEMENT KILN AND DRYE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 7

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.105E 12	.796E 11	.186E 11	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.174E 10	.142E 10	.936E 09	.0	.0	.0
701.- 800.	.0	.0	.0	.458E 09	.435E 09	.398E 09
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.106E 12	.811E 11	.196E 11	.458E 09	.435E 09	.398E 09

SCC = 39000502--DIST OIL CEMENT KILN AND DRYE -NO CONTROL EQUIPMENT -TOT RECS = 7

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
29	.295E 11	.223E 11	.0	.0	.0	.0
32	.751E 11	.573E 11	.186E 11	.0	.0	.0
33	.174E 10	.142E 10	.936E 09	.458E 09	.435E 09	.398E 09
	.106E 12	.811E 11	.196E 11	.458E 09	.435E 09	.398E 09

CC = 39000502--DIST OIL CEMENT KILN AND DRYE-- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 7

```
TEMP RANGE   COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.  .0        !
 101.- 200.  .0        !
 201.- 300.  .796E 11  !H
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .142E 10  !H
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90------100
```

SCC= 39000502--DIST OIL CEMENT KILN AND DRYE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 28

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.134E 12	.105E 12	.558E 11	.0	.0	.0
201.- 300.	.149E 13	.113E 13	.581E 12	.0	.0	.0
301.- 400.	.328E 13	.253E 13	.112E 13	.0	.0	.0
401.- 500.	.178E 13	.141E 13	.664E 12	.110E 12	.104E 12	.731E 11
501.- 600.	.148E 13	.119E 13	.751E 12	.219E 12	.207E 12	.149E 12
601.- 700.	.0	.0	.0	.289E 12	.275E 12	.251E 12
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.816E 13	.636E 13	.317E 13	.617E 12	.586E 12	.474E 12

SCC = 39000502--DIST OIL CEMENT KILN AND DRYE -WITH CONTROL EQUIPMENT -TOT RECS = 28

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
29	.380E 12	.293E 12	.158E 12	.0	.0	.0
32	.778E 13	.606E 13	.302E 13	.617E 12	.586E 12	.474E 12
	.816E 13	.636E 13	.317E 13	.617E 12	.586E 12	.474E 12

CC =39000502--DIST OIL CEMENT KILN AND DRYE---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 28

```
TEMP RANGE     COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .105E 12  !H
 201.- 300.   .113E 13  !HHHHHHHHHHHH
 301.- 400.   .253E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.   .141E 13  !HHHHHHHHHHHHHHH
 501.- 600.   .119E 13  !HHHHHHHHHHHH
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000502--DIST OIL CEMENT KILN AND DRYE -TOTAL SCC -SIC = 0 -TOT RECS = 35

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.134E 12	.105E 12	.558E 11	.0	.0	.0
201.- 300.	.160E 13	.121E 13	.599E 12	.0	.0	.0
301.- 400.	.328E 13	.253E 13	.112E 13	.0	.0	.0
401.- 500.	.178E 13	.141E 13	.664E 12	.110E 12	.104E 12	.731E 11
501.- 600.	.148E 13	.119E 13	.751E 12	.219E 12	.207E 12	.149E 12
601.- 700.	.174E 10	.142E 10	.936E 09	.289E 12	.275E 12	.251E 12
701.- 800.	.0	.0	.0	.458E 09	.435E 09	.398E 09
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.827E 13	.644E 13	.319E 13	.618E 12	.587E 12	.474E 12

SCC = 39000502--DIST OIL   CEMENT KILN AND DRYE -TOTAL SCC -TOT RECS =   35

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
29	.410E 12	.316E 12	.158E 12	.0	.0	.0
32	.786E 13	.612E 13	.304E 13	.617E 12	.586E 12	.474E 12
33	.174E 10	.142E 10	.936E 09	.458E 09	.435E 09	.398E 09
	.827E 13	.644E 13	.319E 13	.618E 12	.587E 12	.474E 12

CC 39000502--DIST OIL   CEMENT KILN AND DRYE--TOTAL SCC -SIC =   0 -TOT RECS =   35

```
EMP RANGE   COUNT

                      -----------------------------------------------------------------------------------------------------
   0.- 100.  .0       !
 101.- 200.  .105E 12 !H
 201.- 300.  .121E 13 !HHHHHHHHHHHHH
 301.- 400.  .253E 13 !HHHHHHHHHHHHHHHHHHHHHHHHHH
 401.- 500.  .141E 13 !HHHHHHHHHHHHHHH
 501.- 600.  .119E 13 !HHHHHHHHHHHH
 601.- 700.  .142E 10 !H
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000503--DIST OIL   LIME KILN   -NO CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   5

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.150E 11	.134E 11	.658E 10	.0	.0	.0
201.- 300.	.133E 12	.102E 12	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.607E 12	.481E 12	.293E 12	.845E 11	.803E 11	.734E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.755E 12	.596E 12	.300E 12	.845E 11	.803E 11	.734E 11

SCC = 39000503--DIST OIL LIME KILN -NO CONTROL EQUIPMENT -TOT RECS = 5

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.622E 12	.495E 12	.300E 12	.845E 11	.803E 11	.734E 11
33	.133E 12	.102E 12	.0	.0	.0	.0
	.755E 12	.596E 12	.300E 12	.845E 11	.803E 11	.734E 11

CC = 39000503--DIST OIL LIME KILN -- -NO CONTROL EQUIPMENT -SIC=) -TOTAL RECS = 5

```
TEMP RANGE    COUNT
                        ------------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .134E 11  !H
 201.- 300.   .102E 12  !H
 301.- 400.   .0        !
 401.- 500.   .481E 12  !HHHH
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000503--DIST OIL LIME KILN -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 18

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.245E 11	.230E 11	.188E 11	.0	.0	.0
101.- 200.	.201E 13	.152E 13	.553E 12	.0	.0	.0
201.- 300.	.113E 13	.856E 12	.372E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.903E 10	.718E 10	.442E 10	.137E 10	.130E 10	.119E 10
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.317E 13	.241E 13	.948E 12	.137E 10	.130E 10	.119E 10

SCC = 39000503--DIST OIL LIME KILN -WITH CONTROL EQUIPMENT -TOT RECS = 18

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.153E 12	.132E 12	.442E 10	.137E 10	.130E 10	.119E 10
26	.260E 13	.196E 13	.919E 12	.0	.0	.0
32	.415E 12	.318E 12	.245E 11	.0	.0	.0
	.317E 13	.241E 13	.948E 12	.137E 10	.130E 10	.119E 10

CC =39000503--DIST OIL LIME KILN ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 18

```
TEMP RANGE   COUNT
                    ------------------------------------------------------------------------------------------------------
   0.- 100.  .230E 11  !H
 101.- 200.  .152E 13  !HHHHHHHHHHHHHHH
 201.- 300.  .856E 12  !HHHHHHHH
 301.- 400.  .0        !
 401.- 500.  .718E 10  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000503--DIST OIL   LIME KILN   -TOTAL SCC -SIC =   0 -TOT RECS =   23

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.245E 11	.230E 11	.188E 11	.0	.0	.0
101.- 200.	.202E 13	.153E 13	.560E 12	.0	.0	.0
201.- 300.	.126E 13	.958E 12	.372E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.616E 12	.488E 12	.298E 12	.859E 11	.816E 11	.746E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.392E 13	.300E 13	.125E 13	.859E 11	.816E 11	.746E 11

SCC = 39000503--DIST OIL LIME KILN -TOTAL SCC -TOT RECS = 23

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.153E 12	.132E 12	.442E 10	.137E 10	.130E 10	.119E 10
26	.260E 13	.196E 13	.919E 12	.0	.0	.0
32	.104E 13	.812E 12	.324E 12	.845E 11	.803E 11	.734E 11
33	.133E 12	.102E 12	.0	.0	.0	.0
	.392E 13	.300E 13	.125E 13	.859E 11	.816E 11	.746E 11

CC 39000503--DIST OIL LIME KILN --TOTAL SCC -SIC = 0 -TOT RECS = 23

```
EMP RANGE     COUNT

                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .230E 11   !H
 101.- 200.  .153E 13   !HHHHHHHHHHHHHHHH
 201.- 300.  .958E 12   !HHHHHHHHH
 301.- 400.  .0         !
 401.- 500.  .488E 12   !HHHH
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000504--DIST OIL KAOLIN KILN -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.147E 12	.123E 12	.865E 11	.545E 11	.518E 11	.473E 11
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.147E 12	.123E 12	.865E 11	.545E 11	.518E 11	.473E 11

SCC = 39000504--DIST OIL   KAOLIN KILN   -NO CONTROL EQUIPMENT -TOT RECS = 1

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.147E 12	.123E 12	.865E 11	.545E 11	.518E 11	.473E 11
	.147E 12	.123E 12	.865E 11	.545E 11	.518E 11	.473E 11

CC = 39000504--DIST OIL   KAOLIN KILN   -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 1

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------
   0.- 100.   .0      !
 101.- 200.   .0      !
 201.- 300.   .0      !
 301.- 400.   .0      !
 401.- 500.   .0      !
 501.- 600.   .0      !
 601.- 700.   .0      !
 701.- 800.   .0      !
 801.- 900.   .123E 12 !H
 901.-1000.   .0      !
1001.-1100.   .0      !
1101.-1200.   .0      !
1201.-1300.   .0      !
1301.-1400.   .0      !
1401.-1500.   .0      !
1501.-1600.   .0      !
1601.-1700.   .0      !
1701.-1800.   .0      !
1801.-1900.   .0      !
1901.-2000.   .0      !
2001.-2100.   .0      !
2101.-2200.   .0      !
2201.-2300.   .0      !
2301.-2400.   .0      !
2401.-2500.   .0      !
2501.-2600.   .0      !
2601.-2700.   .0      !
2701.-2800.   .0      !
2801.-2900.   .0      !
2901.-3000.   .0      !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000504--DIST OIL KAOLIN KILN -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 18

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.103E 11	.967E 10	.788E 10	.0	.0	.0
101.- 200.	.160E 13	.120E 13	.550E 12	.0	.0	.0
201.- 300.	.417E 11	.315E 11	.163E 11	.0	.0	.0
301.- 400.	.265E 12	.205E 12	.116E 12	.104E 11	.990E 10	.906E 10
401.- 500.	.156E 12	.124E 12	.765E 11	.238E 11	.226E 11	.207E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.207E 13	.157E 13	.767E 12	.342E 11	.325E 11	.297E 11

SCC = 39000504--DIST OIL   KAOLIN KILN   -WITH CONTROL EQUIPMENT -TOT RECS =   18

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
25	.156E 12	.124E 12	.765E 11	.238E 11	.226E 11	.207E 11
32	.191E 13	.144E 13	.683E 12	.104E 11	.990E 10	.906E 10
33	.103E 11	.967E 10	.788E 10	.0	.0	.0
	.207E 13	.157E 13	.767E 12	.342E 11	.325E 11	.297E 11

CC =39000504--DIST OIL   KAOLIN KILN   ---WITH CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   18

```
TEMP RANGE   COUNT
                       ------------------------------------------------------------------------------------------------------
   0.- 100.  .967E 10  !H
 101.- 200.  .120E 13  !HHHHHHHHHHHH
 201.- 300.  .315E 11  !H
 301.- 400.  .205E 12  !HH
 401.- 500.  .124E 12  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000504--DIST OIL KAOLIN KILN -TOTAL SCC -SIC = 0 -TOT RECS = 19

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.103E 11	.967E 10	.788E 10	.0	.0	.0
101.- 200.	.160E 13	.120E 13	.550E 12	.0	.0	.0
201.- 300.	.417E 11	.315E 11	.163E 11	.0	.0	.0
301.- 400.	.265E 12	.205E 12	.116E 12	.0	.0	.0
401.- 500.	.156E 12	.124E 12	.765E 11	.104E 11	.990E 10	.906E 10
501.- 600.	.0	.0	.0	.238E 11	.226E 11	.207E 11
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.147E 12	.123E 12	.865E 11	.0	.0	.0
901.-1000.	.0	.0	.0	.545E 11	.518E 11	.473E 11
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.222E 13	.170E 13	.854E 12	.887E 11	.843E 11	.770E 11

SCC = 39000504--DIST OIL   KAOLIN KILN   -TOTAL SCC -TOT RECS =   19

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
25	.156E 12	.124E 12	.765E 11	.238E 11	.226E 11	.207E 11
32	.205E 13	.156E 13	.769E 12	.649E 11	.617E 11	.564E 11
33	.103E 11	.967E 10	.788E 10	.0	.0	.0
	.222E 13	.170E 13	.854E 12	.887E 11	.843E 11	.770E 11

```
CC 39000504--DIST OIL     KAOLIN KILN         --TOTAL SCC  -SIC =    0 -TOT RECS =     19

EMP RANGE   COUNT
                         ----------------------------------------------------------------------------------------------------
   0.- 100.  .967E 10  !H
 101.- 200.  .120E 13  !HHHHHHHHHHHH
 201.- 300.  .315E 11  !H
 301.- 400.  .205E 12  !HH
 401.- 500.  .124E 12  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .123E 12  !H
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000505--DIST OIL METAL MELTING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 106

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.415E 11	.389E 11	.534E 10	.0	.0	.0
101.- 200.	.165E 12	.124E 12	.659E 10	.0	.0	.0
201.- 300.	.152E 11	.117E 11	.640E 10	.0	.0	.0
301.- 400.	.455E 12	.355E 12	.785E 11	.302E 11	.287E 11	.110E 11
401.- 500.	.184E 12	.145E 12	.878E 11	.237E 11	.225E 11	.205E 11
501.- 600.	.203E 13	.164E 13	.107E 13	.473E 12	.449E 12	.411E 12
601.- 700.	.137E 12	.112E 12	.813E 10	.385E 11	.366E 11	.364E 10
701.- 800.	.333E 12	.274E 12	.115E 12	.102E 12	.971E 11	.550E 11
801.- 900.	.455E 13	.380E 13	.261E 12	.167E 13	.159E 13	.146E 12
901.-1000.	.483E 12	.407E 12	.292E 12	.199E 12	.189E 12	.172E 12
1001.-1100.	.157E 12	.133E 12	.0	.680E 11	.647E 11	.0
1101.-1200.	.127E 10	.108E 10	.799E 09	.597E 09	.568E 09	.517E 09
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.228E 12	.198E 12	.153E 12	.128E 12	.122E 12	.111E 12
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.212E 12	.186E 12	.172E 09	.125E 12	.119E 12	.124E 09
1701.-1800.	.227E 12	.200E 12	.0	.140E 12	.133E 12	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.197E 12	.175E 12	.139E 12	.128E 12	.122E 12	.994E 11
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.568E 12	.505E 12	.0	.396E 12	.363E 12	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.233E 11	.207E 11	.167E 11	.169E 11	.152E 11	.146E 11
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.120E 11	.108E 11	.878E 10	.960E 10	.828E 10	.898E 10
	.100E 14	.834E 13	.225E 13	.355E 13	.336E 13	.105E 13

SCC = 39000505--DIST OIL METAL MELTING -NO CONTROL EQUIPMENT -TOT RECS = 106

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
10	.271E 12	.226E 12	.0	.965E 11	.919E 11	.0
14	.147E 12	.111E 12	.0	.0	.0	.0
28	.574E 10	.434E 10	.223E 10	.0	.0	.0
33	.911E 13	.759E 13	.220E 13	.327E 13	.310E 13	.102E 13
34	.302E 12	.254E 12	.639E 10	.101E 12	.958E 11	.358E 10
35	.115E 09	.873E 08	.457E 08	.0	.0	.0
36	.135E 12	.113E 12	.0	.483E 11	.459E 11	.0
50	.127E 10	.108E 10	.799E 09	.597E 09	.568E 09	.517E 09
91	.248E 11	.215E 11	.164E 11	.145E 11	.129E 11	.132E 11
97	.233E 11	.207E 11	.167E 11	.169E 11	.152E 11	.146E 11
	.100E 14	.834E 13	.225E 13	.355E 13	.336E 13	.105E 13

CC = 39000505--DIST OIL METAL MELTING -- -NO CONTROL EQUIPMENT -SIC=) -TOTAL RECS = 106

```
TEMP RANGE     COUNT
                      ----------------------------------------------------------------------------------------------------
   0.- 100.   .389E 11  !H
 101.- 200.   .124E 12  !H
 201.- 300.   .117E 11  !H
 301.- 400.   .355E 12  !HHH
 401.- 500.   .145E 12  !H
 501.- 600.   .164E 13  !HHHHHHHHHHHHHHHHH
 601.- 700.   .112E 12  !H
 701.- 800.   .274E 12  !HH
 801.- 900.   .380E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 901.-1000.   .407E 12  !HHHH
1001.-1100.   .133E 12  !H
1101.-1200.   .108E 10  !H
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .198E 12  !H
1501.-1600.   .0        !
1601.-1700.   .186E 12  !H
1701.-1800.   .200E 12  !H
1801.-1900.   .0        !
1901.-2000.   .175E 12  !H
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .505E 12  !HHHHH
2301.-2400.   .0        !
2401.-2500.   .207E 11  !H
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .108E 11  !H
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000505--DIST OIL METAL MELTING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 44

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.168E 12	.158E 12	.248E 11	.0	.0	.0
101.- 200.	.315E 13	.237E 13	.562E 12	.0	.0	.0
201.- 300.	.192E 13	.144E 13	.742E 12	.0	.0	.0
301.- 400.	.586E 12	.452E 12	.112E 12	.160E 11	.152E 11	.354E 10
401.- 500.	.133E 13	.105E 13	.639E 12	.177E 12	.168E 12	.154E 12
501.- 600.	.393E 12	.316E 12	.0	.819E 11	.777E 11	.0
601.- 700.	.679E 12	.557E 12	.372E 12	.191E 12	.182E 12	.166E 12
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.591E 12	.494E 12	.582E 11	.221E 12	.210E 12	.326E 11
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.215E 12	.184E 12	.136E 12	.101E 12	.965E 11	.878E 11
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.268E 11	.233E 11	.179E 11	.151E 11	.143E 11	.130E 11
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.145E 12	.128E 12	.102E 12	.943E 11	.894E 11	.730E 11
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.920E 13	.718E 13	.277E 13	.898E 12	.854E 12	.530E 12

SCC = 39000505--DIST OIL METAL MELTING -WITH CONTROL EQUIPMENT -TOT RECS = 44

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
10	.315E 13	.236E 13	.870E 12	.0	.0	.0
32	.416E 12	.329E 12	.122E 12	.0	.0	.0
33	.511E 13	.407E 13	.161E 13	.797E 12	.757E 12	.443E 12
34	.493E 12	.391E 12	.136E 12	.101E 12	.965E 11	.878E 11
35	.324E 11	.304E 11	.248E 11	.0	.0	.0
	.920E 13	.718E 13	.277E 13	.898E 12	.854E 12	.530E 12

CC =39000505--DIST OIL METAL MELTING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 44

```
TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .158E 12  !H
 101.- 200.  .237E 13  !HHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .144E 13  !HHHHHHHHHHHHHHH
 301.- 400.  .452E 12  !HHHH
 401.- 500.  .105E 13  !HHHHHHHHHHH
 501.- 600.  .316E 12  !HHH
 601.- 700.  .557E 12  !HHHHH
 701.- 800.  .0        !
 801.- 900.  .494E 12  !HHHH
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .184E 12  !H
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .233E 11  !H
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .128E 12  !H
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90--------100
```

SCC= 39000505--DIST OIL METAL MELTING -TOTAL SCC -SIC = 0 -TOT RECS = 150

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.209E 12	.196E 12	.301E 11	.0	.0	.0
101.- 200.	.331E 13	.249E 13	.569E 12	.0	.0	.0
201.- 300.	.193E 13	.146E 13	.749E 12	.0	.0	.0
301.- 400.	.104E 13	.807E 12	.190E 12	.462E 11	.439E 11	.146E 11
401.- 500.	.151E 13	.120E 13	.727E 12	.201E 12	.191E 12	.175E 12
501.- 600.	.242E 13	.196E 13	.107E 13	.555E 12	.527E 12	.411E 12
601.- 700.	.816E 12	.668E 12	.380E 12	.230E 12	.219E 12	.170E 12
701.- 800.	.333E 12	.274E 12	.115E 12	.102E 12	.971E 11	.550E 11
801.- 900.	.514E 13	.429E 13	.319E 12	.189E 13	.180E 13	.179E 12
901.-1000.	.483E 12	.407E 12	.292E 12	.199E 12	.189E 12	.172E 12
1001.-1100.	.157E 12	.133E 12	.0	.680E 11	.647E 11	.0
1101.-1200.	.217E 12	.185E 12	.137E 12	.102E 12	.971E 11	.884E 11
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.255E 12	.222E 12	.171E 12	.143E 12	.136E 12	.124E 12
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.212E 12	.186E 12	.172E 09	.125E 12	.119E 12	.124E 09
1701.-1800.	.227E 12	.200E 12	.0	.140E 12	.133E 12	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.342E 12	.303E 12	.242E 12	.223E 12	.211E 12	.172E 12
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.568E 12	.505E 12	.0	.396E 12	.363E 12	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.233E 11	.207E 11	.167E 11	.169E 11	.152E 11	.146E 11
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.120E 11	.108E 11	.878E 10	.960E 10	.828E 10	.898E 10
	.192E 14	.155E 14	.501E 13	.445E 13	.422E 13	.159E 13

SCC = 39000505--DIST OIL   METAL MELTING   -TOTAL SCC -TOT RECS =   150

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
10	.342E 13	.258E 13	.870E 12	.965E 11	.919E 11	.0
14	.147E 12	.111E 12	.0	.0	.0	.0
28	.574E 10	.434E 10	.223E 10	.0	.0	.0
32	.416E 12	.329E 12	.122E 12	.0	.0	.0
33	.142E 14	.117E 14	.382E 13	.407E 13	.386E 13	.147E 13
34	.795E 12	.645E 12	.142E 12	.202E 12	.192E 12	.914E 11
35	.326E 11	.305E 11	.248E 11	.0	.0	.0
36	.135E 12	.113E 12	.0	.483E 11	.459E 11	.0
50	.127E 10	.108E 10	.799E 09	.597E 09	.568E 09	.517E 09
91	.248E 11	.215E 11	.164E 11	.145E 11	.129E 11	.132E 11
97	.233E 11	.207E 11	.167E 11	.169E 11	.152E 11	.146E 11
	.192E 14	.155E 14	.501E 13	.445E 13	.422E 13	.159E 13

CC 39000505--DIST OIL   METAL MELTING   --TOTAL SCC -SIC =   0 -TOT RECS =   150

```
EMP RANGE   COUNT

                       ------------------------------------------------------------------------------------------------------------
   0.- 100.  .196E 12  !H
 101.- 200.  .249E 13  !HHHHHHHHHHHHHHHHHHHHHHHHH
 201.- 300.  .146E 13  !HHHHHHHHHHHHHHH
 301.- 400.  .807E 12  !HHHHHHHH
 401.- 500.  .120E 13  !HHHHHHHHHHHH
 501.- 600.  .196E 13  !HHHHHHHHHHHHHHHHHHHH
 601.- 700.  .668E 12  !HHHHHH
 701.- 800.  .274E 12  !HH
 801.- 900.  .429E 13  !HHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHHH
 901.-1000.  .407E 12  !HHHH
1001.-1100.  .133E 12  !H
1101.-1200.  .185E 12  !H
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .222E 12  !HH
1501.-1600.  .0        !
1601.-1700.  .186E 12  !H
1701.-1800.  .200E 12  !H
1801.-1900.  .0        !
1901.-2000.  .303E 12  !HHH
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .505E 12  !HHHHH
2301.-2400.  .0        !
2401.-2500.  .207E 11  !H
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .108E 11  !H
```

SCC= 39000506--DIST OIL   BRICK KILN AND DRYER -NO CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   55

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.111E 12	.831E 11	.407E 11	.0	.0	.0
201.- 300.	.383E 12	.292E 12	.121E 12	.0	.0	.0
301.- 400.	.177E 13	.138E 13	.318E 12	.108E 12	.103E 12	.291E 11
401.- 500.	.186E 13	.147E 13	.839E 12	.244E 12	.232E 12	.198E 12
501.- 600.	.645E 12	.521E 12	.335E 12	.142E 12	.135E 12	.123E 12
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.128E 12	.106E 12	.730E 11	.425E 11	.404E 11	.369E 11
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.275E 11	.237E 11	.180E 11	.144E 11	.137E 11	.125E 11
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.492E 13	.387E 13	.175E 13	.551E 12	.523E 12	.400E 12

```
SCC = 39000506--DIST OIL    BRICK KILN AND DRYER -NO CONTROL EQUIPMENT -TOT RECS =     55

SIC           MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
               60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   14        .168E 11   .131E 11   .765E 10   .125E 10   .119E 10   .109E 10
   20        .280E 11   .217E 11   .123E 11   .124E 10   .117E 10   .107E 10
   32        .488E 13   .384E 13   .173E 13   .548E 12   .521E 12   .398E 12

             .492E 13   .387E 13   .175E 13   .551E 12   .523E 12   .400E 12

CC = 39000506--DIST OIL     BRICK KILN AND DRYER--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =     55

TEMP RANGE   COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .0         !
 101.- 200.  .831E 11   !H
 201.- 300.  .292E 12   !HH
 301.- 400.  .138E 13   !HHHHHHHHHHHHHH
 401.- 500.  .147E 13   !HHHHHHHHHHHHHHH
 501.- 600.  .521E 12   !HHHHH
 601.- 700.  .0         !
 701.- 800.  .106E 12   !H
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .237E 11   !H
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000506--DIST OIL   BRICK KILN AND DRYER -WITH CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   4

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.895E 11	.678E 11	.0	.0	.0	.0
301.- 400.	.199E 12	.154E 12	.0	.730E 10	.693E 10	.0
401.- 500.	.114E 12	.905E 11	.556E 11	.173E 11	.164E 11	.150E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.402E 12	.312E 12	.556E 11	.246E 11	.234E 11	.150E 11

SCC = 39000506--DIST OIL BRICK KILN AND DRYER -WITH CONTROL EQUIPMENT -TOT RECS = 4

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.199E 12	.154E 12	.0	.730E 10	.693E 10	.0
32	.203E 12	.158E 12	.556E 11	.173E 11	.164E 11	.150E 11
	.402E 12	.312E 12	.556E 11	.246E 11	.234E 11	.150E 11

CC =39000506--DIST OIL BRICK KILN AND DRYER---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 4

```
TEMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------------
   0.- 100.  .0       !
 101.- 200.  .0       !
 201.- 300.  .678E 11 !H
 301.- 400.  .154E 12 !H
 401.- 500.  .905E 11 !H
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000506--DIST OIL   BRICK KILN AND DRYER -TOTAL SCC -SIC =   0 -TOT RECS =   59

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.111E 12	.831E 11	.407E 11	.0	.0	.0
201.- 300.	.473E 12	.360E 12	.121E 12	.0	.0	.0
301.- 400.	.197E 13	.153E 13	.318E 12	.115E 12	.109E 12	.291E 11
401.- 500.	.197E 13	.156E 13	.895E 12	.261E 12	.248E 12	.213E 12
501.- 600.	.645E 12	.521E 12	.335E 12	.142E 12	.135E 12	.123E 12
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.128E 12	.106E 12	.730E 11	.425E 11	.404E 11	.369E 11
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.275E 11	.237E 11	.180E 11	.144E 11	.137E 11	.125E 11
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.532E 13	.418E 13	.180E 13	.575E 12	.546E 12	.415E 12

SCC = 39000506--DIST OIL   BRICK KILN AND DRYER -TOTAL SCC -TOT RECS =   59

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.215E 12	.167E 12	.765E 10	.855E 10	.812E 10	.109E 10
20	.280E 11	.217E 11	.123E 11	.124E 10	.117E 10	.107E 10
32	.508E 13	.399E 13	.178E 13	.566E 12	.537E 12	.413E 12
	.532E 13	.418E 13	.180E 13	.575E 12	.546E 12	.415E 12

CC 39000506--DIST OIL   BRICK KILN AND DRYER--TOTAL SCC -SIC =   0 -TOT RECS =   59

```
EMP RANGE   COUNT

                          ----------------------------------------------------------------------------------------------------
   0.- 100.   .0          !
 101.- 200.   .831E 11    !H
 201.- 300.   .360E 12    !HHH
 301.- 400.   .153E 13    !HHHHHHHHHHHHHHHH
 401.- 500.   .156E 13    !HHHHHHHHHHHHHHHH
 501.- 600.   .521E 12    !HHHHH
 601.- 700.   .0          !
 701.- 800.   .106E 12    !H
 801.- 900.   .0          !
 901.-1000.   .0          !
1001.-1100.   .0          !
1101.-1200.   .0          !
1201.-1300.   .0          !
1301.-1400.   .237E 11    !H
1401.-1500.   .0          !
1501.-1600.   .0          !
1601.-1700.   .0          !
1701.-1800.   .0          !
1801.-1900.   .0          !
1901.-2000.   .0          !
2001.-2100.   .0          !
2101.-2200.   .0          !
2201.-2300.   .0          !
2301.-2400.   .0          !
2401.-2500.   .0          !
2501.-2600.   .0          !
2601.-2700.   .0          !
2701.-2800.   .0          !
2801.-2900.   .0          !
2901.-3000.   .0          !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000507--DIST OIL GYPSUM KILN, ETC. -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 7

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.763E 10	.716E 10	.583E 10	.0	.0	.0
101.- 200.	.565E 10	.422E 10	.209E 10	.0	.0	.0
201.- 300.	.209E 12	.158E 12	.825E 11	.0	.0	.0
301.- 400.	.228E 11	.176E 11	.996E 10	.837E 09	.795E 09	.727E 09
401.- 500.	.467E 11	.368E 11	.220E 11	.526E 10	.500E 10	.457E 10
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.292E 12	.224E 12	.122E 12	.610E 10	.579E 10	.530E 10

SCC = 39000507--DIST OIL   GYPSUM KILN, ETC.   -NO CONTROL EQUIPMENT -TOT RECS =   7

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.292E 12	.224E 12	.122E 12	.610E 10	.579E 10	.530E 10
	.292E 12	.224E 12	.122E 12	.610E 10	.579E 10	.530E 10

CC = 39000507--DIST OIL   GYPSUM KILN, ETC.   -- -NO CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   7

```
TEMP RANGE   COUNT

                         -----------------------------------------------------------------------------------------------------
   0.- 100.  .716E 10   !H
 101.- 200.  .422E 10   !H
 201.- 300.  .158E 12   !H
 301.- 400.  .176E 11   !H
 401.- 500.  .368E 11   !H
 501.- 600.  .0         !
 601.- 700.  .0         !
 701.- 800.  .0         !
 801.- 900.  .0         !
 901.-1000.  .0         !
1001.-1100.  .0         !
1101.-1200.  .0         !
1201.-1300.  .0         !
1301.-1400.  .0         !
1401.-1500.  .0         !
1501.-1600.  .0         !
1601.-1700.  .0         !
1701.-1800.  .0         !
1801.-1900.  .0         !
1901.-2000.  .0         !
2001.-2100.  .0         !
2101.-2200.  .0         !
2201.-2300.  .0         !
2301.-2400.  .0         !
2401.-2500.  .0         !
2501.-2600.  .0         !
2601.-2700.  .0         !
2701.-2800.  .0         !
2801.-2900.  .0         !
2901.-3000.  .0         !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000507--DIST OIL GYPSUM KILN, ETC. -WITH CONTROL EQUIPMENT -SIC =) -TOT RECS = 23

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.181E 12	.136E 12	.669E 11	.0	.0	.0
201.- 300.	.200E 12	.151E 12	.515E 11	.0	.0	.0
301.- 400.	.565E 11	.437E 11	.247E 11	.198E 10	.188E 10	.172E 10
401.- 500.	.431E 11	.343E 11	.211E 11	.655E 10	.622E 10	.569E 10
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.321E 12	.264E 12	.179E 12	.985E 11	.937E 11	.856E 11
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.802E 12	.630E 12	.343E 12	.107E 12	.102E 12	.930E 11

SCC = 39000507--DIST OIL GYPSUM KILN, ETC. -WITH CONTROL EQUIPMENT -TOT RECS = 23

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.722E 12	.569E 12	.325E 12	.106E 12	.101E 12	.922E 11
99	.794E 11	.603E 11	.183E 11	.961E 09	.912E 09	.835E 09
	.802E 12	.630E 12	.343E 12	.107E 12	.102E 12	.930E 11

CC =39000507--DIST OIL GYPSUM KILN, ETC. ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 23

TEMP RANGE	COUNT	0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
0.- 100.	.0	!
101.- 200.	.136E 12	!H
201.- 300.	.151E 12	!H
301.- 400.	.437E 11	!H
401.- 500.	.343E 11	!H
501.- 600.	.0	!
601.- 700.	.0	!
701.- 800.	.264E 12	!HH
801.- 900.	.0	!
901.-1000.	.0	!
1001.-1100.	.0	!
1101.-1200.	.0	!
1201.-1300.	.0	!
1301.-1400.	.0	!
1401.-1500.	.0	!
1501.-1600.	.0	!
1601.-1700.	.0	!
1701.-1800.	.0	!
1801.-1900.	.0	!
1901.-2000.	.0	!
2001.-2100.	.0	!
2101.-2200.	.0	!
2201.-2300.	.0	!
2301.-2400.	.0	!
2401.-2500.	.0	!
2501.-2600.	.0	!
2601.-2700.	.0	!
2701.-2800.	.0	!
2801.-2900.	.0	!
2901.-3000.	.0	!

SCC= 39000507--DIST OIL GYPSUM KILN, ETC. -TOTAL SCC -SIC = 0 -TOT RECS = 30

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.763E 10	.716E 10	.583E 10	.0	.0	.0
101.- 200.	.187E 12	.140E 12	.690E 11	.0	.0	.0
201.- 300.	.409E 12	.309E 12	.134E 12	.0	.0	.0
301.- 400.	.793E 11	.613E 11	.346E 11	.282E 10	.268E 10	.245E 10
401.- 500.	.899E 11	.711E 11	.431E 11	.118E 11	.112E 11	.103E 11
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.321E 12	.264E 12	.179E 12	.985E 11	.937E 11	.856E 11
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.109E 13	.854E 12	.466E 12	.113E 12	.108E 12	.983E 11

SCC = 39000507--DIST OIL   GYPSUM KILN, ETC.   -TOTAL SCC -TOT RECS =   30

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.101E 13	.793E 12	.447E 12	.112E 12	.107E 12	.975E 11
99	.794E 11	.603E 11	.183E 11	.961E 09	.912E 09	.835E 09
	.109E 13	.854E 12	.466E 12	.113E 12	.108E 12	.983E 11

CC 39000507--DIST OIL   GYPSUM KILN, ETC.   --TOTAL SCC -SIC =   0 -TOT RECS =   30

```
EMP RANGE   COUNT
                       ------------------------------------------------------------------------------------------------------
   0.- 100.  .716E 10  !H
 101.- 200.  .140E 12  !H
 201.- 300.  .309E 12  !HHH
 301.- 400.  .613E 11  !H
 401.- 500.  .711E 11  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .264E 12  !HH
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000508--DIST OIL GLASS FURNACE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 11

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.136E 13	.107E 13	.548E 12	.0	.0	.0
501.- 600.	.211E 12	.171E 12	.0	.143E 12	.136E 12	.106E 12
601.- 700.	.225E 12	.183E 12	.122E 12	.493E 11	.468E 11	.0
701.- 800.	.166E 12	.137E 12	.942E 11	.602E 11	.572E 11	.523E 11
801.- 900.	.236E 12	.198E 12	.140E 12	.548E 11	.522E 11	.477E 11
901.-1000.	.313E 11	.264E 11	.190E 11	.902E 11	.859E 11	.784E 11
1001.-1100.	.0	.0	.0	.129E 11	.123E 11	.112E 11
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.223E 13	.179E 13	.923E 12	.411E 12	.390E 12	.296E 12

```
SCC = 39000508--DIST OIL    GLASS FURNACE        -NO CONTROL EQUIPMENT -TOT RECS =      11
SIC          MAXIMUM    EXPECTED    MINIMUM    MAXIMUM    EXPECTED    MINIMUM
              60 DEG     60 DEG      60 DEG    300 DEG     300 DEG    300 DEG
  32         .223E 13   .179E 13   .923E 12   .411E 12   .390E 12   .296E 12

             .223E 13   .179E 13   .923E 12   .411E 12   .390E 12   .296E 12

CC = 39000508--DIST OIL    GLASS FURNACE      --  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      11
TEMP RANGE   COUNT
                     -------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .0        !
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .107E 13  !HHHHHHHHHH
 501.- 600.   .171E 12  !H
 601.- 700.   .183E 12  !H
 701.- 800.   .137E 12  !H
 801.- 900.   .198E 12  !H
 901.-1000.   .264E 11  !H
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0---------10---------20---------30---------40---------50---------60---------70---------80---------90--------100
```

SCC= 39000508--DIST OIL GLASS FURNACE -WITH CONTROL EQUIPMENT -SIC =] -TOT RECS = 5

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.956E 12	.774E 12	.502E 12	.0	.0	.0
601.- 700.	.145E 12	.118E 12	.783E 11	.222E 12	.211E 12	.193E 12
701.- 800.	.0	.0	.0	.390E 11	.370E 11	.339E 11
801.- 900.	.168E 12	.140E 12	.965E 11	.0	.0	.0
901.-1000.	.0	.0	.0	.571E 11	.543E 11	.496E 11
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.127E 13	.103E 13	.676E 12	.318E 12	.302E 12	.277E 12

SCC = 39000508--DIST OIL GLASS FURNACE -WITH CONTROL EQUIPMENT -TOT RECS = 5

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.127E 13	.103E 13	.676E 12	.318E 12	.302E 12	.277E 12
	.127E 13	.103E 13	.676E 12	.318E 12	.302E 12	.277E 12

CC =39000508--DIST OIL GLASS FURNACE ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 5

```
TEMP RANGE   COUNT
                        -------------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .0        !
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .0        !
 501.- 600.   .774E 12  !HHHHHHH
 601.- 700.   .118E 12  !H
 701.- 800.   .0        !
 801.- 900.   .140E 12  !H
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000508--DIST OIL GLASS FURNACE -TOTAL SCC -SIC = 0 -TOT RECS = 16

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.136E 13	.107E 13	.548E 12	.143E 12	.136E 12	.106E 12
501.- 600.	.117E 13	.945E 12	.502E 12	.271E 12	.258E 12	.193E 12
601.- 700.	.369E 12	.302E 12	.200E 12	.992E 11	.943E 11	.862E 11
701.- 800.	.166E 12	.137E 12	.942E 11	.548E 11	.522E 11	.477E 11
801.- 900.	.405E 12	.338E 12	.236E 12	.147E 12	.140E 12	.128E 12
901.-1000.	.313E 11	.264E 11	.190E 11	.129E 11	.123E 11	.112E 11
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.350E 13	.282E 13	.160E 13	.729E 12	.693E 12	.572E 12

SCC = 39000508--DIST OIL   GLASS FURNACE   -TOTAL SCC -TOT RECS =   16

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.350E 13	.282E 13	.160E 13	.729E 12	.693E 12	.572E 12
	.350E 13	.282E 13	.160E 13	.729E 12	.693E 12	.572E 12

CC 39000508--DIST OIL   GLASS FURNACE   --TOTAL SCC -SIC =   0 -TOT RECS =   16

```
EMP RANGE     COUNT
                        ---------------------------------------------------------------------------------------------------
   0.- 100.   .0        !
 101.- 200.   .0        !
 201.- 300.   .0        !
 301.- 400.   .0        !
 401.- 500.   .107E 13  !HHHHHHHHHHH
 501.- 600.   .945E 12  !HHHHHHHHHH
 601.- 700.   .302E 12  !HHH
 701.- 800.   .137E 12  !H
 801.- 900.   .338E 12  !HHH
 901.-1000.   .264E 11  !H
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000509--DIST OIL   ROCK AND GRAVEL DRYE -NO CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   7

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.934E 11	.701E 11	.184E 11	.0	.0	.0
201.- 300.	.768E 10	.581E 10	.305E 10	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.101E 12	.759E 11	.215E 11	.0	.0	.0

SCC = 39000509--DIST OIL   ROCK AND GRAVEL DRYE -NO CONTROL EQUIPMENT -TOT RECS =   7

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.792E 11	.594E 11	.184E 11	.0	.0	.0
32	.142E 11	.107E 11	.0	.0	.0	.0
46	.768E 10	.581E 10	.305E 10	.0	.0	.0
	.101E 12	.759E 11	.215E 11	.0	.0	.0

CC = 39000509--DIST OIL   ROCK AND GRAVEL DRYE-- -NO CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   7

```
TEMP RANGE   COUNT
                          ----------------------------------------------------------------------------------------------------
   0.- 100.  .0           !
 101.- 200.  .701E 11     !H
 201.- 300.  .581E 10     !H
 301.- 400.  .0           !
 401.- 500.  .0           !
 501.- 600.  .0           !
 601.- 700.  .0           !
 701.- 800.  .0           !
 801.- 900.  .0           !
 901.-1000.  .0           !
1001.-1100.  .0           !
1101.-1200.  .0           !
1201.-1300.  .0           !
1301.-1400.  .0           !
1401.-1500.  .0           !
1501.-1600.  .0           !
1601.-1700.  .0           !
1701.-1800.  .0           !
1801.-1900.  .0           !
1901.-2000.  .0           !
2001.-2100.  .0           !
2101.-2200.  .0           !
2201.-2300.  .0           !
2301.-2400.  .0           !
2401.-2500.  .0           !
2501.-2600.  .0           !
2601.-2700.  .0           !
2701.-2800.  .0           !
2801.-2900.  .0           !
2901.-3000.  .0           !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000509--DIST OIL ROCK AND GRAVEL DRYE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 27

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.117E 11	.110E 11	.896E 10	.0	.0	.0
101.- 200.	.445E 12	.337E 12	.141E 12	.0	.0	.0
201.- 300.	.364E 12	.276E 12	.819E 11	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.100E 11	.821E 10	.548E 10	.282E 10	.269E 10	.245E 10
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.832E 12	.632E 12	.237E 12	.282E 10	.269E 10	.245E 10

SCC = 39000509--DIST OIL   ROCK AND GRAVEL DRYE -WITH CONTROL EQUIPMENT -TOT RECS =   27

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.121E 12	.923E 11	.351E 11	.0	.0	.0
16	.234E 11	.177E 11	.928E 10	.0	.0	.0
28	.106E 12	.792E 11	.391E 11	.0	.0	.0
29	.134E 12	.105E 12	.241E 11	.0	.0	.0
32	.268E 12	.202E 12	.102E 12	.282E 10	.269E 10	.245E 10
33	.309E 11	.236E 11	.126E 11	.0	.0	.0
46	.112E 12	.850E 11	.145E 11	.0	.0	.0
99	.359E 11	.268E 11	.0	.0	.0	.0
	.832E 12	.632E 12	.237E 12	.282E 10	.269E 10	.245E 10

CC =39000509--DIST OIL   ROCK AND GRAVEL DRYE---WITH CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   27

```
TEMP RANGE   COUNT
                     ---------------------------------------------------------------------------------------------
   0.- 100.  .110E 11 !H
 101.- 200.  .337E 12 !HHH
 201.- 300.  .276E 12 !HH
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .821E 10 !H
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000509--DIST OIL ROCK AND GRAVEL DRYE -TOTAL SCC -SIC = 0 -TOT RECS = 34

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.117E 11	.110E 11	.896E 10	.0	.0	.0
101.- 200.	.539E 12	.407E 12	.159E 12	.0	.0	.0
201.- 300.	.372E 12	.282E 12	.849E 11	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.100E 11	.821E 10	.548E 10	.282E 10	.269E 10	.245E 10
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.933E 12	.708E 12	.259E 12	.282E 10	.269E 10	.245E 10

SCC = 39000509--DIST OIL   ROCK AND GRAVEL DRYE -TOTAL SCC -TOT RECS =   34

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.200E 12	.152E 12	.535E 11	.0	.0	.0
16	.234E 11	.177E 11	.928E 10	.0	.0	.0
28	.106E 12	.792E 11	.391E 11	.0	.0	.0
29	.134E 12	.105E 12	.241E 11	.0	.0	.0
32	.283E 12	.213E 12	.102E 12	.282E 10	.269E 10	.245E 10
33	.309E 11	.236E 11	.126E 11	.0	.0	.0
46	.120E 12	.908E 11	.175E 11	.0	.0	.0
99	.359E 11	.268E 11	.0	.0	.0	.0
	.933E 12	.708E 12	.259E 12	.282E 10	.269E 10	.245E 10

CC 39000509--DIST OIL   ROCK AND GRAVEL DRYE--TOTAL SCC -SIC =   0 -TOT RECS =   34

```
EMP RANGE    COUNT
                     ----------------------------------------------------------------------------------------------------
   0.- 100.  .110E 11  !H
 101.- 200.  .407E 12  !HHHH
 201.- 300.  .282E 12  !HH
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .821E 10  !H
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000511--DIST OIL PERLITE FURNACE -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

TEMP	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

0 RECORDS FOR THIS SECTION OF SCC

SCC = 39000511--DIST OIL PERLITE FURNACE -NO CONTROL EQUIPMENT -TOT RECS = 1

SIC	MAXIMUM	EXPECTED	MINIMUM	MAXIMUM	EXPECTED	MINIMUM
	60 DEG	60 DEG	60 DEG	300 DEG	300 DEG	300 DEG

SCC= 39000511--DIST OIL PERLITE FURNACE -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 2

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.316E 11	.244E 11	.138E 11	.116E 10	.110E 10	.101E 10
401.- 500.	.362E 11	.288E 11	.0	.550E 10	.522E 10	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.678E 11	.532E 11	.138E 11	.666E 10	.633E 10	.101E 10

SCC = 39000511--DIST OIL   PERLITE FURNACE   -WITH CONTROL EQUIPMENT -TOT RECS =   2

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
32	.678E 11	.532E 11	.138E 11	.666E 10	.633E 10	.101E 10
	.678E 11	.532E 11	.138E 11	.666E 10	.633E 10	.101E 10

CC =39000511--DIST OIL   PERLITE FURNACE   ---WITH CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   2

```
TEMP RANGE   COUNT
   0.- 100.  .0        ----------------------------------------------------------------------------------------------------
 101.- 200.  .0        !
 201.- 300.  .0        !
 301.- 400.  .244E 11  !H
 401.- 500.  .288E 11  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000530--DIST OIL FEED AND GRAIN DRYIN -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 8

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.298E 11	.279E 11	.749E 10	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.298E 11	.279E 11	.749E 10	.0	.0	.0

SCC = 39000530--DIST OIL   FEED AND GRAIN DRYIN -NO CONTROL EQUIPMENT -TOT RECS =   8

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.500E 10	.469E 10	.0	.0	.0	.0
51	.248E 11	.233E 11	.749E 10	.0	.0	.0
	.298E 11	.279E 11	.749E 10	.0	.0	.0

CC = 39000530--DIST OIL   FEED AND GRAIN DRYIN-- -NO CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   8

```
TEMP RANGE   COUNT
                      -----------------------------------------------------------------------------------------------------
   0.- 100.  .279E 11 !H
 101.- 200.  .0       !
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000530--DIST OIL FEED AND GRAIN DRYIN -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 12

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.367E 11	.344E 11	.0	.0	.0	.0
101.- 200.	.510E 12	.422E 12	.123E 12	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.546E 12	.456E 12	.123E 12	.0	.0	.0

SCC = 39000530--DIST OIL   FEED AND GRAIN DRYIN -WITH CONTROL EQUIPMENT -TOT RECS =   12

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.351E 12	.284E 12	.908E 11	.0	.0	.0
50	.137E 12	.118E 12	.208E 11	.0	.0	.0
51	.585E 11	.549E 11	.114E 11	.0	.0	.0
	.546E 12	.456E 12	.123E 12	.0	.0	.0

CC =39000530--DIST OIL   FEED AND GRAIN DRYIN---WITH CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   12

```
TEMP RANGE   COUNT
                     ----------------------------------------------------------------------------------------------------
   0.- 100.  .344E 11 !H
 101.- 200.  .422E 12 !HHHH
 201.- 300.  .0       !
 301.- 400.  .0       !
 401.- 500.  .0       !
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000530--DIST OIL FEED AND GRAIN DRYIN -TOTAL SCC -SIC = 0 -TOT RECS = 20

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.665E 11	.623E 11	.749E 10	.0	.0	.0
101.- 200.	.510E 12	.422E 12	.123E 12	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.576E 12	.484E 12	.131E 12	.0	.0	.0

SCC = 39000530--DIST OIL   FEED AND GRAIN DRYIN -TOTAL SCC -TOT RECS =   20

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.356E 12	.288E 12	.908E 11	.0	.0	.0
50	.137E 12	.118E 12	.208E 11	.0	.0	.0
51	.833E 11	.781E 11	.189E 11	.0	.0	.0
	.576E 12	.484E 12	.131E 12	.0	.0	.0

CC 39000530--DIST OIL   FEED AND GRAIN DRYIN--TOTAL SCC -SIC =   0 -TOT RECS =   20

```
EMP RANGE     COUNT
                        ----------------------------------------------------------------------------------------------------
   0.- 100.  .623E 11  !H
 101.- 200.  .422E 12  !HHHH
 201.- 300.  .0        !
 301.- 400.  .0        !
 401.- 500.  .0        !
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000531--DIST OIL FOOD-DRYING, COOKING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 7

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.765E 09	.717E 09	.584E 09	.0	.0	.0
101.- 200.	.309E 11	.239E 11	.0	.0	.0	.0
201.- 300.	.530E 11	.406E 11	.223E 11	.0	.0	.0
301.- 400.	.191E 11	.148E 11	.0	.561E 09	.532E 09	.0
401.- 500.	.221E 11	.176E 11	.0	.336E 10	.319E 10	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.126E 12	.976E 11	.229E 11	.392E 10	.373E 10	.0

```
SCC = 39000531--DIST OIL    FOOD-DRYING, COOKING -NO CONTROL EQUIPMENT -TOT RECS =      7

SIC         MAXIMUM    EXPECTED    MINIMUM    MAXIMUM   EXPECTED    MINIMUM
            60 DEG     60 DEG      60 DEG     300 DEG    300 DEG    300 DEG
   20      .126E 12   .976E 11   .229E 11   .392E 10   .373E 10   .0


           .126E 12   .976E 11   .229E 11   .392E 10   .373E 10   .0


CC = 39000531--DIST OIL     FOOD-DRYING, COOKING--  -NO CONTROL EQUIPMENT  -SIC=    0 -TOTAL RECS =      7

TEMP RANGE   COUNT
                         -----------------------------------------------------------------------------------------------------
   0.- 100.  .717E 09  !
 101.- 200.  .239E 11  !H
 201.- 300.  .406E 11  !H
 301.- 400.  .148E 11  !H
 401.- 500.  .176E 11  !H
 501.- 600.  .0        !
 601.- 700.  .0        !
 701.- 800.  .0        !
 801.- 900.  .0        !
 901.-1000.  .0        !
1001.-1100.  .0        !
1101.-1200.  .0        !
1201.-1300.  .0        !
1301.-1400.  .0        !
1401.-1500.  .0        !
1501.-1600.  .0        !
1601.-1700.  .0        !
1701.-1800.  .0        !
1801.-1900.  .0        !
1901.-2000.  .0        !
2001.-2100.  .0        !
2101.-2200.  .0        !
2201.-2300.  .0        !
2301.-2400.  .0        !
2401.-2500.  .0        !
2501.-2600.  .0        !
2601.-2700.  .0        !
2701.-2800.  .0        !
2801.-2900.  .0        !
2901.-3000.  .0        !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000531--DIST OIL FOOD-DRYING, COOKING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 5

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.850E 11	.699E 11	.170E 11	.0	.0	.0
201.- 300.	.266E 11	.203E 11	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.112E 12	.901E 11	.170E 11	.0	.0	.0

SCC = 39000531--DIST OIL FOOD-DRYING, COOKING -WITH CONTROL EQUIPMENT -TOT RECS = 5

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.792E 11	.597E 11	.200E 10	.0	.0	.0
28	.325E 11	.305E 11	.150E 11	.0	.0	.0
	.112E 12	.901E 11	.170E 11	.0	.0	.0

CC =39000531--DIST OIL FOOD-DRYING, COOKING---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 5

```
TEMP RANGE   COUNT
                     -----------------------------------------------------------------------------------------------------
   0.- 100.  .0      !
 101.- 200.  .699E 11 !H
 201.- 300.  .203E 11 !H
 301.- 400.  .0      !
 401.- 500.  .0      !
 501.- 600.  .0      !
 601.- 700.  .0      !
 701.- 800.  .0      !
 801.- 900.  .0      !
 901.-1000.  .0      !
1001.-1100.  .0      !
1101.-1200.  .0      !
1201.-1300.  .0      !
1301.-1400.  .0      !
1401.-1500.  .0      !
1501.-1600.  .0      !
1601.-1700.  .0      !
1701.-1800.  .0      !
1801.-1900.  .0      !
1901.-2000.  .0      !
2001.-2100.  .0      !
2101.-2200.  .0      !
2201.-2300.  .0      !
2301.-2400.  .0      !
2401.-2500.  .0      !
2501.-2600.  .0      !
2601.-2700.  .0      !
2701.-2800.  .0      !
2801.-2900.  .0      !
2901.-3000.  .0      !
                     0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000531--DIST OIL FOOD-DRYING, COOKING -TOTAL SCC -SIC = 0 -TOT RECS = 12

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.765E 09	.717E 09	.584E 09	.0	.0	.0
101.- 200.	.116E 12	.938E 11	.170E 11	.0	.0	.0
201.- 300.	.796E 11	.609E 11	.223E 11	.0	.0	.0
301.- 400.	.191E 11	.148E 11	.0	.561E 09	.532E 09	.0
401.- 500.	.221E 11	.176E 11	.0	.336E 10	.319E 10	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.238E 12	.188E 12	.399E 11	.392E 10	.373E 10	.0

SCC = 39000531--DIST OIL FOOD-DRYING, COOKING -TOTAL SCC -TOT RECS = 12

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
20	.205E 12	.157E 12	.249E 11	.392E 10	.373E 10	.0
28	.325E 11	.305E 11	.150E 11	.0	.0	.0
	.238E 12	.188E 12	.399E 11	.392E 10	.373E 10	.0

CC 39000531--DIST OIL FOOD-DRYING, COOKING--TOTAL SCC -SIC = 0 -TOT RECS = 12

```
EMP RANGE   COUNT
                      ------------------------------------------------------------------------------------------------
   0.- 100.  .717E 09 !
 101.- 200.  .938E 11 !H
 201.- 300.  .609E 11 !H
 301.- 400.  .148E 11 !H
 401.- 500.  .176E 11 !H
 501.- 600.  .0       !
 601.- 700.  .0       !
 701.- 800.  .0       !
 801.- 900.  .0       !
 901.-1000.  .0       !
1001.-1100.  .0       !
1101.-1200.  .0       !
1201.-1300.  .0       !
1301.-1400.  .0       !
1401.-1500.  .0       !
1501.-1600.  .0       !
1601.-1700.  .0       !
1701.-1800.  .0       !
1801.-1900.  .0       !
1901.-2000.  .0       !
2001.-2100.  .0       !
2101.-2200.  .0       !
2201.-2300.  .0       !
2301.-2400.  .0       !
2401.-2500.  .0       !
2501.-2600.  .0       !
2601.-2700.  .0       !
2701.-2800.  .0       !
2801.-2900.  .0       !
2901.-3000.  .0       !
                      0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000532--DIST OIL FERTILIZER DRYING -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 3

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.0	.0	.0	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.881E 12	.688E 12	.133E 12	.655E 11	.622E 11	.190E 11
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.881E 12	.688E 12	.133E 12	.655E 11	.622E 11	.190E 11

SCC = 39000532--DIST OIL FERTILIZER DRYING -NO CONTROL EQUIPMENT -TOT RECS = 3

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.294E 12	.229E 12	.0	.218E 11	.207E 11	.0
51	.294E 12	.229E 12	.133E 12	.218E 11	.207E 11	.190E 11
99	.294E 12	.229E 12	.0	.218E 11	.207E 11	.0
	.881E 12	.688E 12	.133E 12	.655E 11	.622E 11	.190E 11

CC = 39000532--DIST OIL FERTILIZER DRYING -- -NO CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 3

```
TEMP RANGE     COUNT
                          ------------------------------------------------------------------------------------------------
    0.- 100.   .0         !
  101.- 200.   .0         !
  201.- 300.   .0         !
  301.- 400.   .688E 12   !HHHHHH
  401.- 500.   .0         !
  501.- 600.   .0         !
  601.- 700.   .0         !
  701.- 800.   .0         !
  801.- 900.   .0         !
  901.-1000.   .0         !
 1001.-1100.   .0         !
 1101.-1200.   .0         !
 1201.-1300.   .0         !
 1301.-1400.   .0         !
 1401.-1500.   .0         !
 1501.-1600.   .0         !
 1601.-1700.   .0         !
 1701.-1800.   .0         !
 1801.-1900.   .0         !
 1901.-2000.   .0         !
 2001.-2100.   .0         !
 2101.-2200.   .0         !
 2201.-2300.   .0         !
 2301.-2400.   .0         !
 2401.-2500.   .0         !
 2501.-2600.   .0         !
 2601.-2700.   .0         !
 2701.-2800.   .0         !
 2801.-2900.   .0         !
 2901.-3000.   .0         !
                          0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000532--DIST OIL FERTILIZER DRYING -WITH CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 6

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.348E 12	.295E 12	.155E 12	.0	.0	.0
201.- 300.	.182E 12	.138E 12	.743E 11	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.529E 12	.433E 12	.230E 12	.0	.0	.0

SCC = 39000532--DIST OIL FERTILIZER DRYING -WITH CONTROL EQUIPMENT -TOT RECS = 6

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
28	.200E 12	.156E 12	.815E 11	.0	.0	.0
51	.148E 12	.138E 12	.740E 11	.0	.0	.0
99	.182E 12	.138E 12	.743E 11	.0	.0	.0
	.529E 12	.433E 12	.230E 12	.0	.0	.0

CC =39000532--DIST OIL FERTILIZER DRYING ---WITH CONTROL EQUIPMENT -SIC= 0 -TOTAL RECS = 6

```
TEMP RANGE    COUNT

   0.- 100.   .0        ---------------------------------------------------------------------------------------------
 101.- 200.   .295E 12  !
 201.- 300.   .138E 12  !HH
 301.- 400.   .0        !H
 401.- 500.   .0        !
 501.- 600.   .0        !
 601.- 700.   .0        !
 701.- 800.   .0        !
 801.- 900.   .0        !
 901.-1000.   .0        !
1001.-1100.   .0        !
1101.-1200.   .0        !
1201.-1300.   .0        !
1301.-1400.   .0        !
1401.-1500.   .0        !
1501.-1600.   .0        !
1601.-1700.   .0        !
1701.-1800.   .0        !
1801.-1900.   .0        !
1901.-2000.   .0        !
2001.-2100.   .0        !
2101.-2200.   .0        !
2201.-2300.   .0        !
2301.-2400.   .0        !
2401.-2500.   .0        !
2501.-2600.   .0        !
2601.-2700.   .0        !
2701.-2800.   .0        !
2801.-2900.   .0        !
2901.-3000.   .0        !
                        0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000532--DIST OIL FERTILIZER DRYING -TOTAL SCC -SIC = 0 -TOT RECS = 9

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.348E 12	.295E 12	.155E 12	.0	.0	.0
201.- 300.	.182E 12	.138E 12	.743E 11	.0	.0	.0
301.- 400.	.881E 12	.688E 12	.133E 12	.655E 11	.622E 11	.190E 11
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.141E 13	.112E 13	.363E 12	.655E 11	.622E 11	.190E 11

SCC = 39000532--DIST OIL   FERTILIZER DRYING   -TOTAL SCC -TOT RECS =   9

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
14	.294E 12	.229E 12	.0	.218E 11	.207E 11	.0
28	.200E 12	.156E 12	.815E 11	.0	.0	.0
51	.441E 12	.368E 12	.207E 12	.218E 11	.207E 11	.190E 11
99	.476E 12	.368E 12	.743E 11	.218E 11	.207E 11	.0
	.141E 13	.112E 13	.363E 12	.655E 11	.622E 11	.190E 11

CC 39000532--DIST OIL   FERTILIZER DRYING   --TOTAL SCC -SIC =   0 -TOT RECS =   9

```
EMP RANGE   COUNT
                         ----------------------------------------------------------------------------------------------------
    0.- 100.  .0         !
  101.- 200.  .295E 12   !HH
  201.- 300.  .138E 12   !H
  301.- 400.  .688E 12   !HHHHHH
  401.- 500.  .0         !
  501.- 600.  .0         !
  601.- 700.  .0         !
  701.- 800.  .0         !
  801.- 900.  .0         !
  901.-1000.  .0         !
 1001.-1100.  .0         !
 1101.-1200.  .0         !
 1201.-1300.  .0         !
 1301.-1400.  .0         !
 1401.-1500.  .0         !
 1501.-1600.  .0         !
 1601.-1700.  .0         !
 1701.-1800.  .0         !
 1801.-1900.  .0         !
 1901.-2000.  .0         !
 2001.-2100.  .0         !
 2101.-2200.  .0         !
 2201.-2300.  .0         !
 2301.-2400.  .0         !
 2401.-2500.  .0         !
 2501.-2600.  .0         !
 2601.-2700.  .0         !
 2701.-2800.  .0         !
 2801.-2900.  .0         !
 2901.-3000.  .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000552--DIST OIL PULP-RECOVERY BOILER -NO CONTROL EQUIPMENT -SIC = 0 -TOT RECS = 1

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.126E 13	.943E 12	.463E 12	.0	.0	.0
201.- 300.	.0	.0	.0	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.126E 13	.943E 12	.463E 12	.0	.0	.0

SCC = 39000552--DIST OIL   PULP-RECOVERY BOILER -NO CONTROL EQUIPMENT -TOT RECS =   1

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.126E 13	.943E 12	.463E 12	.0	.0	.0
	.126E 13	.943E 12	.463E 12	.0	.0	.0

CC = 39000552--DIST OIL   PULP-RECOVERY BOILER-- -NO CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   1

```
TEMP RANGE   COUNT
                         ------------------------------------------------------------------------------------------------------
    0.- 100.  .0         !
  101.- 200.  .943E 12   !HHHHHHHHH
  201.- 300.  .0         !
  301.- 400.  .0         !
  401.- 500.  .0         !
  501.- 600.  .0         !
  601.- 700.  .0         !
  701.- 800.  .0         !
  801.- 900.  .0         !
  901.-1000.  .0         !
 1001.-1100.  .0         !
 1101.-1200.  .0         !
 1201.-1300.  .0         !
 1301.-1400.  .0         !
 1401.-1500.  .0         !
 1501.-1600.  .0         !
 1601.-1700.  .0         !
 1701.-1800.  .0         !
 1801.-1900.  .0         !
 1901.-2000.  .0         !
 2001.-2100.  .0         !
 2101.-2200.  .0         !
 2201.-2300.  .0         !
 2301.-2400.  .0         !
 2401.-2500.  .0         !
 2501.-2600.  .0         !
 2601.-2700.  .0         !
 2701.-2800.  .0         !
 2801.-2900.  .0         !
 2901.-3000.  .0         !
                         0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000552--DIST OIL   PULP-RECOVERY BOILER -WITH CONTROL EQUIPMENT -SIC =   0 -TOT RECS =   2

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.190E 12	.178E 12	.115E 12	.0	.0	.0
201.- 300.	.162E 13	.124E 13	.681E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.181E 13	.142E 13	.796E 12	.0	.0	.0

SCC = 39000552--DIST OIL   PULP-RECOVERY BOILER -WITH CONTROL EQUIPMENT -TOT RECS =   2

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.181E 13	.142E 13	.796E 12	.0	.0	.0
	.181E 13	.142E 13	.796E 12	.0	.0	.0

CC =39000552--DIST OIL   PULP-RECOVERY BOILER---WITH CONTROL EQUIPMENT -SIC=   0 -TOTAL RECS =   2

```
TEMP RANGE    COUNT

                       ----------------------------------------------------------------------------------------------------
   0.- 100.   .0       !
 101.- 200.   .178E 12 !H
 201.- 300.   .124E 13 !HHHHHHHHHHHH
 301.- 400.   .0       !
 401.- 500.   .0       !
 501.- 600.   .0       !
 601.- 700.   .0       !
 701.- 800.   .0       !
 801.- 900.   .0       !
 901.-1000.   .0       !
1001.-1100.   .0       !
1101.-1200.   .0       !
1201.-1300.   .0       !
1301.-1400.   .0       !
1401.-1500.   .0       !
1501.-1600.   .0       !
1601.-1700.   .0       !
1701.-1800.   .0       !
1801.-1900.   .0       !
1901.-2000.   .0       !
2001.-2100.   .0       !
2101.-2200.   .0       !
2201.-2300.   .0       !
2301.-2400.   .0       !
2401.-2500.   .0       !
2501.-2600.   .0       !
2601.-2700.   .0       !
2701.-2800.   .0       !
2801.-2900.   .0       !
2901.-3000.   .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```

SCC= 39000552--DIST OIL   PULP-RECOVERY BOILER -TOTAL SCC -SIC =   0 -TOT RECS =   3

TEMP	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
0.- 100.	.0	.0	.0	.0	.0	.0
101.- 200.	.145E 13	.112E 13	.578E 12	.0	.0	.0
201.- 300.	.162E 13	.124E 13	.681E 12	.0	.0	.0
301.- 400.	.0	.0	.0	.0	.0	.0
401.- 500.	.0	.0	.0	.0	.0	.0
501.- 600.	.0	.0	.0	.0	.0	.0
601.- 700.	.0	.0	.0	.0	.0	.0
701.- 800.	.0	.0	.0	.0	.0	.0
801.- 900.	.0	.0	.0	.0	.0	.0
901.-1000.	.0	.0	.0	.0	.0	.0
1001.-1100.	.0	.0	.0	.0	.0	.0
1101.-1200.	.0	.0	.0	.0	.0	.0
1201.-1300.	.0	.0	.0	.0	.0	.0
1301.-1400.	.0	.0	.0	.0	.0	.0
1401.-1500.	.0	.0	.0	.0	.0	.0
1501.-1600.	.0	.0	.0	.0	.0	.0
1601.-1700.	.0	.0	.0	.0	.0	.0
1701.-1800.	.0	.0	.0	.0	.0	.0
1801.-1900.	.0	.0	.0	.0	.0	.0
1901.-2000.	.0	.0	.0	.0	.0	.0
2001.-2100.	.0	.0	.0	.0	.0	.0
2101.-2200.	.0	.0	.0	.0	.0	.0
2201.-2300.	.0	.0	.0	.0	.0	.0
2301.-2400.	.0	.0	.0	.0	.0	.0
2401.-2500.	.0	.0	.0	.0	.0	.0
2501.-2600.	.0	.0	.0	.0	.0	.0
2601.-2700.	.0	.0	.0	.0	.0	.0
2701.-2800.	.0	.0	.0	.0	.0	.0
2801.-2900.	.0	.0	.0	.0	.0	.0
2901.-3000.	.0	.0	.0	.0	.0	.0
	.307E 13	.236E 13	.126E 13	.0	.0	.0

SCC = 39000552--DIST OIL   PULP-RECOVERY BOILER -TOTAL SCC -TOT RECS =   3

SIC	MAXIMUM 60 DEG	EXPECTED 60 DEG	MINIMUM 60 DEG	MAXIMUM 300 DEG	EXPECTED 300 DEG	MINIMUM 300 DEG
26	.307E 13	.236E 13	.126E 13	.0	.0	.0
	.307E 13	.236E 13	.126E 13	.0	.0	.0

CC 39000552--DIST OIL   PULP-RECOVERY BOILER--TOTAL SCC -SIC =   0 -TOT RECS =   3

```
EMP RANGE     COUNT
                       ----------------------------------------------------------------------------------------------------
   0.- 100.   .0       !
 101.- 200.   .112E 13 !HHHHHHHHHHH
 201.- 300.   .124E 13 !HHHHHHHHHHHH
 301.- 400.   .0       !
 401.- 500.   .0       !
 501.- 600.   .0       !
 601.- 700.   .0       !
 701.- 800.   .0       !
 801.- 900.   .0       !
 901.-1000.   .0       !
1001.-1100.   .0       !
1101.-1200.   .0       !
1201.-1300.   .0       !
1301.-1400.   .0       !
1401.-1500.   .0       !
1501.-1600.   .0       !
1601.-1700.   .0       !
1701.-1800.   .0       !
1801.-1900.   .0       !
1901.-2000.   .0       !
2001.-2100.   .0       !
2101.-2200.   .0       !
2201.-2300.   .0       !
2301.-2400.   .0       !
2401.-2500.   .0       !
2501.-2600.   .0       !
2601.-2700.   .0       !
2701.-2800.   .0       !
2801.-2900.   .0       !
2901.-3000.   .0       !
                       0--------10--------20--------30--------40--------50--------60--------70--------80--------90-------100
```